

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1906.

Ordered by the House of Assembly to be printed, September 4th, 1907.

[Estimated cost of printing (560), £42 5s. 9d.]

ADELAIDE:

BY AUTHORITY: C. E. BRISTOW, GOVERNMENT PRINTER, NORTH TERRACE

1907.

REGISTRAR-GENERAL OF BIRTHS, ETC.—ANNUAL REPORT, 1906.

Office of Registrar-General of Births, &c., August 23rd, 1907.

Sir—I have the honor to submit to you the following report on the births, deaths, and marriages registered in South Australia in the year 1906 :—

Near the end of the report will be found, under their proper heading, some observations and statistics respecting the Northern Territory; but, with these exceptions, and except also where the Territory is specially mentioned, everything written with regard to the State, in either the report itself or the tables accompanying it, must be understood as referring to the southern part only—that is, to South Australia proper.

POPULATION.

On December 31st, 1906, the estimated population of South Australia, exclusive of the inhabitants of the Northern Territory and of full-blood aborigines, was 380,245, viz., 200,451 males and 179,794 females. This showed an advance of 5,847 on the estimated population at the beginning of the year—an increase which was greater than that of any other year since 1893.

All these figures are based on the estimates of population which, both for the beginning and the end of the year, have been computed in accordance with the plan agreed upon at the Conference of Government Statisticians held in Melbourne in September, 1903.

Instead of estimating the population every month, as was the practice in this State for a great many years, it is now the rule to make only quarterly estimates. In computing them additions of 10 per cent. each are made to the records of immigration and emigration by land to allow for unrecorded traffic by rail and road, while, as an allowance for unrecorded departures by sea, 7 per cent. is added to the recorded emigration by ship. No allowance is made for unrecorded arrivals by sea.

The following table, compiled from quarterly returns supplied by the State Customs Department and the Railways Department, shows the distribution as to route of the recorded immigration and emigration in 1906 :—

| Route. | Inwards. | | | Outwards. | | |
|------------------------|----------|----------|--------|-----------|----------|--------|
| | Males. | Females. | Total. | Males. | Females. | Total. |
| By sea | 9,588 | 5,676 | 15,264 | 7,042 | 5,159 | 12,201 |
| Via River Murray | 233 | 162 | 395 | 259 | 153 | 412 |
| Via Cockburn | 11,230 | 6,641 | 17,871 | 11,107 | 8,134 | 19,241 |
| Via Serviceton | 15,876 | 9,391 | 25,267 | 14,515 | 10,649 | 25,164 |
| | 36,927 | 21,870 | 58,797 | 32,923 | 24,095 | 57,018 |

Taken as they stand (that is, without considering allowances which have been made for unrecorded arrivals and for unrecorded departures) the figures in the table would show that the population lost 17 persons *via* the River Murray and 1,370 *via* Cockburn, while it gained 103 *via* Serviceton and 3,063 by sea, the final result to the State being a gain of 1,779 persons.

The estimated mean population for the year was 376,335 (196,689 males and 179,646 females), being greater by 5,544 than the mean population of 1905.

Throughout this report, and the statistical tables accompanying it, the annual rates of births, deaths, and marriages to population are invariably calculated on the mean populations of the years referred to.

BIRTHS.

The births registered in 1906 numbered 8,921, being more by 89 than those recorded in 1905. The birth rate per 1,000 of the mean population was 23·70, against 23·82 in the previous year, while the natural addition to population from the excess of births over deaths was 5,049, against 5,071 in 1905.

All the explanation (accompanied by the necessary details) which this department could give respecting the serious decline in the birth rate since 1885, was very fully and, it is believed, clearly stated in the annual report for 1903. As that report, being so recent, can easily be referred to, it would serve no useful purpose here to deal with the matter again.

Of the total births registered in 1906, 4,605 were male births, and 4,316 female; the proportion of the former to 100 of the latter being 106·70. In England, according to recent returns, the proportion for the five years ended with 1905 was 103·74, while the “Victorian Year Book” gives, omitting fractions, 105 as the ratio for the Australian States and New Zealand taken together, the calculation being based on the returns for the five years 1893–97. A recent Commonwealth publication (“Population and Vital Statistics, Bulletin No. 2”) gives 105·99 as the Commonwealth ratio for 1906, while the proportions it gives for the six years ended with that year show, when considered collectively, that the mean ratio for the six years was 105·11.

In the first quarter of 1906 the births registered in South Australia numbered 2,116, in the second, 2,323; in the third, 2,431; and in the fourth, 2,051; the births of the second and third quarters being, according to the general rule, more numerous than those of the first and last.

By means of a tabular statement, which will be found later on, and the information in which—like all similar information given in this report—has been taken from the latest and most authentic sources, the birth rate of South Australia can be compared with the birth rates of the Commonwealth, the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Illegitimate

Illegitimate Births.—The births entered in 1906 as illegitimate numbered 357 (193 males and 164 females), against 386 in the previous year. The percentage of illegitimate births to the total births registered during the year was 4·00.

The following table shows the percentages in the Commonwealth, the six Australian States, New Zealand, and the different parts of the United Kingdom in the years specified:—

| | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | Mean. |
|----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Commonwealth | — | — | — | — | 5·99 | 5·82 | 6·01 | 6·17 | 6·24 | 6·23 | 6·08 |
| South Australia | 3·53 | 3·62 | 3·95 | 4·24 | 3·98 | 4·36 | 4·18 | 4·01 | 4·37 | 4·00 | 4·02 |
| New South Wales .. | 6·58 | 6·93 | 7·16 | 7·01 | 7·16 | 6·60 | 6·71 | 7·12 | 7·37 | 7·04 | 6·97 |
| Victoria | 5·41 | 5·33 | 5·49 | 5·91 | 5·58 | 5·51 | 5·73 | 5·73 | 5·61 | 5·58 | 5·59 |
| Queensland | 6·02 | 6·03 | 5·97 | 6·40 | 5·93 | 6·04 | 6·79 | 6·90 | 6·97 | 7·68 | 6·47 |
| Western Australia .. | 5·27 | 4·99 | 4·91 | 4·82 | 3·88 | 3·96 | 4·70 | 4·36 | 4·19 | 4·78 | 4·59 |
| Tasmania | 5·74 | 5·09 | 6·07 | 5·43 | 5·94 | 6·11 | 5·61 | 5·82 | 5·51 | 5·78 | 5·71 |
| New Zealand | 4·48 | 4·23 | 4·40 | 4·64 | 4·57 | 4·46 | 4·55 | 4·52 | 4·57 | 4·67 | 4·51 |
| England and Wales.. | 4·2 | 4·2 | 4·0 | 4·0 | 3·9 | 3·9 | 3·9 | 4·0 | 4·0 | — | 4·01 |
| Ireland | 2·6 | 2·7 | 2·6 | 2·7 | 2·6 | 2·6 | 2·6 | 2·5 | 2·6 | — | 2·61 |
| Scotland | 7·04 | 6·78 | 6·49 | 6·49 | 6·32 | 6·28 | 6·21 | 6·79 | 6·61 | 6·74 | 6·58 |

For the convenience of reference and of comparison a table showing the South Australian rates of illegitimacy for twenty-six years is here appended:—

| | | | |
|------------|------|-----------------------------|------|
| 1881 | 2·25 | 1895 | 3·13 |
| 1882 | 2·25 | 1896 | 3·46 |
| 1883 | 1·75 | 1897 | 3·53 |
| 1884 | 2·10 | 1898 | 3·62 |
| 1885 | 2·42 | 1899 | 3·95 |
| 1886 | 2·38 | 1900 | 4·24 |
| 1887 | 2·49 | 1901 | 3·98 |
| 1888 | 2·67 | 1902 | 4·36 |
| 1889 | 2·47 | 1903 | 4·18 |
| 1890 | 2·50 | 1904 | 4·01 |
| 1891 | 2·93 | 1905 | 4·37 |
| 1892 | 2·93 | 1906 | 4·00 |
| 1893 | 2·84 | | |
| 1894 | 3·05 | | |
| | | Mean of twenty-six years .. | 3·15 |

Although the foregoing table is similar to one of those usually given in statistics of illegitimacy, it is somewhat misleading as far as late years are concerned, because the rise in the per cent. rates for those years has been mainly owing, not to an advance in illegitimate births, but to the great falling off in the number of legitimate ones. If separate comparisons be made of the number of illegitimate births in 1881, 1891, and 1901 with the number of unmarried women (including widows) of the child-bearing age (15 to 45), as stated in the census returns of each of these years, it will be found that, calculated in this way, the rates per 100 women were 0·87, 0·89, and 0·75 for the three years respectively. It may be added that if the number of illegitimate births in 1902, 1903, 1904, 1905, and 1906 be similarly compared with the number (as *estimated* here for the use of the Registrar-General of England) of unmarried women (including widows) of the child-bearing age in each of these years, it will be found that the rates per 100 women for the five years were 0·81, 0·73, 0·75, 0·79, and 0·74 respectively.

From all this it will be seen that there has not really been an undue advance in illegitimacy in recent years, but that, on the contrary, there has, in proportion to the number of females exposed to temptation, been rather a decline in immorality in this respect.

DEATHS.

The deaths registered in 1906 numbered 3,872, being more by 111 than those of the previous year but, with that exception and two others, being the lowest number recorded in any year since 1892. The deaths of males were 2,053, and of females 1,819, the proportion of the former to 100 of the latter being 112·86, which was greater by 6·16 than the proportion of male to female births. Of the total number of deaths recorded in the year, 1,089 were registered in the first quarter, 954 in the second, 937 in the third, and 892 in the fourth, the mortality of the first half of the year being, as most commonly happens, greater than that of the last. The death rate per 1,000 of the mean population was 10·29, which was higher by 0·15 than that of 1905, but was the third lowest death rate on record. It may be stated here that in every one of the twenty-two years 1885-1906 the death rate was low.

By means of the tabular statement which has already been referred to, and which will be found later on, the death rate of South Australia can be compared with the death rates of the Commonwealth, the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Causes of Death.—Arranged in their respective classes and numbers, the causes of death in 1906 and the previous year were as follows:

| | 1905. | 1906. |
|--|-------|-------|
| I. Specific febrile or zymotic diseases | 238 | 292 |
| II. Parasitic diseases | 18 | 12 |
| III. Dietetic diseases | 12 | 15 |
| IV. Constitutional diseases | 705 | 760 |
| V. Developmental diseases | 533 | 552 |
| VI. Local diseases | 1,854 | 1,810 |
| VII. Violence | 264 | 259 |
| VIII. Ill-defined and not specified causes | 137 | 172 |

It will be seen from this that, comparing the causes of death in the two years by classes, there were, in 1906, increases in the first, third, fourth, fifth, and eighth classes, and decreases in the second, sixth, and seventh. The increase in the zymotic class was chiefly owing to an advance in the number of deaths from influenza, whooping cough, diphtheria, enteric fever, and simple cholera, while the increase in the constitutional class was due to a considerable augmentation in the mortality from cancer and phthisis. There was nothing remarkable or calling for special comment in any of the other increases or decreases.

As very full particulars are given in the tables accompanying this report respecting the different causes of death specified in them, it is considered necessary to refer specially here to only some of those in the zymotic class and a few of the other causes.

Scarlet Fever, Measles.—In 1906 there were 12 deaths from scarlet fever, against 8 in the previous year; while there was only 1 death from measles, against none in 1905.

Whooping Cough.—There were 16 deaths from whooping cough, against 6 in 1905.

Cerebro-spinal Fever.—To this malady, known also as epidemic cerebro-spinal meningitis, only 1 death was attributed in 1906, against 1 in the previous year.

Enteric Fever.—The deaths from enteric or typhoid fever numbered 48 (28 males and 20 females), being more by 7 than those recorded in 1905.

The following table shows the death rates from this disease per 1,000 of the mean population for the last twenty-five years :—

| | | | |
|------------|------|--------------------------------|------|
| 1882 | 0·51 | 1896 | 0·28 |
| 1883 | 0·46 | 1897 | 0·31 |
| 1884 | 0·44 | 1898 | 0·42 |
| 1885 | 0·43 | 1899 | 0·32 |
| 1886 | 0·31 | 1900 | 0·16 |
| 1887 | 0·47 | 1901 | 0·20 |
| 1888 | 0·35 | 1902 | 0·25 |
| 1889 | 0·42 | 1903 | 0·16 |
| 1890 | 0·30 | 1904 | 0·09 |
| 1891 | 0·23 | 1905 | 0·11 |
| 1892 | 0·26 | 1906 | 0·13 |
| 1893 | 0·19 | | |
| 1894 | 0·24 | | |
| 1895 | 0·21 | | |
| | | Mean of twenty-five years | 0·29 |

For comparison it may be stated that in England, according to the returns of the Registrar-General, the rate in 1905 was only 0·09, and the mean annual rate for the quinquennium ended with that year 0·11, while recent returns give the rates in the Australian States and New Zealand, as follows :—

| | | | | | |
|-------------------------|---------|------|-----------------------|---------|------|
| Western Australia | 1905 .. | 0·43 | South Australia | 1905 .. | 0·11 |
| Queensland | 1905 .. | 0·18 | Victoria | 1905 .. | 0·10 |
| New South Wales | 1905 .. | 0·16 | New Zealand | 1905 .. | 0·05 |
| Tasmania | 1905 .. | 0·13 | | | |

It would seem, therefore, that in reference to enteric fever the Australian States, with the exception of South Australia and Victoria, compare unfavorably with England and New Zealand. None of the deaths in this State from enteric fever in 1906 were of children under 5 years of age, while there was only 1 death of a person over 45.

In the annual report for 1889 it was stated that “As many of the deaths from this disease occurred in public hospitals, and were of persons who had come from a distance—in some cases even from beyond the limits of the colony—and as many others were of persons who had returned ill to their homes from various directions, it would serve no useful purpose to give a minute detail of the local distribution of the deaths.” For similar reasons, minute details of such distribution are not given in this present report; but it may be stated that 23 of the deaths occurred in the four districts forming “Adelaide and suburbs” (that is, Adelaide, Norwood, Hindmarsh, and Port Adelaide), only 2 in the districts south of Adelaide district, and the remaining 23 in the other parts of the State.

It is noteworthy how very few deaths from this disease occur in all that portion of the State which lies south of the district of Adelaide. From 1887 to 1906 they numbered in each year respectively only 4, 8, 8, 9, 1, 1, 2, 4, 5, 1, 2, 3, 3, 4, 1, 6, 1, 4, 3, and 2.

The deaths from enteric fever in 1906 were, for the most part, distributed over the first six months of the year, but 1 of them occurred in July, 1 in September, 3 in November, and 5 in December.

Diphtheria, Croup.—The deaths from diphtheria numbered only 12 (5 males and 7 females), being more by 5 than those recorded in 1905, but being, with that exception, the lowest number recorded in any year since this malady first made its appearance in South Australia, or, at all events, since 1859, when it was first recognised here as a distinct disease. Only 1 of the deaths was of a person over 10 years of age.

Judging from the returns of several years, it would seem that though no age protects a person from liability to attack from this malady, the mortality from it is chiefly confined to children under 10 years old. Of the total deaths from diphtheria, 5 were registered in “Adelaide and suburbs,” 3 in the districts south of the Adelaide district, and the remaining 4 in the other parts of the State.

The following table shows the death rates from this disease per 1,000 of the mean population for the years specified :—

| | | | |
|------------|------|------------|------|
| 1900 | 0·09 | 1904 | 0·05 |
| 1901 | 0·05 | 1905 | 0·02 |
| 1902 | 0·08 | 1906 | 0·03 |
| 1903 | 0·06 | | |

Both in Australasia and elsewhere there seem to be, in many cases, considerable difficulty and uncertainty in distinguishing between diphtheria and croup. Frequently, therefore, statistical writers count together the deaths from these two diseases. The deaths from croup in 1906 numbered 4 (4 males and 0 females), against 7 in the previous year.

Influenza, or la Grippe.—The deaths from influenza in 1906 numbered 38 (22 males and 16 females), against 27 in the previous year. Ever since 1890, inclusive, this disease has been very destructive, though for many years before that time it troubled the State but very little.

Phthisis

Phthisis.—The deaths from phthisis were 307 (142 males and 165 females), being more by 28 than the number registered in 1905. Of the total deaths from all causes 7·93 per cent. were attributed to phthisis, against 7·42 in the previous year, while the proportion of deaths from this disease per 1,000 of the mean population was 0·82, against 0·75 in 1905.

The following table shows the proportions for the last twenty-two years :—

| | | | |
|------------|------|------------------------------|------|
| 1885 | 0·99 | 1897 | 0·89 |
| 1886 | 1·12 | 1898 | 0·91 |
| 1887 | 1·16 | 1899 | 0·89 |
| 1888 | 1·19 | 1900 | 0·84 |
| 1889 | 0·94 | 1901 | 0·84 |
| 1890 | 0·94 | 1902 | 0·81 |
| 1891 | 1·04 | 1903 | 0·82 |
| 1892 | 0·95 | 1904 | 0·79 |
| 1893 | 1·02 | 1905 | 0·75 |
| 1894 | 1·05 | 1906 | 0·82 |
| 1895 | 0·98 | | |
| 1896 | 0·89 | Mean of twenty-two years.... | 0·94 |

In England the proportion in 1905 was 1·14, being under the mean annual rate (1·22) for the quinquennium ended with that year.

If the English and the South Australian rates for either 1905 or the quinquennium ended with that year be carefully studied, it will be found that such a portion of population as would in this State yield about 6 deaths from phthisis would in England yield over 9 deaths. Such is the fact, although in the latter country females, who are less liable than persons of the other sex to become victims to consumption, considerably outnumber the males, whereas in South Australia the male population is the more numerous. Furthermore, phthisis is so frequently complicated with bronchitis or pneumonia, or both, that in many a case of death it must be very difficult—perhaps impossible—to decide with certainty as to which of these three lung diseases should be set down as the *principal* cause of the fatal result ; and, of course, this uncertainty affects more or less the classification in the mortality tables, as the undue inflation of the death record from any one of the three may have the effect of unduly lessening the recorded mortality from the others. This being so, it is not possible to have a clear view of the real significance of the recorded death rate from one of these diseases unless the corresponding death rates from the other two are also taken into account. Now, in 1905 the death rates from bronchitis and pneumonia, per 1,000 of the population, were in England 1·14 and 1·30 respectively; whilst in South Australia they were only 0·36 and 0·48 respectively. The combined death rate in that year from phthisis, bronchitis, and pneumonia was 3·58 in England, and only 1·59 in this State—that is to say, less than half. From these facts it will be evident that, in reference to mortality from phthisis and the two other most destructive diseases of the lungs, South Australia compares very favorably indeed with the mother country.

For comparison, the death rates from phthisis of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

| | | | | | |
|-----------------------|---------|------|-------------------------|---------|------|
| Victoria | 1905 .. | 1·02 | New South Wales | 1905 .. | 0·72 |
| Queensland | 1905 .. | 0·76 | Western Australia | 1905 .. | 0·65 |
| South Australia | 1905 .. | 0·75 | New Zealand | 1905 .. | 0·57 |
| Tasmania | 1905 .. | 0·75 | | | |

Cancer.—The deaths from cancer (including all malignant new growths) numbered 279 (139 males and 140 females), being more by 30 than those registered in 1905. The proportion of deaths from this disease per 1,000 of the mean population was 0·74, against 0·67 in the previous year.

For the last twenty-two years the rates were as follows :—

| | | | |
|------------|------|-------------------------------|------|
| 1885 | 0·32 | 1897 | 0·54 |
| 1886 | 0·34 | 1898 | 0·53 |
| 1887 | 0·36 | 1899 | 0·58 |
| 1888 | 0·38 | 1900 | 0·59 |
| 1889 | 0·43 | 1901 | 0·60 |
| 1890 | 0·41 | 1902 | 0·74 |
| 1891 | 0·49 | 1903 | 0·72 |
| 1892 | 0·46 | 1904 | 0·62 |
| 1893 | 0·51 | 1905 | 0·67 |
| 1894 | 0·48 | 1906 | 0·74 |
| 1895 | 0·48 | | |
| 1896 | 0·54 | Mean of twenty-two years..... | 0·52 |

In England the proportion in 1905 was 0·89, which was above the mean annual rate (0·86) for the quinquennium ended with that year, and was, in fact, up to that time the highest rate ever recorded there. For comparison, the rates of the six Australian States and New Zealand, as shown in recent returns, are here appended :—

| | | | | | |
|-----------------------|---------|------|-------------------------|---------|------|
| Victoria | 1905 .. | 0·78 | New Zealand | 1905 .. | 0·65 |
| South Australia | 1905 .. | 0·67 | Tasmania | 1905 .. | 0·54 |
| Queensland | 1905 .. | 0·67 | Western Australia | 1905 .. | 0·51 |
| New South Wales | 1905 .. | 0·65 | | | |

All the deaths in South Australia in 1906 from cancer, except 11, were of persons over 30 years of age. In England the mortality from cancer has always been very much less amongst the male than amongst the female portion of the population. For instance, in the quinquennium ended with 1905 the average annual death rates there from this disease, per 1,000 of the mean population of each sex, were 0·72 and 1·00 respectively. In this State, however, though the difference is but little, the average rate of male mortality is the higher of the two, as the following table will show :—

| | Male Rate. | Female Rate. | | Male Rate. | Female Rate. |
|------------|------------|--------------|------------|------------|--------------|
| 1892 | 0·52 | 0·39 | 1901 | 0·53 | 0·63 |
| 1893 | 0·51 | 0·51 | 1902 | 0·70 | 0·79 |
| 1894 | 0·48 | 0·48 | 1903 | 0·73 | 0·71 |
| 1895 | 0·49 | 0·47 | 1904 | 0·61 | 0·63 |
| 1896 | 0·56 | 0·51 | 1905 | 0·62 | 0·73 |
| 1897 | 0·62 | 0·45 | 1906 | 0·71 | 0·78 |
| 1898 | 0·55 | 0·51 | | | |
| 1899 | 0·59 | 0·57 | Mean | 0·59 | 0·58 |
| 1900 | 0·58 | 0·61 | | | |

Diseases and Accidents of Pregnancy and Childbirth.—The deaths ascribed in 1906 to these causes including puerperal fever, were 52, against 34 in the previous year. The proportion which deaths from these causes bore to 1,000 registered births was 5·83, against 3·85 in 1905. The following table shows the proportions in South Australia, Victoria, and England in the years specified:—

| | South Australian Rate. | Victorian Rate. | English Rate. |
|------------|------------------------|-----------------|---------------|
| 1882 | 6·46 | 6·58 | 5·09 |
| 1883 | 4·39 | 5·74 | 5·06 |
| 1884 | 4·14 | 7·04 | 4·79 |
| 1885 | 4·40 | 5·61 | 4·98 |
| 1886 | 3·22 | 6·23 | 4·29 |
| 1887 | 4·99 | 5·27 | 4·69 |
| 1888 | 4·09 | 5·42 | 4·73 |
| 1889 | 2·81 | 4·48 | 4·05 |
| 1890 | 3·67 | 5·30 | 4·89 |
| 1891 | 5·68 | 4·99 | 5·24 |
| 1892 | 4·36 | 4·63 | 5·78 |
| 1893 | 5·24 | 4·90 | 6·51 |
| 1894 | 4·01 | 5·31 | 5·36 |
| 1895 | 4·56 | 5·67 | 4·57 |
| 1896 | 7·79 | 5·87 | 4·98 |
| 1897 | 4·09 | 6·45 | 4·61 |
| 1898 | 6·71 | 5·63 | 4·41 |
| 1899 | 4·26 | 6·19 | 4·66 |
| 1900 | 4·92 | 5·30 | 4·81 |
| 1901 | 4·74 | 6·48 | 4·73 |
| 1902 | 3·91 | 6·53 | 4·47 |
| 1903 | 4·60 | 6·39 | 4·07 |
| 1904 | 5·93 | 5·34 | 3·88 |
| 1905 | 3·85 | 5·71 | 4·20 |
| 1906 | 5·83 | 5·38 | — |
| Mean | 4·75 | 5·70 | 4·79 |

Infantile Mortality.—The deaths of infants under 1 year of age numbered 676 (375 males and 301 females), against 643 in 1905, and were in the proportion of 7·58 to 100 births registered. From 1885 to 1906 the proportions were as follows:—

| | | | |
|------------|-------|------------|-------|
| 1885 | 11·34 | 1896 | 10·14 |
| 1886 | 12·61 | 1897 | 10·91 |
| 1887 | 11·12 | 1898 | 13·99 |
| 1888 | 9·59 | 1899 | 11·16 |
| 1889 | 9·42 | 1900 | 9·96 |
| 1890 | 9·65 | 1901 | 10·01 |
| 1891 | 9·09 | 1902 | 9·38 |
| 1892 | 9·69 | 1903 | 9·68 |
| 1893 | 11·65 | 1904 | 7·00 |
| 1894 | 9·39 | 1905 | 7·28 |
| 1895 | 9·49 | 1906 | 7·58 |

Recent returns give the proportions in the other Australian States and New Zealand as follows:—

| | | | | | |
|-------------------------|---------|-------|-----------------------|---------|------|
| Western Australia | 1906 .. | 11·00 | Queensland | 1906 .. | 7·47 |
| Victoria | 1906 .. | 9·29 | New South Wales | 1906 .. | 7·45 |
| Tasmania | 1906 .. | 9·02 | New Zealand | 1906 .. | 6·21 |

On the whole, the Australian States and New Zealand stand well in regard to infantile mortality, since, according to the returns of the Registrar-General of England, the two lowest proportions known in that country since the introduction of registration were 13·00 in 1881 and 13·20 in 1903, while the proportion has in several years been over 15·00, and in some even over 16·00. For the quinquennium ended with 1905 the mean annual proportion in England was 13·78.

In the following table the infantile mortality of South Australia in 1906 is numerically shown in classes and in four age-periods:—

| Class. | Causes of Death. | Ages at Death. | | | | | | | | | | |
|--------|--|----------------|-----|--------|----------------|-----|------|----|------|----|-------|----|
| | | Totals. | | | Under 1 Month. | | 1—3. | | 3—6. | | 6—12. | |
| | | M. | F. | Total. | M. | F. | M. | F. | M. | F. | M. | F. |
| | Total | 375 | 301 | 676 | 148 | 106 | 66 | 47 | 68 | 68 | 93 | 80 |
| I. | Specific febrile or zymotic diseases.. | 50 | 53 | 103 | 6 | 3 | 9 | 10 | 17 | 17 | 18 | 23 |
| II. | Parasitic diseases | 1 | — | 1 | 1 | — | — | — | — | — | — | — |
| III. | Dietetic diseases | 2 | 3 | 5 | — | — | — | 1 | 2 | — | — | 2 |
| IV. | Constitutional diseases | 12 | 5 | 17 | — | — | 2 | — | 2 | 2 | 8 | 3 |
| V. | Developmental diseases | 66 | 55 | 121 | 60 | 50 | 5 | 4 | 1 | — | — | 1 |
| VI. | Local diseases | 149 | 102 | 251 | 37 | 28 | 28 | 11 | 29 | 28 | 55 | 35 |
| VII. | Violence | 16 | 15 | 31 | 11 | 8 | 2 | 2 | 1 | 2 | 2 | 3 |
| VIII. | Ill-defined or not specified causes.. | 79 | 68 | 147 | 33 | 17 | 20 | 19 | 16 | 19 | 10 | 13 |

INDEX OF MORTALITY.

In the annual report for 1902 a very full explanation was given respecting the nature of and the method of calculating the adjusted death rates, known amongst the statisticians of the Commonwealth States and New Zealand as “indexes of mortality.” It is not thought necessary to repeat the explanation here, and, at any rate, to do so would take up much more space than could be spared for the purpose. The index of mortality of South Australia proper for the year 1906 was 13·80 per 1,000 of population, while that of the whole State, including the Northern Territory, was 13·95. The corresponding ordinary or crude death rates were 10·29 and 10·34, respectively.

The

The following table shows the index of mortality rates for four years :—

| South Australia Proper. | | South Australia (including the Northern Territory). | |
|-------------------------|-------|---|-------|
| 1902 | 15·08 | 1902..... | 15·18 |
| 1903 | 13·87 | 1903..... | 14·03 |
| 1904 | 13·44 | 1904..... | 13·53 |
| 1905 | 13·58 | 1905..... | 13·63 |
| 1906 | 13·80 | 1906..... | 13·95 |

CLASSIFICATION OF CAUSES OF DEATH (CHANGES IN).

At the conference of Government Statisticians, held in Melbourne towards the close of last year, it was agreed that from the commencement of the present year (1907) Dr. Bertillon's classification of causes of death should be used in the compilation of the mortality statistics of the Commonwealth of the Australian States and of New Zealand. This annual report, then, is the last in which the causes of death in this State will be found tabulated according to the classification scheme of Dr. William Ogle. This classification was that used in the office of the Registrar-General of England during the twenty years 1881-1900. South Australia was the first of the Australasian dependencies by which it was adopted, it being introduced here in 1883 by the late Mr. John F. Cleland, at that time Registrar-General. By means of decennial return No. 27 accompanying this report, and similar decennial returns accompanying previous reports, it is possible to trace easily throughout a period of twenty-four years (1883-1906) the rise and fall in the mortality from the various causes of death mentioned in the classification. The returns referred to show the causes of death (distinguishing male from female) in classes, in orders, and in separately specified causes. Only persons experienced in the compilation or study of vital statistics can form an adequate opinion as to how useful these returns, and some others connected with them, have been, and are, for the purpose of comparison. As these convenient returns under the old classification cannot, of course, be continued under the new, it has been thought advisable to make special reference to them here, so that their existence may not be forgotten. Notwithstanding the change in the classification they will be always useful for comparison in regard to the years to which they refer.

MARRIAGES.

The marriages registered in 1906 numbered 2,679, not only being more by 85 than those celebrated in 1905, but also being the highest number ever recorded in any one year. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 7·12, against 7·00 in the previous year, and was above the rate recorded in any other year since 1891. The marriages celebrated in the first quarter numbered 605; in the second, 738; in the third, 653; and in the fourth 683.

By means of the tabular statement which has already been referred to, and which will be found later on, the marriage rate of South Australia can be compared with the marriage rates of the Commonwealth, the other Australian States, New Zealand, the different parts of the United Kingdom, and several other countries.

Table 13, accompanying this report, gives detailed information as to the ages of the persons married, and shows how many of them were bachelors or widowers, spinsters or widows, and how many were unable to write their names. The number of marriages celebrated during the year according to the ceremonies of each religious denomination and the number of civil marriages are shown in the following statement :—

| | | | |
|--|-----|------------------------------|----|
| Methodist | 860 | Salvation Army..... | 40 |
| Church of England | 565 | New Jerusalem Church | 26 |
| Roman Catholic..... | 295 | City Mission | 24 |
| Baptist | 191 | Officiating Registrars | 17 |
| Lutheran | 157 | Christian Brethren | 16 |
| Presbyterian | 123 | Free Presbyterian..... | 5 |
| Church of Christ | 120 | Jewish | 3 |
| Congregationalist | 120 | Moravian | 2 |
| Registrar-General, Deputy Registrar, and District Registrars | 113 | Seventh Day Adventist | 2 |

A rise or fall in marriage rates, or in the value of exports or imports, is generally regarded as being in some degree indicative of a corresponding change in the prosperity of a country. The following table shows the variations year after year from 1881 to 1906 in such rates and values in South Australia :—

| Year. | Marriage Rate per 1,000 of Mean Population. | Value per Head of Mean Population. | | |
|-----------|--|--|--|-----------------------------------|
| | | Imports Retained for Home Consumption. | Exports of South Australian Produce. | Imports and Exports United. |
| 1881..... | 8·31 | £ s. d. 16 1 3 | £ s. d. 13 2 5 | £ s. d. 29 3 8 |
| 1882..... | 8·87 | 19 8 4 | 14 13 9 | 34 2 1 |
| 1883..... | 8·64 | 16 14 5 | 11 17 4 | 28 11 9 |
| 1884..... | 8·42 | 14 11 2 | 17 8 10 | 32 0 0 |
| 1885..... | 7·93 | 13 15 11 | 14 4 2 | 28 0 1 |
| 1886..... | 6·51 | 10 9 11 | 9 5 11 | 19 15 10 |
| 1887..... | 6·48 | 10 4 0 | 10 19 5 | 21 3 5 |
| 1888..... | 6·82 | 10 3 0 | 15 5 9 | 25 8 9 |
| 1889..... | 6·69 | 10 10 4 | 11 19 10 | 22 10 2 |
| 1890..... | 7·17 | 12 6 11 | 14 3 2 | 26 10 1 |
| 1891..... | 7·31 | 13 0 11 | 14 16 0 | 27 16 11 |
| 1892..... | 6·55 | 8 13 6 | 9 19 8 | 18 13 2 |
| 1893..... | 6·32 | 8 5 8 | 9 17 5 | 18 3 1 |
| 1894..... | 6·16 | 6 13 8 | 9 17 0 | 16 10 8 |
| 1895..... | 5·96 | 5 13 4 | 10 6 1 | 15 19 5 |
| 1896..... | 6·33 | 8 4 6 | 9 9 8 | 17 14 2 |
| 1897..... | 5·66 | 7 15 10 | 7 4 4 | 15 0 2 |
| 1898..... | 6·33 | 5 8 2 | 7 3 5 | 12 11 7 |
| 1899..... | 6·44 | 6 18 10 | 11 4 4 | 18 3 2 |
| 1900..... | 6·51 | 10 4 2 | 10 3 9 | 20 7 11 |
| 1901..... | 6·44 | 9 14 3 | 11 15 10 | 21 10 1 |
| 1902..... | 6·60 | 8 14 8 | 13 5 0 | 21 19 8 |
| 1903..... | 6·25 | 9 12 2 | 14 5 2 | 23 17 4 |
| 1904..... | 6·91 | 12 8 8 | 15 13 6 | 28 2 2 |
| 1905..... | 7·00 | 13 8 8 | 16 5 4 | 29 14 0 |
| 1906..... | 7·12 | 13 16 10 | 19 15 4 | 33 12 2 |

This table, first introduced in the annual report for 1891, evidently serves the purpose for which it was originally, and is still, intended. It now indicates pretty clearly the periods of prosperity and those of depression in the State during the last twenty-six years.

It is the opinion of statisticians that if through a series of years the number of marriages in each year be compared with the number of legitimate births in the following year a very fair estimate can be obtained of the average number of children born to each married couple. Although the figures of a long series of years are required to demonstrate the correctness of this opinion, it is generally only necessary to examine those of a few years to obtain estimates that may be relied on. The following figures show the proportion of births to each marriage in South Australia for twenty-one years, in each instance the births compared being for the year given and the marriages for the year before :—

| | | | |
|------------|------|------------|------|
| 1886 | 4.46 | 1898 | 4.42 |
| 1887 | 5.34 | 1899 | 4.08 |
| 1888 | 5.17 | 1900 | 3.87 |
| 1889 | 4.83 | 1901 | 3.78 |
| 1890 | 4.90 | 1902 | 3.71 |
| 1891 | 4.66 | 1903 | 3.42 |
| 1892 | 4.42 | 1904 | 3.87 |
| 1893 | 4.90 | 1905 | 3.34 |
| 1894 | 4.81 | 1906 | 3.30 |
| 1895 | 4.87 | | |
| 1896 | 4.72 | Mean | 4.36 |
| 1897 | 4.72 | | |

It would seem from these figures that 4.36 is the average number of children born in South Australia to each marriage. This is above the average in England and below that of Ireland. It will be seen, however, that during the last seven years the proportion in South Australia has, on the whole, been showing a decidedly downward tendency, though there was a slight improvement in 1904.

According to the "Victorian Year Book," 1895-8, the average proportions in the other Australian States and New Zealand were as follows :—

| | | | |
|-------------------|------|-------------------------|------|
| Tasmania | 4.96 | New South Wales | 4.76 |
| New Zealand | 4.93 | Western Australia | 4.49 |
| Queensland | 4.81 | Victoria | 4.23 |

The averages, however, in all these cases would probably be lower if the marriages and the births of the years since 1898 were taken into account in the calculations.

GENERAL RESULTS OF THE YEAR FOR THE STATE.

Viewed as a whole, 1906 was only an indifferent year with respect to births, but it showed remarkable improvement in regard to marriages and increase of population; while in reference to its mortality record it was, like 1905, one of the most favorable years the State has ever known.

ADELAIDE AND SUBURBS.

As explained in the annual report of 1888, by "Adelaide and suburbs" is meant an area consisting of the four registration districts of Adelaide, Norwood, Hindmarsh, and Port Adelaide. Within this area (which is 262 square miles in extent) there are, in addition to the city of Adelaide, the city of Unley, and the city of Port Adelaide, six corporate towns, and many other towns and villages. The estimated population of Adelaide and suburbs on December 31st, 1906, was 175,641 (83,661 males and 91,980 females), being more by 2,406 than the estimated population at the beginning of the year. The estimated mean population of the year was 174,438 (83,121 males and 91,317 females). The births registered during the year numbered 3,815 (1,973 males and 1,842 females); the deaths, 2,078 (1,096 males and 982 females); and the marriages, 1,436. The births were fewer by 35, the deaths more by 65, and the marriages more by 97 than those recorded in the previous year. The birth rate per 1,000 of the mean population was 21.87, the death rate 11.91, and the marriage rate 8.23. The birth rate was lower by 1.83, the death rate higher by 1.62, and the marriage rate higher by 1.11 than the corresponding rates for the State. The birth, death, and marriage rate for fifteen years are here appended :—

| | Births. | Deaths. | Marriages. |
|------------|---------|---------|------------|
| 1892 | 32.21 | 13.81 | 8.24 |
| 1893 | 32.49 | 17.34 | 7.91 |
| 1894 | 30.24 | 13.66 | 7.50 |
| 1895 | 30.41 | 14.56 | 7.51 |
| 1896 | 29.04 | 14.20 | 7.98 |
| 1897 | 27.40 | 14.23 | 7.28 |
| 1898 | 25.40 | 16.44 | 7.84 |
| 1899 | 26.54 | 14.40 | 8.00 |
| 1900 | 25.65 | 12.74 | 7.49 |
| 1901 | 24.23 | 13.13 | 7.58 |
| 1902 | 23.70 | 13.82 | 7.78 |
| 1903 | 22.70 | 12.67 | 7.13 |
| 1904 | 23.71 | 11.94 | 7.66 |
| 1905 | 22.39 | 11.70 | 7.79 |
| 1906 | 21.87 | 11.91 | 8.23 |

The following table shows the rates of infantile mortality in Adelaide and suburbs in the years specified—that is, the proportion of deaths of children under 1 year of age to 100 births registered :—

| | | | |
|------------|-------|------------|-------|
| 1886 | 15.75 | 1897 | 13.35 |
| 1887 | 13.68 | 1898 | 16.81 |
| 1888 | 11.58 | 1899 | 11.79 |
| 1889 | 11.58 | 1900 | 11.85 |
| 1890 | 11.95 | 1901 | 11.73 |
| 1891 | 11.88 | 1902 | 11.26 |
| 1892 | 11.79 | 1903 | 11.11 |
| 1893 | 12.59 | 1904 | 8.09 |
| 1894 | 10.60 | 1905 | 7.98 |
| 1895 | 12.16 | 1906 | 8.44 |
| 1896 | 12.19 | | |

It will be seen that in every one of these years the rate was higher than the corresponding rate for the whole State shown in a previous table. It will be seen, too, that, as happened also in the case of the whole State, the rates in 1904, 1905, and 1906 showed a remarkable decline.

For comparison, the birth and death rates (inclusive, at least as far as the first seven towns are concerned, of all births and deaths in public institutions) per 1,000 of the mean population of the Australasian capital cities

cities and suburbs and of several of the largest towns in Great Britain are here given. The figures for the British towns have been taken from the returns of the Registrar-General of England, while those for the Australasian capitals have for the most part been extracted from special returns, which, on application, were supplied to this office by the statistical authorities of the different Australian States and New Zealand :—

| | Births, 1906. | Deaths, 1906. | | Births, 1906. | Deaths, 1906. |
|------------------|---------------|---------------|----------------------|---------------|---------------|
| Adelaide | 21·87 | 11·91 | Greater London | 27·0 | 14·4 |
| Melbourne | 23·75 | 13·59 | Manchester | 29·3 | 19·2 |
| Sydney | 26·18 | 10·68 | Liverpool | 32·7 | 20·6 |
| Brisbane | 24·49 | 10·09 | Birmingham | 29·4 | 16·8 |
| Perth | 37·73 | 16·73 | Leeds | 26·2 | 15·6 |
| Hobart | 31·35 | 17·35 | Edinburgh | 22·4 | 15·9 |
| Wellington | 27·26 | 9·19 | Glasgow | 29·3 | 17·7 |

CITY OF ADELAIDE.

The estimated population of the city on December 31st, 1906, was 40,045 (18,630 males and 21,415 females), being an increase of 140 for the whole year. The births registered in 1906 numbered 826, being fewer by 28 than those of the previous year; and the deaths 871, being more by 29 than those of the previous year. In several of the numbered tables accompanying this report (particularly tables 21, 22, and 23) will be found statistics referring specially to the city.

The statistical authorities of the different Australian States and New Zealand do not agree as to how far births and deaths occurring in public institutions, such as hospitals, asylums, gaols, &c., should be included, or whether any of them at all should be included, in the calculation of the birth and death rates of cities or other large towns. Nor, in reference to this matter, are they agreed as to what institutions should be comprehended under the description “public,” some giving a much wider meaning to the term “public institutions” than others do. The only comparison, therefore, that can be conveniently made between the birth and death rates of the city of Adelaide and those of other large Australasian towns is one between the rates inclusive of all births and deaths in public institutions. The following figures show the rates per 1,000 of mean population in the towns named, exclusive of suburbs. They are in all cases the rates inclusive of all births and deaths in public institutions :—

| | Births, 1906. | Deaths, 1906. | | Births, 1906. | Deaths, 1906. |
|-----------------|---------------|---------------|-------------------------------|---------------|---------------|
| Adelaide | 20·66 | 21·79 | Brisbane and South Brisbane.. | 24·94 | 13·73 |
| Melbourne | 31·05 | 25·76 | Hobart | 33·09 | 19·87 |
| Bendigo | 33·95 | 21·34 | Launceston | 35·62 | 19·14 |
| Ballarat | 27·80 | 18·48 | Wellington | 27·85 | 9·45 |
| Geelong | 24·67 | 14·26 | Dunedin | 28·96 | 12·70 |
| Sydney | 20·68 | 12·33 | Auckland | 29·96 | 12·51 |

The marriages celebrated in the city of Adelaide in 1906 numbered 621. The marriage rate (that is, the rate of marriages, not of persons married) per 1,000 of the mean population was 15·53. It is probable, however, that not half of the persons married in the city had their usual residence therein.

From many points of view it is no doubt an advantage to the city of Adelaide that it is the only great medical centre in South Australia—the only place, in fact, where sick people and invalids of every class can easily obtain all the special medical aid and nursing attendance and other conveniences which they need or think they need. Its attraction, however, in this respect, has necessarily one very undesirable effect—it leads to its mortality record being very much higher than it otherwise would be. In 1906, for instance, the *gross* death rate of Adelaide reached 21·79 per 1,000 of the mean population. If, however, as shown in table 23 accompanying this report, the deaths in the Adelaide Hospital, the Consumptive Home, and the Destitute Asylum of persons not usually resident in the city be excluded, the rate falls considerably—it comes down to 15·03. Further, if the deaths in the Children’s Hospital, private hospitals, nursing homes, and similar places, of persons whose usual homes were not in Adelaide be also eliminated, the rate comes down to 13·26. But, in addition to these facts, it would be necessary, before a correct view of the city mortality could be obtained, to know how many deaths occurred in private residences, hotels, and ordinary lodging-houses of persons who had come or been brought into Adelaide for the very reason that they were seriously ill or ailing in some way. That its attraction as a medical centre is the chief reason—if it is not, indeed, the only one—why the city of Adelaide, compared with the remainder of South Australia, has so high a death record will, perhaps, be more apparent and more readily admitted if it be remembered that it is not possible to name with certainty or even suggest any other sufficient cause or causes that would not be equally operative in the eight suburban municipalities taken collectively; and yet in 1906 the combined gross death rate of these towns was only 8·63.

CORPORATE TOWNS.

In table No. 25 accompanying this report will be found the usual statistics with respect to the populations, births, and deaths of twenty-three corporate towns, including the city of Adelaide. The birth and death rates per 1,000 of mean population in the towns referred to in the table, taken in groups, were as follows :—

| | Births, 1906. | Deaths, 1906. |
|--|---------------|---------------|
| Municipality of Adelaide | 20·66 | 21·79 |
| Eight suburban corporate towns | 22·12 | 8·63 |
| Fourteen outside corporate towns | 36·20 | 13·07 |
| Twenty-three towns collectively | 24·66 | 12·84 |

NORTHERN TERRITORY.

The following table shows the estimated population of the Northern Territory (exclusive of full-blood aborigines) in the year 1906 :—

| | Males. | | Females. | | Totals. |
|--|--------|------|----------|------|---------|
| Estimated population, January 1st, 1906 | 3,246 | | 564 | | 3,810 |
| Births during the year | 12 | | 13 | | 25 |
| Immigration by sea during the year | 392 | | 70 | | 462 |
| | 3,650 | | 647 | | 4,297 |
| Deaths during the year | 56 | | 3 | | 59 |
| | 3,594 | | 644 | | 4,238 |
| Emigration by sea during the year (plus 5 per cent.) | 543 | | 109 | | 652 |
| Estimated population, December 31st, 1906 | 3,051 | | 535 | | 3,586 |
| Estimated mean population of the year | 3,176 | | 558 | | 3,734 |

The following table shows the estimated population (exclusive of full-blood aborigines) divided into persons of European race and those of other races :—

| | Males. | Females. | Totals. |
|--|--------|----------|---------|
| Europeans—January 1st, 1906 | 910 | 412 | 1,322 |
| “ December 31st, 1906..... | 865 | 389 | 1,254 |
| Asiatics (chiefly Chinese) and others—January 1st, 1906..... | 2,336 | 152 | 2,488 |
| “ “ December 31st, 1906 .. | 2,186 | 146 | 2,332 |

The births registered in 1906 numbered 25 (12 males and 13 females), and the deaths 59 (56 males and 3 females). Of these the European births were 16 (6 males and 10 females), and the European deaths 22 (20 males and 2 females). There were 2 marriages.

The general birth rate per 1,000 of the mean population was 6·70; the death rate 15·80; and the marriage rate 0·54. The European birth rate per 1,000 of the mean European population was 12·25; and the death rate 16·85. No inference, however, of statistical value can be drawn from these rates, owing to the smallness of the numbers dealt with and the abnormal state of the population in regard to the distribution of sex and age.

The following table shows the causes of deaths in the Territory, arranged as nearly as possible in the usual nosological order of sequence, and the number and ages of the deceased :—

| Causes of Death. | All Ages. | | | Under 1 Year. | 1—5. | 5—10. | 10—20 | 20—40. | 40—60. | 60—80. | 80 and Up- wards. | Not Stated. |
|-------------------------------------|-----------|----|----|------------------|------|-------|-------|--------|--------|--------|-------------------------|----------------|
| | Total. | M. | F. | | | | | | | | | |
| | 59 | 56 | 3 | 3 | — | — | — | 15 | 32 | 8 | 1 | — |
| Influenza | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — |
| Dysentery | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — |
| Want of water | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Inanition..... | 2 | 1 | 1 | 1 | — | — | — | — | 1 | — | — | — |
| Scurvy | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Cancer..... | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — |
| Tubercular diseases | 2 | 2 | — | — | — | — | — | 1 | 1 | — | — | — |
| Diabetes | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Congenital defects | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| Old age | 2 | 2 | — | — | — | — | — | — | — | 2 | — | — |
| Apoplexy | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Convulsions | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — |
| Diseases of circulatory system..... | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — |
| Enteritis | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Intestinal toxæmia | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Suffocation | 1 | 1 | — | — | — | — | — | 1 | — | — | — | — |
| Fracture and contusion..... | 2 | 1 | 1 | — | — | — | — | — | 1 | — | 1 | — |
| Drowning (accidental) | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — |
| Murder, manslaughter | 5 | 5 | — | — | — | — | — | 4 | 1 | — | — | — |
| Suicide (gunshot wound) | 3 | 3 | — | — | — | — | — | 1 | 2 | — | — | — |
| Undefined or ill-defined | 29 | 29 | — | 1 | — | — | — | 6 | 18 | 4 | — | — |

AREA OF SOUTH AUSTRALIA.

| | Acres. | Square Miles. |
|------------------------------|-------------|---------------|
| South Australia proper | 243,244,800 | 380,070 |
| Northern Territory | 335,116,800 | 523,620 |
| Total | 578,361,600 | 903,690 |

COMPARATIVE STATISTICS.

The following tabular statement shows the rates of births, deaths, and marriages per 1,000 of mean population in the Commonwealth, the Australian States, New Zealand, the different parts of the United Kingdom, and several other countries. The figures in the first eight lines have been taken from the returns of the statistical authorities of the different places named—for the most part from returns which, on application, were specially supplied to this office. The remainder of the figures have either been extracted unaltered or been deduced by calculation from the returns of the Registrar-General of England, who obtains his information respecting other countries from the several official authorities of those countries.

| | | Births. | Deaths. | Marriages. |
|-----------------------------------|------|---------|---------|------------|
| Commonwealth | 1906 | 26·41 | 10·85 | 7·44 |
| South Australia | 1906 | 23·70 | 10·29 | 7·12 |
| Victoria | 1906 | 25·14 | 12·42 | 7·28 |
| New South Wales | 1906 | 27·04 | 9·89 | 7·63 |
| Queensland | 1906 | 26·31 | 9·56 | 6·73 |
| Western Australia | 1906 | 30·02 | 11·87 | 8·70 |
| Tasmania | 1906 | 29·52 | 11·17 | 7·73 |
| New Zealand | 1905 | 27·08 | 9·31 | 8·48 |
| United Kingdom (as a whole) | 1905 | 26·9 | 15·5 | 7·30 |
| England and Wales..... | 1905 | 27·2 | 15·2 | 7·65 |
| Ireland | 1905 | 23·4 | 17·1 | 5·25 |
| Scotland | 1905 | 28·1 | 15·9 | 6·70 |
| France | 1905 | 20·6 | 19·6 | 7·70 |
| The German Empire | 1904 | 34·1 | 19·6 | 8·05 |
| Prussia separately | 1905 | 33·5 | 19·6 | 8·10 |
| Austria | 1904 | 35·4 | 23·7 | 7·75 |
| Italy | 1905 | 32·3 | 21·7 | 7·60 |
| Switzerland | 1905 | 27·4 | 17·9 | 7·60 |
| Belgium..... | 1904 | 27·3 | 16·9 | 7·94 |
| The Netherlands | 1905 | 30·8 | 15·3 | 7·30 |
| Norway | 1905 | 27·4 | 14·8 | 5·80 |
| Sweden | 1905 | 25·7 | 15·6 | 5·85 |
| Denmark | 1905 | 28·4 | 15·0 | 7·15 |
| Hungary | 1905 | 35·7 | 27·8 | 8·40 |
| Spain | 1905 | 35·3 | 25·9 | 7·20 |

The deaths of French persons abroad, civil and military, are registered in France, and this may have the effect of causing the death rate there to be somewhat overstated. It will be seen that in the comparative statement as it stands South Australia shows the third lowest birth rate, the sixth lowest marriage rate, and the fourth lowest death rate. If, however, only the Commonwealth, the Australian States, and New Zealand are considered, South Australia shows the lowest birth rate, the second lowest marriage rate, and the fourth lowest death rate.

The following table shows the estimated population in each of the six Australian States and New Zealand on December 31st, 1906. The numbers given are, in regard to the States, *exclusive of full-blood aborigines*, and in the case of New Zealand, of the Maoris :—

| | Males. | | Females. | | Total. |
|------------------------------|-----------|------|-----------|------|-----------|
| New South Wales | 814,139 | | 712,558 | | 1,526,697 |
| Victoria | 616,748 | | 615,192 | | 1,231,940 |
| Queensland | 292,609 | | 242,504 | | 535,113 |
| South Australia proper | 200,451 | | 179,794 | | 380,245 |
| “ Northern Territory..... | 3,051 | | 535 | | 3,586 |
| Western Australia | 153,652 | | 108,094 | | 261,746 |
| Tasmania | 92,893 | | 87,258 | | 180,156 |
| | 2,173,548 | | 1,945,935 | | 4,119,483 |
| New Zealand | 481,651 | | 427,075 | | 908,726 |
| | 2,655,199 | | 2,373,010 | | 5,028,209 |

I have, &c.,

The Hon. the Chief Secretary.

JOHN A. PLUNKETT, Registrar-General of Births, &c.

THE WEATHER AND THE MORTALITY IN THE CITY OF ADELAIDE.

Table showing Readings of the Meteorological Instruments at the Adelaide Observatory and the Registered Mortality within the Municipal Boundaries of the City of Adelaide, in each Month of the Year 1906.

| Month. | Thermometer— Fahr. (in shade). | | | Barometer. | | | Rain. | | Deaths from all Causes. | | | | | | | | | | |
|--------------|-----------------------------------|----------|-------|---------------|---------------|---------------|-------------|---------------------------|-------------------------|---------------|------|-------|--------|-----------------|-----------------------|----------------|----------------------------|-----------------------------|--------------------------------------|
| | Maximum. | Minimum. | Mean. | Maximum. | Minimum. | Mean. | Total Fall. | No. of Days Rain Fell. | Ages. | | | | | | Including Deaths from | | | | |
| | | | | | | | | | All Ages. * | Under 1 Year. | 1—5. | 5—60. | 60—80. | 80 and Upwards. | Diphtheria. | Enteric Fever. | Diarrhœa and Dysentery. | All Tubercular Diseases. | Diseases of Res- piratory System. |
| January ... | 113·1 | 51·9 | 78·4 | in. 30·102 | in. 29·420 | in. 29·804 | in. — | — | 97 | 20 | 3 | 34 | 38 | 2 | 1 | 1 | 6 | 11 | 5 |
| February.. | 108·6 | 53·5 | 79·2 | 30·039 | 29·406 | 29·812 | ·12 | 3 | 80 | 19 | 1 | 37 | 19 | 4 | 1 | 4 | 3 | 5 | 4 |
| March | 93·7 | 48·0 | 68·2 | 30·217 | 29·663 | 29·921 | 2·36 | 7 | 59 | 8 | 6 | 27 | 13 | 5 | 1 | 3 | 3 | 7 | 4 |
| April..... | 87·0 | 49·7 | 64·6 | 30·242 | 29·530 | 29·962 | ·88 | 12 | 68 | 11 | 2 | 29 | 21 | 5 | 2 | 1 | — | 13 | 3 |
| May | 82·3 | 46·0 | 60·0 | 30·286 | 29·599 | 30·011 | 2·12 | 12 | 74 | 7 | 3 | 37 | 24 | 3 | — | 3 | 1 | 9 | 4 |
| June | 70·2 | 44·5 | 56·4 | 30·498 | 29·308 | 29·936 | 5·17 | 16 | 80 | 10 | 1 | 42 | 22 | 5 | — | 2 | 2 | 13 | 4 |
| July | 74·0 | 39·3 | 53·1 | 30·385 | 29·176 | 29·890 | 2·87 | 18 | 72 | 9 | 3 | 35 | 22 | 3 | — | 1 | — | 12 | 3 |
| August ... | 67·0 | 36·1 | 53·0 | 30·400 | 29·640 | 30·113 | 3·97 | 16 | 82 | 10 | 2 | 34 | 26 | 10 | — | — | — | 9 | 6 |
| September. | 77·2 | 36·9 | 56·2 | 30·140 | 29·467 | 29·820 | 3·37 | 15 | 67 | 4 | 3 | 33 | 20 | 7 | — | 1 | — | 16 | 5 |
| October | 95·0 | 42·0 | 60·9 | 30·208 | 29·400 | 29·854 | 1·66 | 12 | 81 | 4 | 4 | 35 | 30 | 8 | — | — | — | 13 | 6 |
| November . | 90·4 | 44·3 | 63·0 | 30·130 | 29·400 | 29·764 | 2·45 | 11 | 59 | 5 | 1 | 25 | 22 | 6 | — | 1 | — | 8 | 5 |
| December.. | 108·7 | 43·0 | 71·7 | 30·210 | 29·477 | 29·876 | 1·54 | 5 | 52 | 8 | 2 | 20 | 18 | 4 | — | — | 1 | 8 | 2 |
| Totals ... | ... | ... | ... | ... | ... | ... | 26·51 | 127 | 871 | 115 | 21 | 388 | 275 | 62 | 5 | 17 | 16 | 124 | 51 |

NOTE.—This table is intended to afford the means of comparing the weather and its changes with the general mortality, the mortality among young children and old people, and the mortality from certain diseases, the malignancy of which depends, it is believed, very much on the state of the weather.

JOHN A. PLUNKETT, Registrar-General of Births, &c.

APPENDICES.

BIRTHS, MARRIAGES, AND DEATHS.

No 1.—RETURN showing the Number of Births, Marriages, and Deaths which were registered in South Australia (exclusive of the Northern Territory) in the Year 1906, and the Proportion of Births, Marriages, and Deaths to every thousand persons living.

| Districts. | Total Number of— | | | Proportion to every Thousand of the Mean Population of— | | |
|---------------------------------------|------------------|------------|---------|---|------------|---------|
| | Births. | Marriages. | Deaths. | Births. | Marriages. | Deaths. |
| Metropolitan { City of Adelaide | 826 | 621 | 871 | 20·66 | 15·53 | 21·79 |
| Suburbs “ | 2,989 | 815 | 1,207 | 22·23 | 6·06 | 8·98 |
| Total Metropolitan | 3,815 | 1,436 | 2,078 | 21·87 | 8·23 | 11·91 |
| Extra-Metropolitan | 5,106 | 1,243 | 1,794 | 25·29 | 6·16 | 8·89 |
| Total South Australia | 8,921 | 2,679 | 3,872 | 23·70 | 7·12 | 10·29 |

No. 2.—DECENNIAL RETURN showing the proportion of Births, Marriages, and Deaths in South Australia (exclusive of the Northern Territory) to the estimated Mean Population.

| Year. | Proportion to every Thousand of the Population of— | | |
|------------|--|------------|---------|
| | Births. | Marriages. | Deaths. |
| 1897 | 27·69 | 5·66 | 11·54 |
| 1898 | 25·79 | 6·38 | 13·48 |
| 1899 | 26·72 | 6·44 | 12·53 |
| 1900 | 25·81 | 6·51 | 10·65 |
| 1901 | 25·39 | 6·44 | 11·11 |
| 1902 | 24·80 | 6·60 | 11·77 |
| 1903 | 23·43 | 6·25 | 10·71 |
| 1904 | 24·89 | 6·91 | 10·17 |
| 1905 | 23·82 | 7·00 | 10·14 |
| 1906 | 23·70 | 7·12 | 10·29 |

BIRTHS AND DEATHS.

No. 3.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Quarter of the Year 1906, and the Excess of Births over Deaths.

| | Registered during Year. | | | Quarter. | | | | | | | | | | | |
|--------------------------------|-------------------------|--------|---------|----------|-------|-------|--------|-------|-------|------------|-------|-------|-----------|-------|-------|
| | | | | March. | | | June. | | | September. | | | December. | | |
| | Total. | Males. | Females | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. |
| Births | 8,921 | 4,605 | 4,316 | 2,116 | 1,099 | 1,017 | 2,323 | 1,212 | 1,111 | 2,431 | 1,253 | 1,178 | 2,051 | 1,041 | 1,010 |
| Deaths | 3,872 | 2,053 | 1,819 | 1,089 | 554 | 535 | 954 | 490 | 464 | 937 | 531 | 406 | 892 | 478 | 414 |
| Excess of Births over Deaths.. | 5,049 | 2,552 | 2,497 | 1,027 | 545 | 482 | 1,369 | 722 | 647 | 1,494 | 722 | 772 | 1,159 | 563 | 596 |

No. 4.—RETURN showing the Number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Year 1906.

| Month. | Births. | | | Deaths. | | |
|-----------------|---------|--------|----------|---------|--------|----------|
| | Total. | Males. | Females. | Total. | Males. | Females. |
| January | 728 | 362 | 366 | 433 | 215 | 218 |
| February | 660 | 341 | 319 | 332 | 173 | 159 |
| March | 728 | 396 | 332 | 324 | 166 | 158 |
| April | 684 | 365 | 319 | 292 | 147 | 145 |
| May | 816 | 420 | 396 | 352 | 172 | 180 |
| June | 823 | 427 | 396 | 310 | 171 | 139 |
| July | 841 | 433 | 408 | 320 | 183 | 137 |
| August | 795 | 404 | 391 | 309 | 176 | 133 |
| September | 795 | 416 | 379 | 308 | 172 | 136 |
| October | 761 | 388 | 373 | 337 | 179 | 158 |
| November | 670 | 323 | 347 | 282 | 149 | 133 |
| December | 620 | 330 | 290 | 273 | 150 | 123 |
| Total | 8,921 | 4,605 | 4,316 | 3,872 | 2,053 | 1,819 |

No. 5.—COMPARATIVE RETURN showing the number of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in each Month of the Years 1905 and 1906.

| MONTHS. | BIRTHS. | | | | | | CLASS. | DEATHS. | | | | | | | | |
|-------------|---------|----------|--------|--------|----------|--------|--------|---|--------|----------|--------|--------|----------|--------|--|--|
| | 1905. | | | 1906. | | | | Causes of Death. | 1905. | | | 1906. | | | | |
| | Males. | Females. | Total. | Males. | Females. | Total. | | | Males. | Females. | Total. | Males. | Females. | Total. | | |
| January ... | 336 | 335 | 671 | 362 | 366 | 728 | | All causes | 222 | 182 | 404 | 215 | 218 | 413 | | |
| | | | | | | | I. | Zymotic diseases | 15 | 22 | 37 | 14 | 19 | 33 | | |
| | | | | | | | II. | Parasitic diseases | — | 1 | 1 | — | 1 | 1 | | |
| | | | | | | | III. | Dietic diseases | — | — | — | — | — | — | | |
| | | | | | | | IV. | Constitutional diseases | 28 | 33 | 61 | 29 | 51 | 80 | | |
| | | | | | | | V. | Developmental diseases | 24 | 30 | 54 | 26 | 33 | 59 | | |
| | | | | | | | VI. | Local diseases | 102 | 80 | 182 | 99 | 85 | 184 | | |
| | | | | | | | VII. | Violence | 41 | 10 | 51 | 39 | 19 | 58 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes .. | 12 | 6 | 18 | 7 | 10 | 17 | | |
| February... | 355 | 350 | 705 | 341 | 319 | 660 | | All causes | 145 | 141 | 286 | 173 | 159 | 332 | | |
| | | | | | | | I. | Zymotic diseases | 24 | 17 | 41 | 21 | 19 | 40 | | |
| | | | | | | | II. | Parasitic diseases | 1 | — | 1 | — | — | — | | |
| | | | | | | | III. | Dietic diseases | — | — | — | — | — | — | | |
| | | | | | | | IV. | Constitutional diseases | 27 | 27 | 54 | 24 | 20 | 44 | | |
| | | | | | | | V. | Developmental diseases | 25 | 26 | 51 | 25 | 26 | 51 | | |
| | | | | | | | VI. | Local diseases | 53 | 61 | 114 | 70 | 79 | 149 | | |
| | | | | | | | VII. | Violence | 10 | 3 | 13 | 25 | 9 | 34 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 5 | 7 | 12 | 8 | 6 | 14 | | |
| March | 360 | 385 | 745 | 396 | 332 | 728 | | All causes | 170 | 128 | 298 | 166 | 158 | 324 | | |
| | | | | | | | I. | Zymotic diseases | 16 | 15 | 31 | 19 | 19 | 38 | | |
| | | | | | | | II. | Parasitic diseases | 3 | — | 3 | 1 | — | 1 | | |
| | | | | | | | III. | Dietic diseases | — | — | — | — | — | — | | |
| | | | | | | | IV. | Constitutional diseases | 29 | 23 | 52 | 31 | 37 | 68 | | |
| | | | | | | | V. | Developmental diseases | 21 | 19 | 40 | 16 | 27 | 43 | | |
| | | | | | | | VI. | Local diseases | 75 | 59 | 134 | 80 | 60 | 140 | | |
| | | | | | | | VII. | Violence | 15 | 3 | 18 | 11 | 6 | 17 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 11 | 9 | 20 | 8 | 9 | 17 | | |
| April..... | 353 | 326 | 679 | 365 | 319 | 684 | | All causes | 156 | 135 | 291 | 147 | 145 | 292 | | |
| | | | | | | | I. | Zymotic diseases | 12 | 15 | 27 | 13 | 15 | 28 | | |
| | | | | | | | II. | Parasitic diseases | 1 | — | 1 | — | — | — | | |
| | | | | | | | III. | Dietic diseases | 3 | 1 | 4 | 1 | 1 | 2 | | |
| | | | | | | | IV. | Constitutional diseases | 26 | 29 | 55 | 25 | 41 | 66 | | |
| | | | | | | | V. | Developmental diseases | 16 | 24 | 40 | 21 | 20 | 41 | | |
| | | | | | | | VI. | Local diseases | 73 | 60 | 133 | 72 | 50 | 122 | | |
| | | | | | | | VII. | Violence | 19 | 4 | 23 | 8 | 4 | 12 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 6 | 2 | 8 | 7 | 14 | 21 | | |
| May | 376 | 394 | 770 | 420 | 396 | 816 | | All causes | 173 | 158 | 331 | 172 | 180 | 352 | | |
| | | | | | | | I. | Zymotic diseases | 9 | 7 | 16 | 12 | 17 | 29 | | |
| | | | | | | | II. | Parasitic diseases | — | 1 | 1 | — | 1 | 1 | | |
| | | | | | | | III. | Dietic diseases | 2 | — | 2 | 1 | 1 | 2 | | |
| | | | | | | | IV. | Constitutional diseases | 25 | 41 | 66 | 22 | 44 | 66 | | |
| | | | | | | | V. | Developmental diseases | 20 | 16 | 36 | 25 | 21 | 46 | | |
| | | | | | | | VI. | Local diseases | 88 | 78 | 166 | 86 | 83 | 169 | | |
| | | | | | | | VII. | Violence | 17 | 3 | 20 | 11 | 3 | 14 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 12 | 12 | 24 | 15 | 10 | 25 | | |
| June | 449 | 411 | 860 | 427 | 396 | 823 | | All causes | 188 | 146 | 334 | 171 | 139 | 310 | | |
| | | | | | | | I. | Zymotic diseases | 7 | 7 | 14 | 11 | 10 | 21 | | |
| | | | | | | | II. | Parasitic diseases | 1 | 1 | 2 | — | 1 | 1 | | |
| | | | | | | | III. | Dietic diseases | 1 | — | 1 | 2 | 1 | 3 | | |
| | | | | | | | IV. | Constitutional diseases | 30 | 28 | 58 | 31 | 30 | 61 | | |
| | | | | | | | V. | Developmental diseases | 24 | 19 | 43 | 25 | 21 | 46 | | |
| | | | | | | | VI. | Local diseases | 98 | 78 | 176 | 84 | 65 | 149 | | |
| | | | | | | | VII. | Violence | 17 | 5 | 22 | 10 | 2 | 12 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 10 | 8 | 18 | 8 | 9 | 17 | | |
| July | 392 | 409 | 801 | 433 | 408 | 841 | | All causes | 160 | 149 | 309 | 183 | 137 | 320 | | |
| | | | | | | | I. | Zymotic diseases | 4 | 6 | 10 | 6 | 9 | 15 | | |
| | | | | | | | II. | Parasitic diseases | — | — | — | — | 2 | 2 | | |
| | | | | | | | III. | Dietic diseases | — | — | — | 1 | 1 | 2 | | |
| | | | | | | | IV. | Constitutional diseases | 22 | 39 | 61 | 33 | 31 | 64 | | |
| | | | | | | | V. | Developmental diseases | 21 | 27 | 48 | 26 | 23 | 49 | | |
| | | | | | | | VI. | Local diseases | 92 | 66 | 158 | 92 | 63 | 155 | | |
| | | | | | | | VII. | Violence | 16 | 5 | 21 | 13 | 5 | 18 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 5 | 6 | 11 | 12 | 3 | 15 | | |
| August..... | 409 | 394 | 803 | 404 | 391 | 795 | | All causes | 152 | 153 | 305 | 176 | 133 | 309 | | |
| | | | | | | | I. | Zymotic diseases | 6 | 3 | 9 | 3 | 4 | 7 | | |
| | | | | | | | II. | Parasitic diseases | — | 1 | 1 | — | 1 | 1 | | |
| | | | | | | | III. | Dietic diseases | 1 | — | 1 | — | — | — | | |
| | | | | | | | IV. | Constitutional diseases | 21 | 40 | 61 | 38 | 25 | 63 | | |
| | | | | | | | V. | Developmental diseases | 17 | 32 | 49 | 23 | 22 | 45 | | |
| | | | | | | | VI. | Local diseases | 95 | 73 | 168 | 87 | 74 | 161 | | |
| | | | | | | | VII. | Violence | 10 | 2 | 12 | 16 | 2 | 18 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 2 | 2 | 4 | 9 | 5 | 14 | | |
| September | 378 | 363 | 741 | 416 | 379 | 795 | | All causes | 164 | 140 | 304 | 172 | 136 | 308 | | |
| | | | | | | | I. | Zymotic diseases | 5 | 8 | 13 | 6 | 5 | 11 | | |
| | | | | | | | II. | Parasitic diseases | 1 | 2 | 3 | 1 | — | 1 | | |
| | | | | | | | III. | Dietic diseases | — | — | — | — | — | — | | |
| | | | | | | | IV. | Constitutional diseases | 28 | 34 | 62 | 32 | 29 | 61 | | |
| | | | | | | | V. | Developmental diseases | 21 | 20 | 41 | 30 | 21 | 51 | | |
| | | | | | | | VI. | Local diseases | 89 | 66 | 155 | 85 | 72 | 157 | | |
| | | | | | | | VII. | Violence | 18 | 5 | 23 | 14 | 4 | 18 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 2 | 5 | 7 | 4 | 5 | 9 | | |
| October ... | 352 | 326 | 678 | 388 | 373 | 761 | | All causes | 163 | 140 | 303 | 170 | 158 | 327 | | |
| | | | | | | | I. | Zymotic diseases | 3 | 6 | 9 | 8 | 11 | 19 | | |
| | | | | | | | II. | Parasitic diseases | 3 | 1 | 4 | 1 | — | 1 | | |
| | | | | | | | III. | Dietic diseases | — | — | — | 2 | 1 | 3 | | |
| | | | | | | | IV. | Constitutional diseases | 30 | 39 | 69 | 42 | 40 | 82 | | |
| | | | | | | | V. | Developmental diseases | 21 | 22 | 43 | 23 | 24 | 47 | | |
| | | | | | | | VI. | Local diseases | 87 | 66 | 153 | 86 | 76 | 162 | | |
| | | | | | | | VII. | Violence | 16 | 5 | 21 | 14 | 3 | 17 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 3 | 1 | 4 | 3 | 3 | 6 | | |
| November . | 373 | 337 | 710 | 323 | 347 | 670 | | All causes | 155 | 133 | 288 | 149 | 133 | 282 | | |
| | | | | | | | I. | Zymotic diseases | 8 | 5 | 13 | 13 | 6 | 19 | | |
| | | | | | | | II. | Parasitic diseases | — | — | — | 2 | — | 2 | | |
| | | | | | | | III. | Dietic diseases | 1 | — | 1 | — | 1 | 1 | | |
| | | | | | | | IV. | Constitutional diseases | 35 | 21 | 56 | 23 | 30 | 53 | | |
| | | | | | | | V. | Developmental diseases | 24 | 27 | 51 | 21 | 21 | 42 | | |
| | | | | | | | VI. | Local diseases | 72 | 72 | 144 | 68 | 68 | 136 | | |
| | | | | | | | VII. | Violence | 13 | 7 | 20 | 16 | 5 | 21 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 2 | 1 | 3 | 6 | 2 | 8 | | |
| December . | 358 | 311 | 669 | 330 | 290 | 620 | | All causes | 155 | 133 | 288 | 150 | 123 | 273 | | |
| | | | | | | | I. | Zymotic diseases | 9 | 9 | 18 | 18 | 14 | 32 | | |
| | | | | | | | II. | Parasitic diseases | — | 1 | 1 | — | 1 | 1 | | |
| | | | | | | | III. | Dietic diseases | 2 | 1 | 3 | 1 | — | 1 | | |
| | | | | | | | IV. | Constitutional diseases | 19 | 31 | 50 | 27 | 25 | 52 | | |
| | | | | | | | V. | Developmental diseases | 19 | 18 | 37 | 14 | 18 | 32 | | |
| | | | | | | | VI. | Local diseases | 90 | 81 | 171 | 67 | 59 | 126 | | |
| | | | | | | | VII. | Violence | 14 | 6 | 20 | 17 | 3 | 20 | | |
| | | | | | | | VIII. | Ill-defined or not specified causes ... | 2 | 6 | 8 | 6 | 3 | 9 | | |

No. 6.—COMPARATIVE RETURN showing the number of Births and Deaths (including all those in Public Institutions) Registered in the City of Adelaide in each Month of the Years 1905 and 1906.

| MONTH. | BIRTHS. | | | | | | CLASS. | Cause of Death. | DEATHS. | | | | | |
|-------------|---------|----------|--------|--------|----------|--------|--|-----------------|---------|----------|--------|--------|----------|--------|
| | 1905. | | | 1906. | | | | | 1905. | | | 1906. | | |
| | Males. | Females. | Total. | Males. | Females. | Total. | | | Males. | Females. | Total. | Males. | Females. | Total. |
| January ... | 35 | 35 | 70 | 29 | 31 | 60 | I. All causes | 54 | 48 | 102 | 48 | 49 | 97 | |
| | | | | | | | II. Zymotic diseases | 2 | 8 | 10 | 4 | 6 | 10 | |
| | | | | | | | III. Parasitic diseases | — | — | — | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 8 | 11 | 19 | 12 | 14 | 26 | |
| | | | | | | | VI. Developmental diseases | 6 | 11 | 17 | 7 | 8 | 15 | |
| | | | | | | | VII. Local diseases | 26 | 16 | 42 | 19 | 16 | 35 | |
| | | | | | | | VIII. Violence | 10 | 1 | 11 | 4 | — | 4 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 2 | 1 | 3 | 2 | 5 | 7 | |
| February... | 38 | 36 | 74 | 35 | 30 | 65 | I. All causes | 37 | 24 | 61 | 43 | 37 | 80 | |
| | | | | | | | II. Zymotic diseases | 4 | 3 | 7 | 4 | 6 | 10 | |
| | | | | | | | III. Parasitic diseases | — | — | — | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 10 | 7 | 17 | 6 | 4 | 10 | |
| | | | | | | | VI. Developmental diseases | 8 | 3 | 11 | 5 | 3 | 8 | |
| | | | | | | | VII. Local diseases | 9 | 10 | 19 | 22 | 21 | 43 | |
| | | | | | | | VIII. Violence | 6 | — | 6 | 3 | 2 | 5 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | — | 1 | 1 | 3 | 1 | 4 | |
| March | 38 | 37 | 75 | 41 | 35 | 76 | I. All causes | 36 | 25 | 61 | 34 | 25 | 59 | |
| | | | | | | | II. Zymotic diseases | 1 | 1 | 2 | 5 | 2 | 7 | |
| | | | | | | | III. Parasitic diseases | 2 | — | 2 | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 8 | 6 | 14 | 9 | 7 | 16 | |
| | | | | | | | VI. Developmental diseases | 3 | 3 | 6 | 1 | 3 | 4 | |
| | | | | | | | VII. Local diseases | 18 | 11 | 29 | 16 | 11 | 27 | |
| | | | | | | | VIII. Violence | 2 | — | 2 | 1 | — | 1 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 2 | 4 | 6 | 2 | 2 | 4 | |
| April | 27 | 41 | 68 | 33 | 26 | 59 | I. All causes | 46 | 24 | 70 | 38 | 30 | 68 | |
| | | | | | | | II. Zymotic diseases | 3 | 4 | 7 | 4 | 2 | 6 | |
| | | | | | | | III. Parasitic diseases | 1 | — | 1 | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 10 | 9 | 19 | 7 | 12 | 19 | |
| | | | | | | | VI. Developmental diseases | 5 | 2 | 7 | 6 | 2 | 8 | |
| | | | | | | | VII. Local diseases | 18 | 9 | 27 | 17 | 10 | 27 | |
| | | | | | | | VIII. Violence | 8 | — | 8 | 2 | 1 | 3 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 1 | — | 1 | 2 | 3 | 5 | |
| May | 31 | 33 | 64 | 35 | 34 | 69 | I. All causes | 39 | 36 | 75 | 33 | 41 | 74 | |
| | | | | | | | II. Zymotic diseases | 3 | 4 | 7 | 2 | 3 | 5 | |
| | | | | | | | III. Parasitic diseases | — | 1 | 1 | — | — | — | |
| | | | | | | | IV. Dietic diseases | 1 | — | 1 | — | — | — | |
| | | | | | | | V. Constitutional diseases | 11 | 10 | 21 | 9 | 8 | 17 | |
| | | | | | | | VI. Developmental diseases | 4 | 2 | 6 | 6 | — | 6 | |
| | | | | | | | VII. Local diseases | 17 | 17 | 34 | 13 | 27 | 40 | |
| | | | | | | | VIII. Violence | 2 | 1 | 3 | 2 | 1 | 3 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 1 | 1 | 2 | 1 | 2 | 3 | |
| June | 34 | 42 | 76 | 33 | 49 | 82 | I. All causes | 40 | 31 | 71 | 47 | 33 | 80 | |
| | | | | | | | II. Zymotic diseases | 1 | 1 | 2 | 3 | 1 | 4 | |
| | | | | | | | III. Parasitic diseases | — | — | — | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | 1 | 1 | |
| | | | | | | | V. Constitutional diseases | 10 | 4 | 14 | 9 | 12 | 21 | |
| | | | | | | | VI. Developmental diseases | 2 | 6 | 8 | 5 | 1 | 6 | |
| | | | | | | | VII. Local diseases | 25 | 17 | 42 | 26 | 15 | 41 | |
| | | | | | | | VIII. Violence | — | 1 | 1 | 2 | 1 | 3 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 2 | 2 | 4 | 2 | 2 | 4 | |
| July | 39 | 42 | 81 | 39 | 35 | 74 | I. All causes | 33 | 18 | 51 | 41 | 31 | 72 | |
| | | | | | | | II. Zymotic diseases | 1 | — | 1 | 3 | — | 3 | |
| | | | | | | | III. Parasitic diseases | — | — | — | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 8 | 6 | 14 | 10 | 10 | 20 | |
| | | | | | | | VI. Developmental diseases | 5 | 2 | 7 | 7 | 4 | 11 | |
| | | | | | | | VII. Local diseases | 18 | 8 | 26 | 16 | 15 | 31 | |
| | | | | | | | VIII. Violence | — | 1 | 1 | 3 | 1 | 4 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 1 | 1 | 2 | 2 | 1 | 3 | |
| August..... | 50 | 38 | 88 | 41 | 39 | 80 | I. All causes | 44 | 28 | 72 | 54 | 28 | 82 | |
| | | | | | | | II. Zymotic diseases | 2 | — | 2 | — | 1 | 1 | |
| | | | | | | | III. Parasitic diseases | — | 1 | 1 | — | — | — | |
| | | | | | | | IV. Dietic diseases | 1 | — | 1 | — | — | — | |
| | | | | | | | V. Constitutional diseases | 7 | 9 | 16 | 11 | 7 | 18 | |
| | | | | | | | VI. Developmental diseases | 9 | 4 | 13 | 9 | 4 | 13 | |
| | | | | | | | VII. Local diseases | 22 | 14 | 36 | 23 | 14 | 37 | |
| | | | | | | | VIII. Violence | 2 | — | 2 | 9 | 1 | 10 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 1 | — | 1 | 2 | 1 | 3 | |
| September. | 34 | 44 | 78 | 39 | 33 | 72 | I. All causes | 38 | 29 | 67 | 40 | 27 | 67 | |
| | | | | | | | II. Zymotic diseases | — | 1 | 1 | 2 | 2 | 4 | |
| | | | | | | | III. Parasitic diseases | — | 1 | 1 | — | — | — | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 9 | 10 | 19 | 17 | 7 | 24 | |
| | | | | | | | VI. Developmental diseases | 5 | 3 | 8 | 6 | 1 | 7 | |
| | | | | | | | VII. Local diseases | 19 | 12 | 31 | 15 | 17 | 30 | |
| | | | | | | | VIII. Violence | 3 | 1 | 4 | 2 | — | 2 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 2 | 1 | 3 | — | — | — | |
| October ... | 29 | 33 | 62 | 42 | 37 | 79 | I. All causes | 49 | 24 | 73 | 50 | 31 | 81 | |
| | | | | | | | II. Zymotic diseases | 1 | 1 | 2 | — | 2 | 2 | |
| | | | | | | | III. Parasitic diseases | 3 | — | 3 | 1 | — | 1 | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 6 | 9 | 15 | 21 | 8 | 29 | |
| | | | | | | | VI. Developmental diseases | 5 | 4 | 9 | 4 | 7 | 11 | |
| | | | | | | | VII. Local diseases | 29 | 10 | 39 | 22 | 14 | 36 | |
| | | | | | | | VIII. Violence | 5 | — | 5 | 1 | — | 1 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | — | — | — | — | — | — | |
| November . | 27 | 27 | 54 | 27 | 28 | 55 | I. All causes | 43 | 31 | 74 | 30 | 29 | 59 | |
| | | | | | | | II. Zymotic diseases | 2 | 1 | 3 | 2 | 1 | 3 | |
| | | | | | | | III. Parasitic diseases | — | — | — | 1 | — | 1 | |
| | | | | | | | IV. Dietic diseases | — | — | — | — | — | — | |
| | | | | | | | V. Constitutional diseases | 11 | 5 | 16 | 5 | 8 | 13 | |
| | | | | | | | VI. Developmental diseases | 6 | 4 | 10 | 4 | 3 | 7 | |
| | | | | | | | VII. Local diseases | 22 | 19 | 41 | 15 | 14 | 29 | |
| | | | | | | | VIII. Violence | 2 | 2 | 4 | 3 | 1 | 4 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | — | — | — | — | 1 | 1 | |
| December.. | 36 | 28 | 64 | 31 | 24 | 55 | I. All causes | 29 | 36 | 65 | 30 | 22 | 52 | |
| | | | | | | | II. Zymotic diseases | 1 | 1 | 2 | 2 | 4 | 6 | |
| | | | | | | | III. Parasitic diseases | — | 1 | 1 | — | — | — | |
| | | | | | | | IV. Dietic diseases | 1 | — | 1 | — | — | — | |
| | | | | | | | V. Constitutional diseases | 5 | 14 | 19 | 8 | 8 | 16 | |
| | | | | | | | VI. Developmental diseases | 5 | 3 | 8 | 3 | 2 | 5 | |
| | | | | | | | VII. Local diseases | 13 | 15 | 28 | 13 | 7 | 20 | |
| | | | | | | | VIII. Violence | 3 | 1 | 4 | 1 | — | 1 | |
| | | | | | | | IX. Ill-defined or not specified causes .. | 1 | 1 | 2 | 3 | 1 | 4 | |

No. 7.—RETURN showing the number of Births and Deaths Registered in each Registration District (except the District of Palmerston, Northern Territory) in the Years 1902 to 1906, inclusive.

No 19.

| District. | Births. | | | | | | | | | | | | | | | Deaths. | | | | | | | | | | | | | | |
|-----------------------|---------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|---------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|-------|-------|--------|
| | 1902. | | | 1903. | | | 1904. | | | 1905. | | | 1906. | | | 1902. | | | 1903. | | | 1904. | | | 1905. | | | 1906. | | |
| | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Adelaide | 1,019 | 921 | 1,940 | 1,039 | 862 | 1,901 | 952 | 915 | 1,867 | 970 | 976 | 1,946 | 966 | 881 | 1,847 | 765 | 641 | 1,406 | 723 | 539 | 1,262 | 665 | 561 | 1,226 | 707 | 577 | 1,284 | 681 | 592 | 1,273 |
| Willunga..... | 16 | 32 | 48 | 34 | 21 | 55 | 29 | 24 | 53 | 19 | 26 | 45 | 24 | 32 | 54 | 10 | 6 | 16 | 14 | 3 | 17 | 15 | 5 | 20 | 7 | 18 | 25 | 10 | 14 | 24 |
| Yankalilla..... | 36 | 25 | 61 | 25 | 34 | 59 | 34 | 27 | 61 | 31 | 32 | 63 | 33 | 46 | 79 | 11 | 6 | 17 | 13 | 10 | 23 | 13 | 11 | 24 | 12 | 14 | 26 | 12 | 10 | 22 |
| Encounter Bay | 39 | 38 | 77 | 24 | 31 | 55 | 36 | 26 | 62 | 36 | 26 | 62 | 35 | 26 | 61 | 9 | 19 | 28 | 14 | 10 | 24 | 13 | 8 | 21 | 9 | 14 | 23 | 11 | 14 | 25 |
| Strathalbyn | 51 | 34 | 85 | 53 | 37 | 90 | 60 | 59 | 119 | 44 | 54 | 98 | 60 | 39 | 99 | 25 | 15 | 40 | 26 | 21 | 47 | 23 | 9 | 32 | 23 | 23 | 46 | 23 | 17 | 40 |
| Robe | 38 | 33 | 71 | 26 | 26 | 52 | 43 | 40 | 83 | 40 | 27 | 67 | 46 | 56 | 102 | 18 | 13 | 31 | 17 | 14 | 31 | 17 | 13 | 30 | 14 | 18 | 32 | 17 | 18 | 35 |
| Grey | 161 | 163 | 324 | 186 | 184 | 370 | 207 | 195 | 402 | 215 | 183 | 398 | 184 | 196 | 380 | 69 | 62 | 131 | 65 | 62 | 127 | 68 | 68 | 136 | 59 | 67 | 126 | 67 | 71 | 138 |
| Wellington..... | 76 | 72 | 148 | 76 | 76 | 152 | 69 | 62 | 131 | 73 | 78 | 151 | 91 | 69 | 160 | 23 | 12 | 35 | 17 | 16 | 33 | 23 | 7 | 30 | 18 | 19 | 37 | 34 | 21 | 55 |
| Morphett Vale | 40 | 47 | 87 | 36 | 26 | 62 | 42 | 32 | 74 | 36 | 41 | 77 | 33 | 37 | 70 | 18 | 15 | 33 | 17 | 14 | 31 | 21 | 11 | 32 | 17 | 17 | 34 | 14 | 19 | 33 |
| Mount Barker | 51 | 49 | 100 | 37 | 32 | 69 | 42 | 53 | 95 | 56 | 42 | 98 | 52 | 42 | 94 | 25 | 15 | 40 | 21 | 12 | 33 | 27 | 21 | 48 | 24 | 25 | 49 | 18 | 18 | 36 |
| Nairne | 82 | 77 | 159 | 84 | 85 | 169 | 88 | 95 | 183 | 82 | 79 | 161 | 74 | 73 | 147 | 23 | 26 | 49 | 26 | 23 | 49 | 27 | 28 | 55 | 42 | 27 | 69 | 31 | 34 | 65 |
| Talunga | 99 | 82 | 181 | 92 | 91 | 183 | 96 | 85 | 181 | 92 | 80 | 172 | 92 | 90 | 182 | 24 | 28 | 52 | 28 | 20 | 48 | 30 | 25 | 55 | 32 | 21 | 53 | 30 | 32 | 62 |
| Highercombe..... | 22 | 16 | 38 | 23 | 21 | 44 | 32 | 26 | 58 | 26 | 26 | 52 | 37 | 24 | 48 | 7 | 4 | 11 | 8 | 9 | 17 | 6 | 10 | 16 | 8 | 7 | 15 | 11 | 4 | 15 |
| Port Gawler | 68 | 57 | 125 | 57 | 59 | 116 | 52 | 58 | 110 | 58 | 46 | 104 | 71 | 40 | 111 | 25 | 23 | 48 | 17 | 18 | 35 | 21 | 26 | 47 | 22 | 19 | 41 | 9 | 26 | 35 |
| Crawford | 37 | 31 | 68 | 34 | 23 | 57 | 26 | 27 | 53 | 37 | 26 | 63 | 29 | 26 | 55 | 9 | 6 | 15 | 5 | 7 | 12 | 7 | 7 | 14 | 6 | 8 | 14 | 7 | 6 | 13 |
| Barossa | 105 | 92 | 197 | 121 | 93 | 214 | 100 | 107 | 207 | 93 | 105 | 198 | 115 | 105 | 220 | 42 | 49 | 91 | 45 | 48 | 93 | 43 | 27 | 70 | 39 | 32 | 71 | 47 | 39 | 86 |
| Angaston..... | 80 | 80 | 160 | 82 | 72 | 154 | 82 | 82 | 164 | 69 | 77 | 146 | 97 | 58 | 155 | 32 | 43 | 75 | 40 | 38 | 78 | 27 | 29 | 56 | 28 | 25 | 53 | 30 | 27 | 57 |
| Kapunda | 142 | 131 | 273 | 125 | 103 | 228 | 117 | 123 | 240 | 134 | 104 | 238 | 125 | 111 | 236 | 59 | 44 | 103 | 55 | 37 | 92 | 59 | 49 | 108 | 61 | 42 | 103 | 59 | 39 | 98 |
| Gilbert | 130 | 131 | 261 | 100 | 98 | 207 | 123 | 149 | 272 | 129 | 122 | 251 | 130 | 151 | 281 | 39 | 33 | 72 | 36 | 42 | 78 | 38 | 39 | 77 | 33 | 38 | 71 | 46 | 39 | 85 |
| Burra | 101 | 107 | 208 | 99 | 91 | 190 | 110 | 112 | 222 | 91 | 119 | 210 | 87 | 87 | 174 | 58 | 51 | 109 | 44 | 36 | 80 | 43 | 25 | 68 | 41 | 27 | 68 | 52 | 30 | 82 |
| Clare | 379 | 332 | 711 | 360 | 334 | 694 | 350 | 321 | 671 | 356 | 346 | 702 | 348 | 332 | 680 | 215 | 126 | 341 | 161 | 100 | 261 | 131 | 92 | 223 | 141 | 111 | 252 | 118 | 97 | 215 |
| Flinders | 84 | 88 | 172 | 98 | 86 | 184 | 101 | 91 | 192 | 106 | 113 | 219 | 123 | 121 | 244 | 41 | 19 | 60 | 30 | 19 | 49 | 28 | 19 | 47 | 29 | 15 | 44 | 33 | 24 | 57 |
| Frome | 302 | 283 | 585 | 256 | 236 | 492 | 265 | 274 | 539 | 256 | 222 | 478 | 247 | 255 | 502 | 132 | 99 | 231 | 130 | 86 | 216 | 101 | 76 | 177 | 112 | 72 | 184 | 100 | 84 | 184 |
| Daly | 436 | 408 | 844 | 404 | 351 | 755 | 447 | 414 | 861 | 437 | 443 | 880 | 487 | 441 | 928 | 180 | 136 | 316 | 139 | 133 | 272 | 168 | 127 | 295 | 154 | 140 | 294 | 168 | 151 | 319 |
| Upper Wakefield | 22 | 22 | 44 | 20 | 16 | 36 | 27 | 24 | 51 | 26 | 23 | 49 | 22 | 22 | 44 | 10 | 6 | 16 | 7 | 6 | 13 | 8 | 8 | 16 | 12 | 6 | 18 | 10 | 3 | 13 |
| Port Adelaide | 313 | 332 | 645 | 289 | 291 | 580 | 316 | 310 | 626 | 316 | 288 | 604 | 296 | 302 | 598 | 152 | 140 | 292 | 132 | 101 | 233 | 127 | 128 | 255 | 107 | 114 | 221 | 130 | 118 | 248 |
| Hindmarsh..... | 262 | 238 | 500 | 229 | 229 | 458 | 330 | 249 | 579 | 222 | 220 | 442 | 239 | 232 | 471 | 87 | 78 | 165 | 89 | 74 | 163 | 63 | 70 | 133 | 69 | 72 | 141 | 66 | 72 | 138 |
| Norwood | 388 | 427 | 815 | 446 | 403 | 849 | 489 | 455 | 944 | 441 | 417 | 858 | 472 | 427 | 899 | 208 | 205 | 413 | 252 | 204 | 456 | 207 | 201 | 408 | 177 | 190 | 367 | 219 | 200 | 419 |
| Total | 4,579 | 4,348 | 8,927 | 4,464 | 4,011 | 8,475 | 4,600 | 4,435 | 9,100 | 4,491 | 4,341 | 8,832 | 4,605 | 4,316 | 8,921 | 2,316 | 1,920 | 4,236 | 2,171 | 1,702 | 3,873 | 2,019 | 1,700 | 3,719 | 2,003 | 1,758 | 3,761 | 2,053 | 1,819 | 3,872 |

No. 8.—RETURN showing the Number of Births Registered in each Quarter of the Year 1906 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

| Districts. | Births. | | | | | | Number of Deaths. | Excess of Births over Deaths. | |
|--|---------|---|-------|-------|-------|--------|-------------------------|--|----------|
| | Total. | Registered in the Quarter ended the last day of— | | | | Males. | | | Females. |
| | | March. | June. | Sept. | Dec. | | | | |
| Metropolitan { City of Adelaide | 826 | 201 | 210 | 226 | 189 | 424 | 401 | 871 | — 45 |
| Extra-Metropolitan { Suburbs of Adelaide | 2,989 | 722 | 748 | 794 | 725 | 1,548 | 1,441 | 1,207 | + 1,782 |
| Extra-Metropolitan | 5,106 | 1,193 | 1,365 | 1,411 | 1,137 | 2,632 | 2,474 | 1,794 | + 3,312 |
| Total | 8,921 | 2,116 | 2,323 | 2,431 | 2,051 | 4,605 | 4,316 | 3,872 | + 5,049 |

No. 9.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in each Year; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

| Year. | Registered during Year. | | | Registered in the Quarter ended on the last day of— | | | | | | | | | | | | Number of Deaths. | Excess of Births over Deaths |
|-------------|-------------------------|--------|----------|---|--------|----------|--------|--------|----------|------------|--------|----------|-----------|--------|----------|-------------------|------------------------------|
| | | | | March. | | | June. | | | September. | | | December. | | | | |
| | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | | |
| 1897 | 9,535 | 4,881 | 4,654 | 2,339 | 1,201 | 1,138 | 2,361 | 1,198 | 1,163 | 2,556 | 1,338 | 1,218 | 2,279 | 1,144 | 1,135 | 3,973 | 5,562 |
| 1898 | 8,945 | 4,568 | 4,377 | 2,289 | 1,165 | 1,124 | 2,325 | 1,171 | 1,154 | 2,366 | 1,231 | 1,135 | 1,965 | 1,001 | 964 | 4,675 | 4,270 |
| 1899 | 9,397 | 4,841 | 4,556 | 2,226 | 1,129 | 1,097 | 2,542 | 1,316 | 1,226 | 2,492 | 1,281 | 1,211 | 2,137 | 1,115 | 1,022 | 4,406 | 4,991 |
| 1900 | 9,143 | 4,641 | 4,502 | 2,287 | 1,132 | 1,155 | 2,463 | 1,239 | 1,224 | 2,209 | 1,119 | 1,090 | 2,184 | 1,151 | 1,033 | 3,774 | 5,369 |
| 1901 | 9,079 | 4,665 | 4,414 | 2,228 | 1,155 | 1,073 | 2,327 | 1,175 | 1,152 | 2,370 | 1,244 | 1,126 | 2,154 | 1,091 | 1,063 | 3,974 | 5,105 |
| 1902 | 8,927 | 4,579 | 4,348 | 2,137 | 1,082 | 1,053 | 2,324 | 1,206 | 1,118 | 2,468 | 1,249 | 1,219 | 1,998 | 1,042 | 956 | 4,236 | 4,691 |
| 1903 | 8,475 | 4,464 | 4,011 | 2,058 | 1,061 | 997 | 2,183 | 1,164 | 1,019 | 2,158 | 1,142 | 1,016 | 2,076 | 1,097 | 979 | 3,873 | 4,602 |
| 1904 | 9,100 | 4,665 | 4,435 | 2,120 | 1,105 | 1,015 | 2,449 | 1,253 | 1,196 | 2,349 | 1,182 | 1,167 | 2,182 | 1,125 | 1,057 | 3,719 | 5,381 |
| 1905 | 8,832 | 4,491 | 4,341 | 2,121 | 1,051 | 1,070 | 2,309 | 1,178 | 1,131 | 2,345 | 1,179 | 1,166 | 2,057 | 1,083 | 974 | 3,761 | 5,071 |
| 1906 | 8,921 | 4,605 | 4,316 | 2,116 | 1,099 | 1,017 | 2,323 | 1,212 | 1,111 | 2,431 | 1,253 | 1,178 | 2,051 | 1,041 | 1,010 | 3,872 | 5,049 |

No. 10.—DECENNIAL RETURN showing the Number of Births Registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

| | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. |
|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Quarter ended March 31..... | 2,339 | 2,289 | 2,226 | 2,287 | 2,228 | 2,137 | 2,058 | 2,120 | 2,121 | 2,116 |
| June 30 | 2,361 | 2,325 | 2,542 | 2,463 | 2,327 | 2,324 | 2,183 | 2,449 | 2,309 | 2,323 |
| September 30 | 2,556 | 2,366 | 2,492 | 2,209 | 2,370 | 2,468 | 2,158 | 2,349 | 2,345 | 2,431 |
| December 31 | 2,279 | 1,965 | 2,137 | 2,184 | 2,154 | 1,998 | 2,076 | 2,182 | 2,057 | 2,051 |
| Total | 9,535 | 8,945 | 9,397 | 9,143 | 9,079 | 8,927 | 8,475 | 9,100 | 8,832 | 8,921 |

No. 11.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

| No. 19. | Quarter ended | March 31..... June 30 September 30 December 31 | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. |
|---------|---------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | | 515 | 571 | 545 | 563 | 562 | 631 | 489 | 608 | 635 | 605 |
| | | | 508 | 588 | 587 | 655 | 657 | 652 | 611 | 661 | 637 | 738 |
| | | | 501 | 514 | 569 | 512 | 540 | 556 | 599 | 641 | 653 | 653 |
| | | | 425 | 541 | 564 | 575 | 545 | 537 | 561 | 616 | 669 | 683 |
| | | | 1,949 | 2,214 | 2,265 | 2,305 | 2,304 | 2,376 | 2,260 | 2,526 | 2,594 | 2,679 |

No. 12.—DECENNIAL RETURN showing the Number of Marriages celebrated in South Australia (exclusive of the Northern Territory).

| Year. | Total. | Registered in the Quarter ended last day of— | | | | Celebrated according to rites of— | | | | | | | | | | | | | | | | | Contracted between— | | | | | | |
|-----------|--------|--|-------|------------|-----------|-----------------------------------|---------------|--------------------|-----------|-------------------------|-----------------|------------------------|----------------------|-------------------------|----------|---------------------------|-------------------------|------------|-------|-------------|-------------|----------------------------|--------------------------|--------------------|-----------------------|-----------------------------|--------------------------|----------------------------|-------------------------|
| | | March. | June. | September. | December. | Church of England. | Presbyterian. | Roman Catholic. | Lutheran. | Congrega- tionalist. | Methodist. * | Christian Brethren. | Church of Christ. | Free Presby- terian. | Baptist. | Seventh Day Adventist. | City Mission Church. | Moravians. | Jews. | Unitarians. | Registrars. | Officiating Registrars. | New Jerusalem Church. | Salvation Army. | Welsh Free Church. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1897..... | 1,949 | 515 | 508 | 501 | 425 | 404 | 87 | 200 | 132 | 117 | 595 | 11 | 77 | 2 | 138 | — | — | 1 | — | — | 97 | 6 | 61 | 21 | — | 1,709 | 69 | 107 | 64 |
| 1898..... | 2,214 | 571 | 588 | 514 | 541 | 443 | 74 | 276 | 145 | 106 | 687 | 14 | 72 | 3 | 117 | 2 | — | 4 | 4 | 1 | 84 | 40 | 117 | 25 | — | 1,901 | 92 | 148 | 73 |
| 1899..... | 2,265 | 545 | 587 | 569 | 564 | 464 | 106 | 267 | 140 | 109 | 695 | 27 | 68 | 5 | 123 | 3 | 4 | 1 | 3 | 1 | 70 | 160 | — | 19 | — | 1,978 | 90 | 141 | 56 |
| 1900..... | 2,305 | 593 | 655 | 512 | 575 | 531 | 123 | 221 | 154 | 135 | 712 | 35 | 91 | — | 140 | 2 | 12 | 2 | 3 | — | 84 | 35 | — | 25 | — | 2,018 | 60 | 144 | 83 |
| 1901..... | 2,304 | 562 | 657 | 540 | 545 | 505 | 133 | 256 | 152 | 142 | 691 | 19 | 88 | — | 146 | 2 | 11 | 4 | 1 | 1 | 84 | 44 | 9 | 16 | — | 1,996 | 58 | 174 | 76 |
| 1902..... | 2,376 | 631 | 652 | 556 | 537 | 498 | 109 | 262 | 155 | 115 | 751 | 25 | 90 | 1 | 170 | 1 | 25 | 6 | 1 | 3 | 90 | 14 | 39 | 24 | — | 2,089 | 89 | 130 | 68 |
| 1903..... | 2,260 | 489 | 611 | 599 | 501 | 461 | 104 | 249 | 167 | 109 | 670 | 24 | 106 | 4 | 176 | 3 | 20 | 5 | 2 | 6 | 93 | 14 | 29 | 18 | — | 1,998 | 60 | 140 | 62 |
| 1904..... | 2,526 | 608 | 661 | 641 | 616 | 519 | 128 | 204 | 147 | 104 | 825 | 17 | 105 | 3 | 200 | 1 | 24 | 2 | 4 | 3 | 100 | 11 | 37 | 32 | — | 2,228 | 65 | 161 | 72 |
| 1905..... | 2,594 | 635 | 637 | 653 | 669 | 543 | 129 | 260 | 176 | 107 | 870 | 30 | 109 | — | 173 | 1 | 12 | 1 | 9 | 1 | 96 | 12 | 35 | 30 | — | 2,339 | 67 | 141 | 47 |
| 1906..... | 2,679 | 605 | 738 | 653 | 683 | 595 | 123 | 295 | 157 | 120 | 860 | 16 | 120 | 5 | 191 | 2 | 24 | 2 | 3 | — | 113 | 17 | 26 | 40 | — | 2,432 | 61 | 138 | 48 |

* For the first five years of this period the marriages in this column were shown under the headings "Wesleyan," "Bible Christian," and "Primitive Methodist," but these three denominations were amalgamated under the title "Methodist" on January 1st, 1902.

No. 13.—RETURN showing the Number of Persons Married, at different Ages, in South Australia (exclusive of the Northern Territory) in the Year 1906.

| Ages | 15— | | 16— | | 17— | | 18— | | 19— | | 20— | | 21— | | 25— | | 30— | | 35— | | 40— | | 45— | | 50— | | 55— | | 60— | | 65— | | 70 and upwards. | | Total. | | | |
|---------------------------------|-----|----|-----|----|-----|----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|-----|-----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----------------|----|--------|-------|-------|-------|
| Celebrated in Quarter ended— | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Total | |
| March 31 | — | 2 | — | 5 | — | 16 | 1 | 24 | 8 | 35 | 16 | 41 | 172 | 235 | 216 | 157 | 104 | 54 | 41 | 17 | 28 | 7 | 7 | 7 | 4 | 3 | 5 | 1 | 1 | 1 | 2 | — | — | — | — | 605 | 605 | 1,210 |
| June 30 | — | 1 | — | 6 | 1 | 13 | 2 | 36 | 2 | 34 | 14 | 53 | 218 | 262 | 230 | 201 | 134 | 73 | 72 | 28 | 32 | 14 | 10 | 9 | 10 | 5 | 4 | 2 | 3 | — | 4 | 1 | 2 | — | 738 | 738 | 1,476 | |
| Sept. 30 | — | — | — | 1 | — | 11 | 4 | 22 | 6 | 30 | 12 | 44 | 170 | 262 | 244 | 178 | 95 | 60 | 52 | 15 | 29 | 11 | 22 | 10 | 3 | 5 | 6 | 2 | 4 | — | 2 | 1 | 4 | 1 | 653 | 653 | 1,366 | |
| Dec. 31 | — | — | 1 | 3 | — | 15 | 2 | 21 | 15 | 40 | 19 | 37 | 191 | 270 | 235 | 188 | 113 | 61 | 59 | 25 | 19 | 10 | 16 | 6 | 5 | 4 | 5 | 2 | — | — | 1 | — | 2 | 1 | 683 | 683 | 1,366 | |
| Total | — | 3 | 1 | 15 | 1 | 55 | 9 | 103 | 31 | 139 | 61 | 175 | 751 | 1,029 | 925 | 724 | 446 | 248 | 224 | 85 | 108 | 42 | 55 | 32 | 22 | 17 | 20 | 7 | 8 | 1 | 9 | 2 | 8 | 2 | 2,679 | 2,679 | 5,358 | |
| Widowers and Spinsters | — | — | — | — | — | 2 | — | 2 | — | 3 | — | 3 | 2 | 32 | 14 | 36 | 22 | 26 | 26 | 16 | 37 | 5 | 17 | 6 | 5 | 4 | 6 | 1 | 2 | — | 3 | — | 4 | 1 | 138 | 138 | 276 | |
| Widowers and Widows | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 2 | 2 | 7 | 5 | 4 | 6 | 11 | 5 | 9 | 8 | 6 | 6 | 5 | 6 | 1 | 5 | 2 | 4 | 1 | 48 | 48 | 96 | |
| Bachelors and Widows | — | — | — | — | — | — | — | — | — | — | — | — | 3 | 1 | 12 | 13 | 18 | 16 | 9 | 5 | 7 | 12 | 6 | 9 | 5 | 4 | 1 | 1 | — | — | — | — | — | — | 61 | 61 | 122 | |
| Signatures by marks | — | — | — | — | — | — | 1 | — | 1 | — | — | 7 | 2 | 8 | 1 | 2 | 1 | — | 1 | 1 | 3 | — | 2 | 1 | 1 | 1 | — | — | — | — | — | 1 | 1 | — | — | 21 | 14 | 35 |

No. 14.—RETURN showing the Number of Deaths registered in each Quarter of the Year 1906 in South Australia (exclusive of the Northern Territory), and the Excess of Births over Deaths.

| Districts. | Total. | Males. | Females. | Registered in the Quarter ended last day of— | | | | Number of Births. | Excess of Births over Deaths. |
|--------------------------------------|--------|--------|----------|--|-------|------------|-----------|-------------------|-------------------------------|
| | | | | March. | June. | September. | December. | | |
| Metropolitan { City of Adelaide..... | 871 | 488 | 383 | 236 | 222 | 221 | 192 | 826 | — 45 |
| Suburbs “ | 1,207 | 608 | 599 | 364 | 282 | 291 | 270 | 2,989 | + 1,782 |
| Extra-Metropolitan | 1,794 | 957 | 837 | 489 | 450 | 425 | 430 | 5,106 | + 3,312 |
| Total | 3,872 | 2,053 | 1,819 | 1,089 | 954 | 937 | 892 | 8,921 | + 5,049 |

No. 15.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in each Year ; also showing the Number registered in each Quarter, and Excess of Births over Deaths in each Year.

| Year. | Registered during Year. | | | Registered in the Quarter ended on the last day of— | | | | | | | | | | | | Number of Births. | Excess of Births over Deaths. |
|-----------|-------------------------|--------|----------|---|--------|----------|--------|--------|----------|------------|--------|----------|-----------|--------|----------|-------------------|-------------------------------|
| | | | | March. | | | June. | | | September. | | | December. | | | | |
| | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | Total. | Males. | Females. | | |
| 1897..... | 3,973 | 2,192 | 1,781 | 1,009 | 550 | 459 | 978 | 530 | 448 | 875 | 510 | 365 | 1,111 | 602 | 509 | 9,535 | 5,562 |
| 1898..... | 4,675 | 2,584 | 2,091 | 1,314 | 730 | 584 | 1,156 | 644 | 512 | 904 | 500 | 404 | 1,301 | 710 | 591 | 8,945 | 4,270 |
| 1899..... | 4,406 | 2,362 | 2,044 | 1,115 | 610 | 505 | 1,137 | 636 | 501 | 898 | 458 | 440 | 1,256 | 658 | 598 | 9,397 | 4,991 |
| 1900..... | 3,774 | 1,994 | 1,780 | 1,008 | 531 | 477 | 870 | 464 | 406 | 921 | 484 | 437 | 975 | 515 | 460 | 9,143 | 5,369 |
| 1901..... | 3,974 | 2,206 | 1,768 | 1,028 | 557 | 471 | 912 | 509 | 403 | 1,037 | 586 | 451 | 997 | 554 | 443 | 9,079 | 5,105 |
| 1902..... | 4,236 | 2,316 | 1,920 | 981 | 502 | 479 | 1,183 | 656 | 527 | 1,052 | 574 | 478 | 1,020 | 584 | 436 | 8,927 | 4,691 |
| 1903..... | 3,873 | 2,171 | 1,702 | 972 | 545 | 427 | 940 | 532 | 408 | 1,009 | 560 | 449 | 952 | 534 | 418 | 8,475 | 4,602 |
| 1904..... | 3,719 | 2,019 | 1,700 | 933 | 511 | 422 | 982 | 540 | 442 | 929 | 490 | 439 | 875 | 478 | 397 | 9,100 | 5,381 |
| 1905..... | 3,761 | 2,003 | 1,758 | 988 | 537 | 451 | 956 | 517 | 439 | 918 | 476 | 442 | 899 | 473 | 426 | 8,832 | 5,071 |
| 1906..... | 3,872 | 2,053 | 1,819 | 1,089 | 554 | 535 | 954 | 490 | 464 | 937 | 531 | 406 | 892 | 478 | 414 | 8,921 | 5,049 |

No. 16.—DECENNIAL RETURN showing the Number of Deaths registered in South Australia (exclusive of the Northern Territory) in the Quarters of the Years—

| | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. |
|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Quarter ended March 31 | 1,009 | 1,314 | 1,115 | 1,008 | 1,028 | 981 | 972 | 933 | 988 | 1,089 |
| June 30 | 978 | 1,156 | 1,137 | 870 | 912 | 1,183 | 940 | 982 | 956 | 954 |
| September 30 | 875 | 904 | 898 | 921 | 1,037 | 1,052 | 1,009 | 929 | 918 | 937 |
| December 31 | 1,111 | 1,301 | 1,256 | 975 | 997 | 1,020 | 952 | 875 | 899 | 892 |
| Total | 3,973 | 4,675 | 4,406 | 3,774 | 3,974 | 4,236 | 3,873 | 3,719 | 3,761 | 3,872 |

No. 17.—DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) in each Month.

| Month. | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| January | 290 | 506 | 437 | 402 | 337 | 383 | 347 | 338 | 404 | 433 |
| February | 346 | 400 | 351 | 281 | 315 | 314 | 308 | 277 | 286 | 332 |
| March | 373 | 408 | 327 | 325 | 376 | 284 | 317 | 318 | 298 | 324 |
| April | 318 | 438 | 369 | 289 | 317 | 355 | 320 | 298 | 291 | 292 |
| May..... | 294 | 357 | 392 | 310 | 294 | 429 | 276 | 339 | 331 | 352 |
| June | 366 | 361 | 376 | 271 | 301 | 399 | 344 | 345 | 334 | 310 |
| July..... | 297 | 268 | 290 | 291 | 341 | 369 | 397 | 314 | 309 | 320 |
| August | 306 | 317 | 308 | 331 | 371 | 327 | 307 | 321 | 305 | 309 |
| September | 272 | 319 | 300 | 299 | 325 | 356 | 305 | 294 | 304 | 308 |
| October | 247 | 340 | 469 | 304 | 273 | 338 | 228 | 292 | 303 | 337 |
| November | 367 | 486 | 432 | 327 | 317 | 338 | 309 | 250 | 288 | 282 |
| December | 497 | 475 | 355 | 344 | 407 | 344 | 415 | 333 | 308 | 273 |
| Total | 3,973 | 4,675 | 4,406 | 3,774 | 3,974 | 4,236 | 3,873 | 3,719 | 3,761 | 3,872 |

No. 18. -DECENNIAL RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) at Different Periods of Age.

| Years. | Age. | | | | | | | | | | | | | | | | | | | | | | | |
|------------|---------------|-----|--------|-----------------|-----|--------|------------------|-----|--------|------------------|-----|--------|------------------|-----|--------|---------------|-----|--------|--------------|----|--------|---------|-------|--------|
| | Under 1 year. | | | 1 and under 20. | | | 20 and under 40. | | | 40 and under 60. | | | 60 and under 80. | | | 80 and above. | | | Age unknown. | | | Totals. | | |
| | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. | M. | F. | Total. |
| 1897 | 586 | 454 | 1,040 | 295 | 280 | 575 | 294 | 310 | 604 | 371 | 249 | 620 | 513 | 384 | 897 | 131 | 148 | 235 | 2 | — | 2 | 2,192 | 1,781 | 3,973 |
| 1898 | 726 | 525 | 1,251 | 407 | 391 | 798 | 345 | 338 | 683 | 404 | 267 | 671 | 555 | 422 | 977 | 145 | 160 | 293 | 2 | — | 2 | 2,584 | 2,091 | 4,675 |
| 1899 | 596 | 453 | 1,049 | 353 | 363 | 716 | 324 | 353 | 677 | 375 | 294 | 669 | 574 | 421 | 995 | 138 | 140 | 298 | 2 | — | 2 | 2,362 | 2,044 | 4 406 |
| 1900 | 471 | 440 | 911 | 273 | 277 | 550 | 266 | 297 | 563 | 369 | 257 | 626 | 475 | 368 | 843 | 139 | 140 | 279 | 1 | 1 | 2 | 1,994 | 1,780 | 3,774 |
| 1901 | 522 | 387 | 909 | 296 | 252 | 548 | 312 | 289 | 601 | 410 | 256 | 666 | 520 | 444 | 964 | 143 | 191 | 283 | 3 | — | 3 | 2,206 | 1,768 | 3,974 |
| 1902 | 465 | 372 | 837 | 413 | 342 | 755 | 294 | 289 | 583 | 409 | 265 | 674 | 561 | 461 | 1,022 | 173 | 106 | 364 | 1 | — | 1 | 2,316 | 1,920 | 4,236 |
| 1903 | 470 | 350 | 820 | 258 | 246 | 504 | 287 | 296 | 583 | 407 | 243 | 650 | 571 | 412 | 983 | 177 | 155 | 332 | 1 | — | 1 | 2,171 | 1,702 | 3,873 |
| 1904 | 350 | 287 | 637 | 266 | 210 | 476 | 256 | 307 | 563 | 383 | 259 | 642 | 564 | 464 | 1,028 | 200 | 173 | 373 | — | — | — | 2,019 | 1,700 | 3,719 |
| 1905 | 362 | 281 | 643 | 220 | 196 | 416 | 251 | 289 | 540 | 403 | 286 | 689 | 592 | 500 | 1,092 | 175 | 206 | 381 | — | — | — | 2,003 | 1,758 | 3,761 |
| 1906 | 375 | 301 | 676 | 218 | 191 | 409 | 225 | 314 | 539 | 412 | 285 | 697 | 617 | 524 | 1,141 | 206 | 204 | 410 | — | — | — | 2,053 | 1,819 | 3,872 |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906.

| Class. | Cause of Death. | MALES. | | | | | | | | | | | | | | | | | | | | | | | | Not Stated | |
|--------|---|----------------|------------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|-----------------|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | | 95 and Over. |
| | ALL CAUSES | 2,053 | 375 | 44 | 20 | 12 | 15 | 29 | 45 | 53 | 66 | 53 | 59 | 47 | 88 | 106 | 109 | 109 | 139 | 142 | 158 | 178 | 133 | 56 | 15 | 2 | |
| I. | SPECIFIC FEBRILE OR ZY- MOTIC DISEASES | 144 | 50 | 12 | 3 | 1 | 5 | 4 | 7 | 5 | 9 | 8 | 4 | — | 6 | 2 | 2 | 6 | 1 | 3 | 3 | 4 | 3 | — | — | — | |
| II. | PARASITIC DISEASES..... | 5 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| III. | DIETIC DISEASES..... | 9 | 2 | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 | 1 | — | — | — | 1 | — | — | — | — | |
| IV. | CONSTITUTIONAL DISEASES | 357 | 12 | 2 | 3 | 1 | 2 | 3 | 7 | 13 | 27 | 22 | 23 | 14 | 25 | 29 | 33 | 35 | 31 | 28 | 18 | 22 | 6 | 1 | — | — | |
| V. | DEVELOPMENTAL DISEASES | 275 | 66 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 7 | 7 | 28 | 52 | 70 | 33 | 10 | 2 | |
| VI. | LOCAL DISEASES | 976 | 149 | 26 | 8 | 8 | 6 | 14 | 23 | 24 | 16 | 14 | 18 | 17 | 39 | 50 | 55 | 63 | 82 | 99 | 103 | 93 | 46 | 19 | 4 | — | |
| VII. | VIOLENCE | 194 | 16 | 1 | 4 | 2 | 1 | 7 | 8 | 11 | 14 | 9 | 11 | 15 | 15 | 19 | 17 | 8 | 10 | 7 | 5 | 7 | 6 | — | 1 | — | |
| VIII. | ILL-DEFINED AND NOT SPECIFIED CAUSES..... | 93 | 79 | 3 | 1 | — | 1 | 1 | — | — | — | — | 2 | — | — | 1 | 1 | — | 2 | — | 1 | 1 | — | — | — | — | |
| I. | 1. Miasmatic Diseases | 68 | 8 | 2 | 2 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 4 | — | 5 | 5 | 2 | — | 3 | 1 | 1 | 2 | 3 | — | — | — | |
| | 2. DIARRHEAL DISEASES..... | 60 | 35 | 10 | 1 | 2 | — | — | 1 | — | — | 1 | — | — | 1 | 1 | — | 1 | 2 | 1 | 1 | 2 | — | — | — | — | |
| | 3. MALARIAL DISEASES | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 4. ZOOGENOUS DISEASES | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 5. VENEREAL DISEASES | 6 | 4 | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 6. SEPTIC DISEASES | 10 | 3 | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | — | — | |
| II. | PARASITIC DISEASES | 5 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| III. | DIETIC DISEASES | 9 | 2 | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | 1 | 1 | 1 | — | — | 1 | — | — | — | — | |
| IV. | CONSTITUTIONAL DISEASES | 357 | 12 | 2 | 3 | 1 | 2 | 3 | 7 | 13 | 27 | 22 | 23 | 14 | 25 | 29 | 33 | 35 | 31 | 28 | 18 | 22 | 6 | 1 | — | — | |
| V. | DEVELOPMENTAL DISEASES..... | 275 | 66 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 7 | 7 | 28 | 52 | 70 | 33 | 10 | 2 | |
| VI. | 1. DISEASES OF NERVOUS SYS- TEM | 213 | 40 | 6 | 2 | 2 | 1 | 5 | 5 | 8 | 2 | 1 | 4 | 5 | 7 | 9 | 12 | 8 | 10 | 23 | 29 | 22 | 10 | 2 | — | — | |
| | 2. DISEASES OF ORGANS OF SPECIAL SENSE | 2 | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 3. DISEASES OF CIRCULATORY SYSTEM..... | 285 | 5 | — | — | — | — | — | 3 | 5 | 4 | 3 | 6 | 6 | 6 | 14 | 16 | 28 | 37 | 40 | 42 | 36 | 20 | 11 | 3 | — | |
| | 4. DISEASES OF RESPIRATORY SYSTEM | 149 | 25 | 10 | 4 | 5 | 2 | 2 | 3 | 3 | 2 | 2 | — | 2 | 8 | 7 | 13 | 6 | 8 | 11 | 15 | 11 | 8 | 2 | — | — | |
| | 5. DISEASES OF DIGESTIVE SYS- TEM | 181 | 73 | 9 | 1 | 1 | 2 | 4 | 6 | 6 | 7 | 5 | 5 | 1 | 8 | 8 | 5 | 5 | 9 | 7 | 6 | 11 | 1 | 1 | — | — | |
| | 6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 7. DISEASES OF URINARY SYS- TEM | 123 | 1 | — | — | — | 1 | 2 | 5 | 1 | — | 3 | 3 | 2 | 8 | 11 | 8 | 15 | 15 | 17 | 10 | 12 | 6 | 2 | 1 | — | |
| | 8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ... | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | (b) DISEASES OF PARTU- RITION | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 9. DISEASES OF ORGANS OF LOCOMOTION | 7 | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | 2 | — | — | 1 | 1 | — | — | — | |
| | 10. DISEASES OF INTEGUMENTARY SYSTEM | 14 | 3 | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 2 | — | 1 | 1 | 1 | 1 | 1 | 1 | — | — | — | — | |
| VII. | 1. ACCIDENT OR NEGLIGENCE..... | 158 | 16 | 1 | 4 | 2 | 1 | 7 | 8 | 10 | 13 | 6 | 6 | 8 | 12 | 19 | 12 | 7 | 6 | 5 | 4 | 5 | 5 | — | 1 | — | |
| | 2. HOMICIDE | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | 3. SUICIDE | 33 | — | — | — | — | — | — | — | 1 | — | 3 | 3 | 7 | 3 | — | 5 | 1 | 4 | 2 | 1 | 2 | 1 | — | — | — | |
| | 4. EXECUTION | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| VIII. | ILL-DEFINED AND NOT SPECIFIED CAUSES..... | 93 | 79 | 3 | 1 | — | 1 | 1 | — | — | — | — | 2 | — | — | 1 | 1 | — | 2 | — | 1 | 1 | — | — | — | — | |
| I. | Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Smallpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Chicken-pox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Measles | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Epidemic Rose Rash..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Scarlet Fever | 5 | — | — | — | — | 2 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Relapsing Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Influenza | 22 | 2 | — | — | — | 1 | 1 | 1 | — | — | 1 | 1 | — | 2 | 1 | 1 | — | 3 | 1 | 1 | 1 | 2 | 3 | — | — | |
| | Whooping Cough | 6 | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Mumps | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Diphtheria | 5 | — | 1 | 2 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cerebro-spinal Fever..... | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Simple and Ill-defined Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Enteric Fever | 28 | — | — | — | — | — | — | 1 | 5 | 6 | 5 | 3 | — | 3 | 4 | 1 | — | — | — | — | — | — | — | — | — | |
| | Other Miasmatic Diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Diarrheal Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Simple Cholera | 10 | 5 | 4 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Diarrhœa, Dysentery..... | 50 | 30 | 6 | 1 | — | 2 | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | 2 | — | 2 | 1 | 2 | — | — | — | |
| | Malarial Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Remittent Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Ague, Intermittent Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Malarial Diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—*continued*.

| Class. | Cause of Death. | FEMALES. | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|----------------|---------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|------------|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and Over. | Not Stated |
| | ALL CAUSES..... | 1,819 | 301 | 42 | 21 | 12 | 7 | 26 | 26 | 57 | 75 | 89 | 80 | 70 | 61 | 66 | 77 | 81 | 114 | 123 | 146 | 141 | 99 | 68 | 31 | 6 | — |
| I. | SPECIFIC FEBRILE OR ZY- MOTIC DISEASES..... | 148 | 53 | 8 | 5 | 2 | 2 | 6 | 2 | 4 | 11 | 15 | 7 | 6 | 3 | 2 | 5 | 3 | 6 | 2 | 1 | 3 | 2 | — | — | — | — |
| II. | PARASITIC DISEASES..... | 7 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — | 3 | — | — | — | — | — | — | — | — | — |
| III. | DIETIC DISEASES..... | 6 | 3 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| IV. | CONSTITUTIONAL DISEASES | 403 | 5 | 6 | 3 | 1 | 1 | 7 | 9 | 32 | 43 | 35 | 33 | 23 | 24 | 25 | 31 | 31 | 23 | 32 | 23 | 7 | 7 | 1 | 1 | — | — |
| V. | DEVELOPMENTAL DISEASES | 277 | 55 | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 5 | 14 | 31 | 44 | 54 | 46 | 20 | 5 | — |
| VI. | LOCAL DISEASES..... | 834 | 102 | 22 | 10 | 4 | 4 | 9 | 12 | 19 | 19 | 36 | 37 | 39 | 31 | 34 | 39 | 40 | 75 | 69 | 88 | 83 | 34 | 17 | 10 | 1 | — |
| VII. | VIOLENCE..... | 65 | 15 | 3 | 2 | 4 | — | 4 | 2 | 1 | 2 | 2 | 2 | 2 | — | 3 | 1 | 1 | 5 | 5 | 3 | 3 | 1 | 4 | — | — | — |
| VIII. | ILL-DEFINED AND NOT SPECIFIED CAUSES..... | 79 | 68 | 1 | 1 | — | — | — | — | — | — | — | — | — | 2 | — | 1 | 3 | — | 1 | — | 1 | 1 | — | — | — | — |
| I. | 1. MIASMATIC DISEASES..... | 60 | 6 | 5 | 3 | — | 2 | 6 | 2 | 2 | 8 | 4 | 6 | 2 | 2 | 1 | 3 | 1 | 1 | 2 | — | 2 | — | — | — | — | — |
| | 2. DIARRHEAL DISEASES..... | 56 | 41 | 3 | 2 | — | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 | 3 | — | 1 | 1 | — | — | — | — | — |
| | 3. MALARIAL DISEASES..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 4. ZOOGENOUS DISEASES..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 5. VENEREAL DISEASES..... | 5 | 4 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 6. SEPTIC DISEASES..... | 27 | 2 | — | — | — | — | — | — | — | 3 | 11 | 1 | 4 | 1 | 1 | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| II. | PARASITIC DISEASES..... | 7 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | 1 | 1 | — | 3 | — | — | — | — | — | — | — | — | — |
| III. | DIETIC DISEASES..... | 6 | 3 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| IV. | CONSTITUTIONAL DISEASES..... | 403 | 5 | 6 | 3 | 1 | 1 | 7 | 9 | 32 | 43 | 35 | 33 | 23 | 24 | 25 | 31 | 31 | 23 | 32 | 23 | 7 | 7 | 1 | 1 | — | — |
| V. | DEVELOPMENTAL DISEASES..... | 277 | 55 | — | — | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | 5 | 14 | 31 | 44 | 54 | 46 | 20 | 5 | — |
| VI. | 1. DISEASES OF NERVOUS SYS- TEM..... | 174 | 24 | 4 | 4 | — | 2 | 2 | 3 | 2 | 6 | 6 | 2 | 5 | 3 | 9 | 12 | 8 | 15 | 12 | 25 | 17 | 8 | 2 | 2 | 1 | — |
| | 2. DISEASES OF ORGANS OF SPECIAL SENSE..... | 2 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 3. DISEASES OF CIRCULATORY SYSTEM..... | 254 | 8 | — | 1 | — | 1 | 2 | 4 | 6 | 4 | 9 | 6 | 6 | 11 | 7 | 11 | 11 | 35 | 30 | 38 | 38 | 14 | 7 | 5 | — | — |
| | 4. DISEASES OF RESPIRATORY SYSTEM..... | 117 | 18 | 4 | 2 | 2 | — | 2 | 2 | 2 | — | 2 | 6 | 5 | 3 | 3 | 4 | 6 | 9 | 11 | 12 | 15 | 3 | 5 | 1 | — | — |
| | 5. DISEASES OF DIGESTIVE SYS- TEM..... | 151 | 47 | 13 | 3 | 2 | 1 | 2 | — | 4 | 3 | 2 | 5 | 9 | 4 | 7 | 4 | 3 | 10 | 8 | 7 | 8 | 6 | 2 | 1 | — | — |
| | 6. DISEASES OF LYMPHATIC SYS- TEM AND DUCTLESS GLANDS..... | 2 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 7. DISEASES OF URINARY SYS- TEM..... | 70 | — | 1 | — | — | — | 1 | 2 | 1 | 3 | 3 | 4 | 5 | 4 | 5 | 7 | 8 | 6 | 8 | 5 | 5 | 2 | — | — | — | — |
| | 8. DISEASES OF REPRODUCTIVE SYSTEM— (a) DISEASES OF ORGANS OF GENERATION ... | 17 | — | — | — | — | — | — | — | — | — | 2 | 1 | 2 | 3 | 2 | 1 | 2 | — | — | 1 | — | 1 | 1 | 1 | — | — |
| | (b) DISEASES OF PARTU- RITION..... | 37 | — | — | — | — | — | — | — | 1 | 3 | 11 | 12 | 6 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | 9. DISEASES OF ORGANS OF LOCOMOTION..... | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 10. DISEASES OF INTEGUMENTARY SYSTEM..... | 9 | 5 | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — |
| VII. | 1. ACCIDENT OR NEGLIGENCE ... | 57 | 15 | 3 | 2 | 4 | — | 4 | 2 | 1 | — | 1 | 1 | 1 | — | 2 | 1 | 1 | 4 | 5 | 2 | 3 | 1 | 4 | — | — | — |
| | 2. HOMICIDE..... | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | 3. SUICIDE..... | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | 4. EXECUTION..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. | ILL-DEFINED AND NOT SPECIFIED CAUSES..... | 79 | 68 | 1 | 1 | — | — | — | — | — | — | — | — | — | 2 | — | 1 | 3 | — | 1 | — | 1 | 1 | — | — | — | — |
| I. | Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Smallpox..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Chicken-pox..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Measles..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Epidemic Rose Rash..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Scarlet Fever..... | 7 | — | — | — | — | 1 | 2 | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | Relapsing Fever..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Influenza..... | 16 | 2 | — | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 | 2 | 1 | 1 | 2 | — | 2 | 2 | — | — | — | — |
| | Whooping Cough..... | 10 | 4 | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Mumps..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diphtheria..... | 7 | — | 1 | 1 | — | 1 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Cerebro-spinal Fever..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Simple and Ill-defined Fever..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Enteric Fever..... | 20 | — | — | — | — | — | — | 1 | 2 | 6 | 4 | 4 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Miasmatic Diseases..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diarrhæal Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Simple Cholera..... | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diarrhœa, Dysentery..... | 52 | 38 | 2 | 2 | 2 | — | — | — | 1 | — | — | — | — | — | — | 1 | 1 | 3 | — | 1 | 1 | — | — | — | — | — |
| | Malarial Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Remittent Fever..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Ague, Intermittent Fever..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Malarial Diseases..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—*continued.*

[illegible]

No. 19.—RETURN showing the Causes of Deaths at different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—*continued*.

| | | FEMALES. | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|---|----------------|---------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|------------|
| Class. | Cause of Death. | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and Over. | Not Stated |
| | <i>Zoogenous Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Hydrophobia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Glanders | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Splenic Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Cowpox and other Effects of Vaccination | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Venereal Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Syphilis | 5 | 4 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Gonorrhœa, Stricture of Urethra | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Septic Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Phagedæna | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Erysipelas | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Pyæmia, Septicæmia | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Puerperal Fever | 15 | — | — | — | — | — | — | — | — | 3 | 7 | 1 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| II. | <i>Parasitic Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Thrush | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases from Vegetable Parasites | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hydatid Disease | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases from Animal Parasites | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| III. | <i>Dietic Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Starvation, Want of Breast Milk | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Scurvy | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Intemperance { Chronic Alcoholism | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Delirium Tremens | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| IV. | <i>Constitutional Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Rheumatic Fever, Rheumatism of Heart | 6 | — | — | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | |
| | Rheumatism | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Gout | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Rickets | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cancer, Malignant Disease | 140 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Tabes Mesenterica | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Tubercular Meningitis (Acute Hydrocephalus) | 18 | 3 | 2 | 2 | 1 | — | 2 | 1 | 3 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Phthisis | 165 | — | 1 | — | — | — | 1 | 2 | 22 | 38 | 23 | 20 | 14 | 16 | 7 | 7 | 5 | 6 | 3 | — | — | — | — | — | — | |
| | Other forms of Tuberculosis, Scrofula | 27 | — | 2 | — | — | — | 1 | 3 | 3 | 2 | 7 | 2 | 2 | 2 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | |
| | Purpura, Hæmorrhagic Diathesis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Anæmia, Chlorosis, Leucocythæmia | 16 | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 2 | 1 | — | 3 | 1 | 3 | 1 | — | — | — | — | — | — | — | |
| | Diabetes Mellitus | 25 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Constitutional Diseases | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| V. | <i>Developmental Diseases.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Premature Birth | 49 | 49 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Atelectasis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cyanosis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Spina Bifida | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Imperforate Anus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cleft Palate, Harelip | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Congenital Defects | 6 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Old Age | 219 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| VI. | <i>Diseases of Nervous System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Inflammation of Brain or its Membranes | 22 | 6 | 3 | 2 | — | 1 | 1 | 2 | — | 2 | 1 | 1 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | |
| | Apoplexy | 60 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Softening of Brain | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hemiplegia, Brain Paralysis | 20 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Paralysis Undefined | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Paralysis Agitans | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Insanity, General Paralysis of Insane | 17 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Chorea | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Epilepsy | 9 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Convulsions | 21 | 16 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Laryngismus Stridulus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Idiopathic Tetanus | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Paraplegia, Disease of Spinal Cord | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—*continued*.

| Class. | Cause of Death. | MALES. | | | | | | | | | | | | | | | | | | | | | | | | | | Not Stated |
|--|--|----------------|---------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|---|------------|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and over. | | |
| <i>Diseases of Nervous System—cont.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Other Diseases of Nervous System | 20 | 1 | 2 | — | — | — | — | 2 | — | — | — | 2 | — | — | 3 | 2 | 1 | — | 2 | 4 | — | 1 | — | — | — | — | |
| <i>Diseases of Organs of Special Sense.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Otitis, Otorrhœa and Disease of Ear | 2 | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Epistaxis and Disease of Nose | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Ophthalmia and Disease of Eye | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| <i>Diseases of Circulatory System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Endocarditis, Valvular Disease | 19 | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 3 | — | 2 | 4 | 2 | 2 | 1 | 1 | — | — | — | — | |
| | Pericarditis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hypertrophy of Heart | 8 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | 1 | 2 | 1 | 1 | 1 | — | — | — | — | |
| | Angina Pectoris | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | |
| | Syncope | 7 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | |
| | Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | |
| | Senile Gangrene | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | |
| | Embolism, Thrombosis | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | — | 1 | — | — | — | — | |
| | Phlebitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | — | — | — | — | — | |
| | Varicose Veins | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases of Circulatory System | 239 | 4 | — | — | — | — | — | 2 | 4 | 3 | 3 | 5 | 5 | 4 | 10 | 13 | 23 | 31 | 34 | 38 | 33 | 15 | 9 | 3 | — | — | |
| <i>Diseases of Respiratory System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Laryngitis | 3 | — | 1 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Croup | 4 | — | 2 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases of Larynx and Trachea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Emphysema, Asthma | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 2 | 1 | — | 2 | — | — | — | — | — | |
| | Bronchitis | 51 | 13 | 3 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | 1 | 2 | 2 | 2 | 5 | 8 | 7 | 3 | 1 | — | — | — | |
| | Pneumonia | 67 | 12 | 4 | 2 | 2 | — | 2 | 3 | 1 | 1 | — | — | 1 | 4 | 5 | 7 | 2 | 4 | 3 | 6 | 2 | 5 | 1 | — | — | — | |
| | Pleurisy | 7 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | 2 | 1 | — | 1 | — | 1 | 1 | — | — | — | — | — | — | |
| | Other Diseases of Respiratory System | 11 | — | — | — | — | — | — | — | 1 | 1 | 2 | — | — | 1 | — | 3 | 1 | — | 2 | — | — | — | — | — | — | — | |
| <i>Diseases of Digestive System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Stomatitis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Dentition | 9 | 5 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Sore Throat, Quinsy | 3 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Dyspepsia | 4 | 2 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | |
| | Hæmatemesis | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Melena | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Disease of Stomach | 11 | 1 | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | — | 1 | 2 | — | — | 3 | — | — | — | — | — | — | |
| | Enteritis | 9 | 52 | 5 | 1 | — | 1 | 3 | 5 | 4 | 4 | 2 | 3 | 1 | 3 | 2 | 3 | — | 2 | 2 | 1 | 3 | 1 | 1 | — | — | | |
| | Ulceration of Intestine | 22 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | Ileus, Obstruction of Intestine | 7 | 2 | — | — | — | — | — | — | — | — | 2 | — | — | — | 2 | — | — | — | — | 1 | — | — | — | — | — | — | |
| | Stricture, or Strangulation of Intestine | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Intussusception of Intestine | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hernia | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | |
| | Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Peritonitis | 9 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | 2 | — | — | 1 | — | 2 | 1 | — | — | — | — | — | |
| | Ascites | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Gallstones | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 2 | 2 | 1 | — | — | — | — | — | |
| | Cirrhosis of Liver | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases of Liver | 13 | 7 | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 1 | — | 2 | — | — | — | — | — | |
| | Other Diseases of Digestive System | 6 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | |
| <i>Diseases of Lymphatic System and Ductless Glands.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Diseases of Lymphatic System | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Diseases of Spleen | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Bronchocele | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Addison's Disease | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| <i>Diseases of Urinary System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute Nephritis | 16 | — | — | — | — | — | 1 | 3 | 1 | — | 1 | — | 2 | — | 1 | 1 | — | 1 | 1 | 2 | 2 | — | — | — | — | — | |
| | Bright's Disease | 67 | 1 | — | — | — | 1 | 1 | 2 | — | — | 2 | 2 | — | 7 | 6 | 5 | 12 | 10 | 8 | 3 | 5 | 2 | — | — | — | — | |
| | Uræmia | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Suppression of Urine | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 3 | 1 | 2 | — | — | — | — | — | — | — | — | — | |
| | Calculus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hæmaturia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | |
| | Diseases of Bladder and of Prostate | 26 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 1 | 2 | 7 | 3 | 4 | 4 | 2 | 1 | — | — | |
| | Other Diseases of Urinary System | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | 2 | — | — | — | — | — | — | |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—continued.

| Class. | Cause of Death. | FEMALES. | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|----------------|--------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|------------|---|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and Over. | Not Stated | |
| <i>Diseases of Nervous System—cont.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Other Diseases of Nervous System | 8 | — | — | — | — | 1 | — | — | 2 | — | — | — | 1 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| <i>Diseases of Organs of Special Sense.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Otitis, Otorrhœa and Disease of Ear | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Epistaxis and Disease of Nose ... | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Ophthalmia and Disease of Eye ... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>Diseases of Circulatory System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Endocarditis, Valvular Disease ... | 28 | — | — | — | — | — | 1 | 2 | 2 | 1 | 1 | — | 1 | 1 | 1 | 3 | 3 | 2 | 1 | 3 | 4 | 2 | — | — | — | — | — |
| | Pericarditis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Hypertrophy of Heart | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Angina Pectoris | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Syncope | 11 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Aneurism | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Senile Gangrene | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Embolism, Thrombosis | 11 | — | — | — | — | 1 | — | — | 1 | — | — | — | — | 2 | — | — | 1 | 1 | 1 | 2 | 2 | — | — | — | — | — | — |
| | Phlebitis | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Varicose Veins | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Circulatory System | 198 | 7 | — | 1 | — | — | 1 | 2 | 3 | 1 | 8 | 6 | 4 | 8 | 6 | 8 | 7 | 30 | 27 | 30 | 27 | 11 | 6 | 5 | — | — | |
| <i>Diseases of Respiratory System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Laryngitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Croup | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Larynx and Trachea | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Emphysema, Asthma | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Bronchitis | 47 | 10 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Pneumonia | 49 | 8 | 1 | 2 | 1 | — | 2 | 1 | 2 | — | 1 | 5 | 3 | 1 | 2 | 3 | 1 | 3 | 6 | 5 | 9 | 2 | 3 | 1 | — | — | |
| | Pleurisy | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Respiratory System | 11 | — | — | — | 1 | — | — | — | — | — | 1 | — | 2 | 1 | — | — | 1 | 3 | 1 | — | 1 | — | — | — | — | — | — |
| <i>Diseases of Digestive System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Stomatitis | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Dentition | 12 | 8 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Sore Throat, Quinsy | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Dyspepsia | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Hæmatemesis | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Melæna | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Disease of Stomach | 10 | 1 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | 3 | 2 | — | 2 | — | — | — | — | — | — |
| | Enteritis | 67 | 31 | 10 | 2 | 1 | 1 | 2 | — | 1 | 1 | — | 1 | — | 3 | 1 | 1 | — | 3 | 1 | 2 | 1 | 4 | — | 1 | — | — | |
| | Ulceration of Intestine | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Ileus, Obstruction of Intestine ... | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Stricture, or Strangulation of Intestine | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Intussusception of Intestine | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Hernia | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Fistula | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Peritonitis | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Ascites | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Gallstones | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Cirrhosis of Liver | 9 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Liver | 9 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Digestive System | 10 | 1 | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | 1 | 1 | 2 | 2 | — | — | — | — | — | — |
| <i>Diseases of Lymphatic System and Ductless Glands.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Diseases of Lymphatic System ... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diseases of Spleen | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Bronchocele | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Addison's Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>Diseases of Urinary System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Acute Nephritis | 14 | — | 1 | — | — | — | 1 | 1 | — | — | 1 | 2 | — | 1 | 2 | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — |
| | Bright's Disease | 43 | — | — | — | — | — | — | — | 1 | 2 | 1 | 1 | 3 | 3 | 3 | 4 | 6 | — | 6 | 3 | 4 | 2 | — | — | — | — | — |
| | Uræmia | 7 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Suppression of Urine | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Calculus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—continued.

| Class. | Cause of Death. | MALES. | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|----------------|---------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|------------|---|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and Over. | Not Stated | |
| VII. | <i>Diseases of Organs of Generation.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Ovarian Disease | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diseases of Uterus and Vagina .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Disorders of Menstruation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Pelvic Abscess | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Perineal Abscess | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Diseases of Testes, Penis, Scrotum, &c. | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Diseases of Parturition.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Abortion, Miscarriage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Puerperal Mania | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Puerperal Convulsions | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Placenta Prævia, Flooding | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Phlegmasia Dolens | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Accidents of Childbirth .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Diseases of Organs of Locomotion.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Caries, Necrosis | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | — | — |
| | Arthritis, Ostitis, Periostitis | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Organs of Locomotion | 3 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| | <i>Diseases of Integumentary System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Phlegmon, Cellulitis | 4 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — |
| | Lupus | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Ulcer, Bed sore | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | Eczema | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Pemphigus | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Diseases of Integumentary System | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — |
| | <i>Accident or Negligence.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Fracture and Contusion | 62 | — | — | — | 1 | 1 | 2 | 4 | 5 | 6 | 1 | 4 | 3 | 5 | 9 | 7 | 4 | 2 | 1 | 2 | 2 | 3 | — | — | — | — | — |
| | Gunshot Wounds .. | 6 | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Cut, Stab | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Burn, Scald | 10 | — | — | 1 | 1 | — | 1 | — | — | — | — | 1 | 1 | — | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | Sunstroke, Heat-apoplexy, Heat.. | 28 | 5 | — | — | — | — | — | — | 1 | — | — | — | 1 | 2 | 4 | 2 | 1 | 4 | 3 | — | 2 | 2 | — | — | — | — | — |
| | Lightning | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Poison | 8 | — | — | 2 | — | — | — | — | — | — | 1 | — | — | 2 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | Bite of Snake or Insect | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Drowning | 27 | — | — | 1 | — | — | 3 | 3 | 3 | 4 | 4 | — | 1 | 2 | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | Suffocation | 3 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Otherwise | 10 | 9 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Homicide.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Murder, Manslaughter | 2 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Justifiable Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Suicide.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Gunshot Wounds | 14 | — | — | — | — | — | — | — | 1 | — | 1 | 2 | 3 | 1 | — | 3 | — | 2 | — | — | — | 1 | — | — | — | — | — |
| | Cut, Stab | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Poison | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Drowning | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Hanging | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Otherwise | 5 | — | — | — | — | — | — | — | — | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Execution.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Hanging | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VIII. | <i>Ill-defined and not Specified Causes.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Dropsy | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Debility, Atrophy, Inanition | 81 | 77 | 2 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Mortification | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Tumor | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Abscess | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hæmorrhage | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Sudden (cause unascertained) .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Ill-defined and not Specified Causes | 8 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | 1 | 1 | — | — | — | — | — | |

No. 19.—RETURN showing the Causes of Deaths at Different Periods of Life in South Australia (exclusive of the Northern Territory) in the Year 1906—*continued*.

| Class. | Cause of Death. | FEMALES. | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------|--|----------------|---------------|-----|-----|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------------|------------|---|
| | | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | All Ages. | Under 1 Year. | 1-2 | 2-3 | 3-4 | 4-5 | 5-10 | 10-15 | 15-20 | 20-25 | 25-30 | 30-35 | 35-40 | 40-45 | 45-50 | 50-55 | 55-60 | 60-65 | 65-70 | 70-75 | 75-80 | 80-85 | 85-90 | 90-95 | 95 and Over. | Not Stated | |
| VII. | <i>Diseases of Organs of Generation.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Ovarian Disease | 9 | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | |
| | Diseases of Uterus and Vagina ... | 7 | — | — | — | — | — | — | — | — | — | — | 1 | — | 3 | 2 | — | — | — | — | — | — | — | — | — | — | — | |
| | Disorders of Menstruation | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Pelvic Abscess | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Perineal Abscess | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Diseases of Testes, Penis, Scrotum, &c. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Diseases of Parturition.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Abortion, Miscarriage | 10 | — | — | — | — | — | — | — | 1 | 2 | 3 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Puerperal Mania | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Puerperal Convulsions | 3 | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Placenta Prævia, Flooding | 12 | — | — | — | — | — | — | — | — | 1 | 2 | 3 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | Phlegmasia Dolens | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Accidents of Childbirth ... | 12 | — | — | — | — | — | — | — | — | — | 5 | 3 | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Diseases of Organs of Locomotion.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Caries, Necrosis | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Arthritis, Ostitis, Periostitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases of Organs of Locomotion | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Diseases of Integumentary System.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle | 2 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Phlegmon, Cellulitis | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | |
| | Lupus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Ulcer, Bedsore | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Eczema | 3 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Pemphigus | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Other Diseases of Integumentary System | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Accident or Negligence.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Fracture and Contusion | 12 | — | — | 1 | 1 | — | 2 | 1 | — | — | 1 | — | — | — | — | 1 | 1 | — | 1 | 1 | — | 2 | — | — | — | — | |
| | Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cut, Stab | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Burn, Scald | 11 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Sunstroke, Heat-apoplexy, Heat.. | 24 | 8 | 1 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Lightning | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Poison | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Bite of Snake or Insect | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Drowning | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | |
| | Suffocation | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Otherwise | 5 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Homicide.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Murder, Manslaughter | 2 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Justifiable Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Suicide.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Gunshot Wounds | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Cut, Stab | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Poison | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Drowning | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Hanging | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | Otherwise | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | <i>Execution.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Hanging | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| VIII. | <i>Ill-defined and not Specified Causes.</i> | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Dropsy | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Debility, Atrophy, Inanition | 72 | 67 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Mortification | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Tumor | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Abscess | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Hæmorrhage | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Sudden (cause unascertained) ... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |
| | Other Ill-defined and not Specified Causes | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | |

No. 20.—RETURN showing the Deaths Registered in South Australia

| Months. | Class. | Causes of Death. | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--------|---|----------------|-----|-------|---------|----|-----|----|-----|----|------|----|---------------|----|----|----|----|----|----|----|----|----|----|----|-----|---|
| | | | Total. | | | Months. | | | | | | | | Years. | | | | | | | | | | | | | |
| | | | | | | 0-1 | | 1-3 | | 3-6 | | 6-12 | | Under 1 Year. | | 1- | | 2- | | 3- | | 4- | | 5- | | 10- | |
| | | | M. | F. | Total | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | |
| January ... | ... | Total..... | 215 | 218 | 433 | 9 | 12 | 10 | 3 | 9 | 11 | 18 | 22 | 46 | 48 | 5 | 7 | 5 | 1 | 1 | — | — | 6 | 2 | 2 | 3 | |
| | I. | Zymotic diseases | 14 | 19 | 33 | 3 | — | 1 | 2 | 4 | 3 | — | 7 | 8 | 12 | 2 | 1 | 1 | — | — | — | — | — | — | — | 1 | |
| | II. | Parasitic diseases..... | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 29 | 51 | 80 | — | — | — | — | — | — | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | 1 | |
| | V. | Developmental diseases ... | 26 | 33 | 59 | 3 | 5 | — | — | — | — | — | — | 3 | 5 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 99 | 85 | 184 | 2 | 2 | 3 | — | 3 | 4 | 15 | 9 | 23 | 15 | 3 | 4 | 2 | 1 | — | — | — | 3 | 1 | 1 | 1 | |
| | VII. | Violence | 39 | 19 | 58 | 1 | 3 | 2 | — | 1 | 2 | 2 | 2 | 6 | 7 | — | 2 | 2 | — | — | 1 | — | 1 | — | 1 | — | |
| | VIII. | Ill-defined or not specified causes | 7 | 10 | 17 | — | 2 | 4 | 1 | 1 | 2 | — | 3 | 5 | 8 | — | — | — | — | — | — | — | 1 | — | — | — | |
| February... | ... | Total..... | 173 | 159 | 332 | 13 | 7 | 6 | 8 | 7 | 10 | 13 | 20 | 39 | 45 | 6 | 2 | — | 3 | 1 | 1 | — | 4 | 1 | 5 | 2 | |
| | I. | Zymotic diseases | 21 | 19 | 40 | — | 1 | — | — | 2 | 2 | 4 | 6 | 6 | 9 | 5 | 1 | — | — | 1 | 1 | — | — | 1 | 3 | — | |
| | II. | Parasitic diseases..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 24 | 20 | 44 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | V. | Developmental diseases ... | 25 | 26 | 51 | 6 | 4 | — | — | — | — | — | 1 | 6 | 5 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 70 | 79 | 149 | 4 | 1 | 3 | 3 | 4 | 8 | 8 | 11 | 19 | 23 | 1 | 1 | — | 1 | — | — | — | 1 | — | 1 | 2 | |
| | VII. | Violence | 25 | 9 | 34 | — | — | — | 1 | — | — | — | 1 | — | 2 | — | — | 2 | — | — | — | — | 3 | — | 1 | — | |
| | VIII. | Ill-defined or not specified causes | 8 | 6 | 14 | 3 | 1 | 3 | 4 | 1 | — | 1 | 1 | 8 | 6 | — | — | — | — | — | — | — | — | — | — | — | |
| March | ... | Total | 166 | 158 | 324 | 13 | 11 | 5 | 7 | 8 | 12 | 14 | 8 | 40 | 38 | 4 | 4 | 2 | 2 | 1 | 3 | 2 | 3 | 2 | 2 | 5 | 4 |
| | I. | Zymotic diseases | 19 | 19 | 38 | 1 | — | 1 | 1 | — | 4 | 4 | 4 | 6 | 9 | 2 | 1 | 1 | — | — | — | 2 | 1 | — | — | — | — |
| | II. | Parasitic diseases | 1 | — | 1 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 31 | 37 | 68 | — | — | 1 | — | — | 1 | 2 | — | 3 | 1 | — | 1 | — | 1 | — | — | — | — | — | 2 | 3 | |
| | V. | Developmental diseases ... | 16 | 27 | 43 | 4 | 8 | — | 1 | — | — | — | — | 4 | 9 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 80 | 60 | 140 | 2 | 1 | 2 | 3 | 4 | 2 | 8 | 3 | 16 | 9 | 2 | 2 | 1 | 1 | 1 | 2 | — | 2 | 2 | 1 | 3 | |
| | VII. | Violence | 11 | 6 | 17 | 2 | 1 | — | 1 | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | 1 | — | — | |
| | VIII. | Ill-defined or not specified causes | 8 | 9 | 17 | 3 | 1 | 1 | 1 | 4 | 5 | — | 1 | 8 | 8 | — | — | — | — | — | — | — | — | — | — | — | |
| April..... | ... | Total..... | 147 | 145 | 292 | 9 | 3 | 7 | 8 | 5 | 7 | 7 | 8 | 28 | 26 | 2 | 3 | 1 | 2 | — | — | 2 | — | 2 | 2 | 6 | 1 |
| | I. | Zymotic diseases | 13 | 15 | 28 | — | — | 2 | 4 | — | — | 2 | 2 | 4 | 6 | 1 | — | 1 | — | — | — | — | — | 1 | 1 | — | — |
| | II. | Parasitic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | 1 | 1 | 2 | — | — | — | — | 1 | — | — | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 25 | 41 | 66 | — | — | — | — | — | — | — | 1 | — | 1 | — | 2 | — | 1 | — | — | — | — | 1 | 1 | — | |
| | V. | Developmental diseases ... | 21 | 20 | 41 | 4 | 1 | 1 | — | — | — | — | — | 5 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 72 | 50 | 122 | 3 | 1 | 1 | — | 3 | 2 | 4 | 2 | 11 | 5 | 1 | 1 | — | 1 | — | — | 2 | — | — | 3 | 1 | |
| | VII. | Violence | 8 | 4 | 12 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 5 | — | 2 | — | |
| | VIII. | Ill-defined or not specified causes | 7 | 14 | 21 | 1 | 1 | 3 | 4 | 1 | 5 | 1 | 2 | 6 | 12 | — | — | — | — | — | — | — | — | — | — | — | |
| May | ... | Total..... | 172 | 180 | 352 | 14 | 7 | 7 | 5 | 8 | 8 | 8 | 6 | 37 | 26 | 4 | 6 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 4 | 7 | 4 |
| | I. | Zymotic diseases | 12 | 17 | 29 | — | — | 1 | 1 | — | 2 | — | 1 | 1 | 4 | — | 1 | — | 1 | — | — | 1 | — | 1 | 1 | 3 | 1 |
| | II. | Parasitic diseases | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | 1 | 1 | 2 | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 22 | 44 | 66 | — | — | — | — | — | 1 | — | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | — | 1 | 2 | |
| | V. | Developmental diseases ... | 25 | 21 | 46 | 7 | — | — | 1 | — | — | — | — | 7 | 1 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 86 | 83 | 169 | 4 | 4 | 2 | 1 | 4 | 2 | 6 | 2 | 16 | 9 | 3 | 5 | 1 | — | 1 | — | 1 | — | 2 | 2 | 1 | |
| | VII. | Violence | 11 | 3 | 14 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | 1 | — | — | |
| | VIII. | Ill-defined or not specified causes | 15 | 10 | 25 | 2 | 3 | 4 | 1 | 4 | 3 | 2 | 2 | 12 | 9 | 1 | — | 1 | — | — | — | — | — | — | — | — | |
| June..... | ... | Total..... | 171 | 139 | 310 | 17 | 10 | 4 | 5 | 4 | 3 | 5 | 3 | 30 | 21 | 2 | — | 1 | 1 | 2 | — | — | — | 3 | 3 | 1 | 1 |
| | I. | Zymotic diseases | 11 | 10 | 21 | 1 | — | — | — | 1 | 2 | — | 1 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 |
| | II. | Parasitic diseases | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | III. | Dietic diseases | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| | IV. | Constitutional diseases ... | 31 | 30 | 61 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | 1 | 1 | — | |
| | V. | Developmental diseases ... | 25 | 21 | 46 | 7 | 6 | 1 | 1 | 1 | — | — | — | 9 | 7 | — | — | — | — | — | — | — | — | — | — | — | |
| | VI. | Local diseases | 84 | 65 | 149 | 5 | 3 | 1 | 1 | 1 | 1 | 2 | — | 9 | 5 | 2 | — | 1 | — | 1 | — | — | 2 | 1 | 1 | — | |
| | VII. | Violence | 10 | 2 | 12 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | |
| | VIII. | Ill-defined or not specified causes | 8 | 9 | 17 | 3 | 1 | 2 | 3 | 1 | — | 2 | 2 | 8 | 6 | — | — | — | — | — | — | — | — | — | — | — | |

Years.

No. 19.

No. 20.—RETURN showing the Deaths Registered in South Australia

| Months. | Class. | Causes of Death. | Ages at Death. | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------|--------|---|----------------|-----|-------|---------|----|-----|----|-----|----|------|----|---------------|----|----|----|----|----|----|----|----|----|----|----|-----|---|
| | | | Totals. | | | Months. | | | | | | | | Years. | | | | | | | | | | | | | |
| | | | | | | 0-1 | | 1-3 | | 3-6 | | 6-12 | | Under 1 Year. | | 1- | | 2- | | 3- | | 4- | | 5- | | 10- | |
| | | | M. | F. | Total | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | |
| July | ... | Total | 183 | 137 | 320 | 19 | 12 | 5 | 3 | 6 | 1 | 1 | 2 | 31 | 18 | 3 | 6 | — | 4 | 1 | 2 | 1 | 1 | 3 | 2 | 4 | 1 |
| | I. | Zymotic diseases..... | 6 | 9 | 15 | — | — | — | — | 1 | — | — | — | 1 | — | — | 1 | — | — | — | 1 | 1 | 1 | 1 | 1 | — | — |
| | II. | Parasitic diseases..... | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | 1 | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 33 | 31 | 64 | — | — | — | — | 2 | — | 1 | — | 3 | — | 1 | 1 | — | — | — | — | — | — | — | 1 | 1 | — |
| | V. | Developmental diseases ... | 26 | 23 | 49 | 6 | 8 | 1 | — | — | — | — | — | 7 | 8 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| | VI. | Local diseases | 92 | 63 | 155 | 6 | 1 | 3 | 1 | 2 | 1 | — | 2 | 11 | 5 | 1 | 1 | — | 4 | 1 | — | — | — | 2 | — | 1 | — |
| | VII. | Violence | 13 | 5 | 18 | 2 | 2 | — | — | — | — | — | — | 2 | 2 | — | 1 | — | — | — | — | — | — | — | 2 | — | — |
| | VIII. | Ill-defined or not specified causes | 12 | 3 | 15 | 5 | 1 | 1 | 2 | 1 | — | — | — | 7 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| August..... | ... | Total | 176 | 133 | 309 | 13 | 15 | 3 | 1 | 2 | 2 | 3 | 2 | 21 | 20 | 2 | 3 | 2 | — | — | — | 2 | — | 3 | 3 | 6 | 4 |
| | I. | Zymotic diseases..... | 3 | 4 | 7 | — | 1 | 1 | — | — | 1 | — | — | 1 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | II. | Parasitic diseases..... | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 38 | 25 | 63 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| | V. | Developmental diseases ... | 23 | 22 | 45 | 5 | 5 | — | — | — | — | — | — | 5 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VI. | Local diseases | 87 | 74 | 161 | 3 | 6 | 1 | — | 2 | 1 | 1 | 1 | 7 | 8 | — | 2 | 2 | — | — | — | — | — | 2 | 2 | 6 | 3 |
| | VII. | Violence | 16 | 2 | 18 | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — |
| | VIII. | Ill-defined or not specified causes..... | 9 | 5 | 14 | 5 | 2 | 1 | 1 | — | — | 1 | 1 | 7 | 4 | 1 | 1 | — | — | — | 1 | — | — | — | — | — | — |
| September. | ... | Total | 172 | 136 | 308 | 11 | 10 | 5 | 2 | 2 | 2 | 7 | 1 | 25 | 15 | 5 | 2 | 2 | 1 | 1 | — | 3 | — | 1 | 2 | 3 | — |
| | I. | Zymotic diseases | 6 | 5 | 11 | — | — | 1 | 1 | — | — | 1 | 1 | 2 | 2 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| | II. | Parasitic diseases | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 32 | 29 | 61 | — | — | — | — | — | — | — | — | 2 | — | — | 2 | — | — | — | — | — | — | — | — | — | — |
| | V. | Developmental diseases ... | 30 | 21 | 51 | 6 | 4 | — | — | — | — | — | — | 6 | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VI. | Local diseases | 85 | 72 | 157 | 2 | 3 | 4 | — | 1 | — | 3 | 1 | 10 | 4 | 5 | 2 | — | — | 1 | — | 3 | — | — | 2 | 3 | — |
| | VII. | Violence | 14 | 4 | 18 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VIII. | Ill-defined or not specified causes | 4 | 5 | 9 | 2 | 2 | — | 1 | 1 | 1 | 1 | — | 4 | 4 | — | — | 1 | — | — | — | — | — | — | — | — | — |
| October ... | ... | Total | 179 | 158 | 337 | 7 | 7 | 7 | 3 | 8 | 4 | 4 | 3 | 26 | 17 | 3 | 5 | 1 | 2 | 2 | — | 1 | — | 3 | 4 | 2 | 1 |
| | I. | Zymotic diseases | 8 | 11 | 19 | — | — | — | — | 3 | — | 1 | 1 | 4 | 1 | — | 1 | — | 2 | — | — | — | — | 1 | 1 | — | — |
| | II. | Parasitic diseases | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | 2 | 1 | 3 | — | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 42 | 40 | 82 | — | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | 1 | — | 1 | — | 1 | — |
| | V. | Developmental diseases ... | 23 | 24 | 47 | 1 | 4 | 2 | 1 | — | — | — | — | 3 | 5 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VI. | Local diseases | 86 | 76 | 162 | 4 | 2 | 5 | 1 | 4 | 3 | 3 | 1 | 16 | 7 | 2 | 2 | — | 2 | — | — | — | — | 2 | 1 | — | — |
| | VII. | Violence | 14 | 3 | 17 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — |
| | VIII. | Ill-defined or not specified causes | 3 | 3 | 6 | 2 | 1 | — | 1 | 1 | 1 | — | — | 3 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| November. | ... | Total | 149 | 133 | 282 | 13 | 4 | 4 | 1 | 4 | 5 | 3 | 1 | 24 | 11 | 2 | 1 | 3 | 1 | 1 | 2 | 1 | — | 2 | 3 | 1 | — |
| | I. | Zymotic diseases | 13 | 6 | 19 | 1 | — | 1 | 1 | 4 | — | 1 | — | 7 | 1 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — |
| | II. | Parasitic diseases | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 23 | 30 | 53 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | 1 | — |
| | V. | Developmental diseases ... | 21 | 21 | 42 | 7 | 3 | — | — | — | — | — | — | 7 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VI. | Local diseases | 68 | 68 | 136 | — | 1 | 2 | — | 3 | 2 | 1 | 4 | 5 | 2 | 1 | 1 | — | — | 1 | — | — | — | 2 | — | — | — |
| | VII. | Violence | 16 | 5 | 21 | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | 1 | — | — | — |
| | VIII. | Ill-defined or not specified causes | 6 | 2 | 8 | 4 | — | 1 | — | 2 | — | — | — | 5 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| December. | ... | Total..... | 150 | 123 | 273 | 10 | 8 | 3 | 1 | 5 | 3 | 10 | 4 | 28 | 16 | 6 | 3 | 1 | 3 | 2 | 1 | — | 2 | 2 | — | 2 | 1 |
| | I. | Zymotic diseases | 18 | 14 | 32 | — | 1 | 1 | — | 2 | 2 | 5 | 1 | 8 | 4 | 1 | 2 | — | 1 | — | — | — | — | — | — | — | — |
| | II. | Parasitic diseases | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | III. | Dietic diseases | 1 | — | 1 | — | — | — | — | 1 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | IV. | Constitutional diseases ... | 27 | 25 | 52 | — | — | 1 | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — |
| | V. | Developmental diseases ... | 14 | 18 | 32 | 4 | 2 | — | — | — | — | — | — | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| | VI. | Local diseases | 67 | 59 | 126 | 2 | 3 | 1 | 1 | 1 | 1 | 3 | 2 | 7 | 7 | 4 | 1 | — | 2 | 1 | 1 | — | 2 | 2 | — | — | — |
| | VII. | Violence | 17 | 3 | 20 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | — | — | — | — | 1 | 1 | — |
| | VIII. | Ill-defined or not specified causes | 6 | 3 | 9 | 3 | 2 | — | — | 1 | — | 2 | 1 | 6 | 3 | — | — | — | — | — | — | — | — | — | — | — | — |

(exclusive of the Northern Territory) in each Month of the Year 1906—continued.

Ages at Death.

Years.

| 15— | | 20— | | 25— | | 30— | | 35— | | 40— | | 45— | | 50— | | 55— | | 60— | | 65— | | 70— | | 75— | | 80— | | 85— | | 90— | | 95 and Over | | Not Stated. | |
|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-------------|----|-------------|----|
| M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| 6 | 2 | 8 | 7 | 6 | 7 | 5 | 3 | 5 | 6 | 11 | 5 | 11 | 2 | 4 | 6 | 10 | 8 | 10 | 10 | 16 | 7 | 9 | 17 | 16 | 11 | 15 | 6 | 7 | 4 | 1 | 2 | — | — | — | — |
| — | 1 | — | 2 | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | — | 4 | 3 | 3 | 3 | 2 | 1 | 2 | 1 | 4 | 3 | 4 | 2 | — | 4 | 4 | 2 | — | 1 | — | 1 | — | 4 | 2 | 1 | 1 | 2 | — | — | — | — | — | — | — | — |
| 4 | 1 | 2 | 2 | 1 | 4 | 2 | 2 | 1 | 5 | 4 | 2 | 5 | — | 4 | 1 | 6 | 5 | 7 | 6 | 15 | 4 | 6 | 10 | 12 | 9 | 6 | — | 1 | 1 | — | 1 | — | — | — | |
| — | — | 2 | — | 2 | — | — | — | 2 | — | 1 | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | 2 | 5 | 4 | 7 | 8 | 6 | 4 | 3 | 6 | 5 | 4 | 9 | 4 | 11 | 4 | 9 | 6 | 14 | 6 | 16 | 11 | 10 | 15 | 16 | 13 | 14 | 7 | 10 | 7 | 1 | 2 | 1 | — | — | |
| — | — | 1 | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | 2 | 3 | 3 | 2 | 2 | 3 | 2 | 2 | 2 | 2 | 1 | 3 | 1 | 2 | 2 | 4 | — | 6 | — | 4 | 3 | 1 | 4 | 3 | 1 | 1 | — | 1 | — | — | — | — | — | — | — |
| 2 | — | 1 | — | 3 | 4 | 1 | 2 | — | 4 | 3 | 2 | 4 | 3 | 5 | 2 | 4 | 6 | 7 | 6 | 11 | 7 | 8 | 8 | 11 | 9 | 5 | 5 | 4 | — | 1 | 1 | — | — | — | |
| 1 | — | — | 1 | 2 | — | 2 | — | 1 | — | — | — | 2 | — | 4 | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 | 5 | 4 | 8 | 8 | 8 | 5 | 4 | 7 | 5 | 11 | 7 | 3 | 3 | 10 | 5 | 12 | 3 | 9 | 10 | 8 | 12 | 20 | 13 | 11 | 16 | 12 | 7 | 6 | 7 | 3 | — | — | 1 | — | |
| — | — | 1 | — | 1 | 2 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1 | 3 | 2 | 7 | 5 | 3 | 3 | 1 | 2 | 3 | 3 | 2 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 1 | 3 | 1 | 1 | 3 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 5 | 5 | 5 | 9 | 4 | 5 | 2 | 3 | — | — | — | 1 | — |
| 4 | 2 | 1 | 1 | 2 | 2 | 1 | 3 | 2 | 2 | 5 | 5 | 1 | 2 | 6 | 4 | 9 | 2 | 7 | 9 | 4 | 11 | 15 | 5 | 4 | 8 | 2 | 2 | 1 | 5 | — | — | — | — | — | |
| — | — | — | — | — | 1 | — | — | 3 | — | 3 | — | — | — | 3 | — | — | — | — | — | 1 | — | 2 | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 | 7 | 9 | 5 | — | 4 | 4 | 6 | 6 | 4 | 13 | 5 | 14 | 8 | 5 | 12 | 4 | 8 | 12 | 8 | 10 | 17 | 18 | 12 | 15 | 14 | 17 | 10 | 5 | 5 | 3 | 3 | — | 1 | — | |
| — | — | — | 2 | — | — | — | — | 1 | 2 | 1 | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | 5 | 7 | 2 | — | 1 | 3 | 3 | 2 | — | 4 | 1 | 2 | 2 | 3 | 6 | 1 | 3 | 3 | 4 | 4 | 6 | 3 | 2 | 3 | 1 | 1 | 1 | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | 1 | 3 | 4 | 3 | 7 | 3 | 2 | 2 | 2 | — | 1 | — | — | — |
| 3 | 2 | — | 1 | — | 3 | 1 | 3 | 2 | 2 | 3 | 4 | 9 | 5 | 1 | 5 | 3 | 5 | 8 | 4 | 5 | 9 | 11 | 7 | 8 | 10 | 9 | 2 | 1 | 3 | 1 | — | — | — | — | |
| 1 | — | 2 | — | — | — | — | — | 1 | — | 4 | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 | 6 | 4 | 6 | 3 | 11 | 6 | 10 | 1 | 3 | 9 | 4 | 12 | 8 | 9 | 6 | 7 | 6 | 12 | 9 | 12 | 7 | 13 | 6 | 13 | 11 | 8 | 11 | 1 | 9 | 3 | 2 | — | — | — | — |
| — | 1 | — | — | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1 | 3 | 1 | 3 | 1 | 7 | 2 | 2 | — | 1 | 2 | 1 | 3 | 3 | 3 | 2 | 1 | 3 | 1 | 2 | 3 | 1 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 1 | 2 | 1 | 2 | — | 5 | 1 | 6 | 1 | 2 | 4 | 3 | 5 | 5 | 6 | 4 | 4 | 4 | 6 | 7 | 9 | 3 | 10 | 3 | 9 | 9 | 2 | 4 | — | 3 | 1 | — | — | — | — | — |
| — | — | 2 | 1 | 2 | — | 2 | 1 | — | — | 1 | — | 3 | — | — | — | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 | 2 | 8 | 5 | 5 | 5 | 6 | 4 | 1 | 11 | 4 | 4 | 1 | 4 | 15 | 4 | 5 | 4 | 11 | 9 | 9 | 8 | 12 | 11 | 16 | 11 | 7 | 6 | 4 | 6 | 1 | 2 | 1 | 1 | — | — |
| 1 | — | — | — | 2 | 3 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| — | 2 | 6 | 5 | 1 | 2 | 3 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 5 | 2 | 2 | 1 | 3 | 3 | — | 1 | — | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | | | | | |

| Births. | | | | Class. | | Causes of Death. | | Deaths. | | | | | | | | | | | | | | | | | |
|-------------|----|----|-------|--------|---|------------------|----|----------------|--------|----|---------------|----|----|----|----|----|----|----|----|----|----|---|-----|--|--|
| | | | | | | | | Ages at Death. | | | | | | | | | | | | | | | | | |
| | | | | | | | | Total. | | | Under 1 Year. | | 1— | | 2— | | 3— | | 4— | | 5— | | 10— | | |
| Months. | M. | F. | Total | | | | M. | F. | Total. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | |
| January ... | 29 | 31 | 60 | | | Total | 48 | 49 | 97 | 8 | 12 | 1 | — | 2 | — | — | — | — | — | — | 1 | 1 | | | |
| | | | | I. | Zymotic diseases | | 4 | 6 | 10 | 2 | 5 | 1 | — | 1 | — | — | — | — | — | — | — | 1 | | | |
| | | | | II. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | | | | III. | Dietic diseases..... | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | | | | IV. | Constitutional diseases..... | | 12 | 14 | 26 | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | | | | V. | Developmental diseases | | 7 | 8 | 15 | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | | | | VI. | Local diseases | | 19 | 16 | 35 | 4 | 3 | — | — | 1 | — | — | — | — | — | — | 1 | | | | |
| | | | | VII. | Violence | | 4 | — | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | | | |
| | | | | VIII. | Ill-defined or not specified causes | | 2 | 5 | 7 | 2 | 4 | — | — | — | — | — | — | — | — | — | — | — | | | |
| February... | 35 | 30 | 65 | | | Total | 43 | 37 | 80 | 9 | 10 | 1 | — | — | — | — | — | — | — | 1 | 1 | | | | |
| | | | | I. | Zymotic diseases | | 4 | 6 | 10 | 1 | 1 | 1 | — | — | — | — | — | — | — | 1 | — | | | | |
| | | | | I. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | III. | Dietic diseases..... | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | IV. | Constitutional diseases..... | | 6 | 4 | 10 | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | V. | Developmental diseases | | 5 | 3 | 8 | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VI. | Local diseases | | 22 | 21 | 43 | 4 | 7 | — | — | — | — | — | — | — | — | — | 1 | | | | |
| | | | | VII. | Violence | | 3 | 2 | 5 | — | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VIII. | Ill-defined or not specified causes..... | | 3 | 1 | 4 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| March | 41 | 35 | 76 | | | Total | 34 | 25 | 59 | 3 | 5 | — | 1 | — | 1 | 1 | 1 | — | 2 | — | 1 | | | | |
| | | | | I. | Zymotic diseases | | 5 | 2 | 7 | 1 | 1 | — | — | — | — | — | — | 1 | — | — | — | | | | |
| | | | | II. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | III. | Dietic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | IV. | Constitutional diseases..... | | 9 | 7 | 16 | — | — | — | 1 | — | 1 | — | — | — | — | — | 1 | | | | |
| | | | | V. | Developmental diseases | | 1 | 3 | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VI. | Local diseases | | 16 | 11 | 27 | — | 1 | — | — | — | 1 | 1 | — | 1 | — | 1 | 2 | | | | |
| | | | | VII. | Violence | | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VIII. | Ill-defined or not specified causes..... | | 2 | 2 | 4 | 2 | 2 | — | — | — | — | — | — | — | — | — | — | | | | |
| April | 33 | 26 | 59 | | | Total | 38 | 30 | 68 | 8 | 3 | — | 1 | 1 | — | — | — | — | — | 1 | 2 | | | | |
| | | | | I. | Zymotic diseases | | 4 | 2 | 6 | 1 | — | — | — | 1 | — | — | — | — | — | 1 | 1 | | | | |
| | | | | II. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | III. | Dietic diseases..... | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | IV. | Constitutional diseases..... | | 7 | 12 | 19 | — | — | — | 1 | — | — | — | — | — | — | 1 | — | | | | |
| | | | | V. | Developmental diseases | | 6 | 2 | 8 | 2 | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VI. | Local diseases | | 17 | 10 | 27 | 2 | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VII. | Violence | | 2 | 1 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VIII. | Ill-defined or not specified causes..... | | 2 | 3 | 5 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | | | | |
| May | 35 | 34 | 69 | | | Total | 33 | 41 | 74 | 2 | 5 | 1 | — | 1 | — | 1 | — | — | — | — | 2 | | | | |
| | | | | I. | Zymotic diseases | | 2 | 3 | 5 | — | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | II. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | III. | Dietic diseases..... | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | IV. | Constitutional diseases | | 9 | 8 | 17 | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | V. | Developmental diseases | | 6 | — | 6 | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VI. | Local diseases | | 13 | 27 | 40 | 1 | 3 | 1 | — | 1 | — | 1 | — | — | — | 1 | 1 | | | | |
| | | | | VII. | Violence | | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — | | | | |
| | | | | VIII. | Ill-defined or not specified causes..... | | 1 | 2 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| June | 33 | 49 | 82 | | | Total | 47 | 33 | 80 | 5 | 5 | — | — | — | 1 | — | — | — | — | 2 | 1 | | | | |
| | | | | I. | Zymotic diseases | | 3 | 1 | 4 | — | 1 | — | — | — | 1 | — | — | — | — | — | — | | | | |
| | | | | II. | Parasitic diseases | | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | III. | Dietic diseases..... | | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | IV. | Constitutional diseases..... | | 9 | 12 | 21 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | | | | |
| | | | | V. | Developmental diseases | | 5 | 1 | 6 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | | | | |
| | | | | VI. | Local diseases | | 26 | 15 | 41 | 2 | 1 | — | — | — | — | — | — | — | 1 | — | 1 | | | | |
| | | | | VII. | Violence | | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | 1 | — | | | | |
| | | | | VIII. | Ill-defined or not specified causes..... | | 2 | 2 | 4 | 2 | 2 | — | — | — | — | — | — | — | — | — | — | | | | |

Ages at Death.

| Months. | Births. | | | Class. | Causes of Death. | Deaths. | | | | | | | | | | | | | | | |
|-------------|---------|-------|----|--------|---|------------------|----|----|----|----|----|----|----|----|----|----|----|-----|---|---|---|
| | | | | | | Ages at Death. | | | | | | | | | | | | | | | |
| | Total. | | | | | Under 1 Year. | | 1— | | 2— | | 3— | | 4— | | 5— | | 10— | | | |
| | | | | | | | | | | | | | | | | | | | | | |
| M. | F. | Total | M. | F. | Total | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | | |
| July | 39 | 35 | 74 | | Total ... | 41 | 31 | 72 | 6 | 3 | — | 1 | — | 1 | — | 1 | — | — | 1 | 1 | — |
| | | | | I. | Zymotic diseases..... | 3 | — | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases .. | 10 | 10 | 20 | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| | | | | V. | Developmental diseases | 7 | 4 | 11 | 3 | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 16 | 15 | 31 | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — |
| | | | | VII. | Violence | 3 | 1 | 4 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes | 2 | 1 | 3 | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| August..... | 41 | 39 | 80 | | Total | 54 | 28 | 82 | 5 | 5 | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — |
| | | | | I. | Zymotic diseases..... | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases..... | 11 | 7 | 18 | — | — | — | — | — | — | — | — | — | — | 1 | — | — |
| | | | | V. | Developmental diseases | 9 | 4 | 13 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 23 | 14 | 37 | 2 | 2 | — | 1 | — | — | — | — | — | — | — | 1 | — |
| | | | | VII. | Violence..... | 9 | 1 | 10 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes | 2 | 1 | 3 | 1 | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| September. | 39 | 33 | 72 | | Total | 40 | 27 | 67 | 2 | 2 | 1 | — | 1 | — | — | — | 1 | — | — | — | — |
| | | | | I. | Zymotic diseases..... | 2 | 2 | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases..... | 17 | 7 | 24 | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | | | | V. | Developmental diseases | 6 | 1 | 7 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 13 | 17 | 30 | 2 | 1 | 1 | — | — | — | — | 1 | — | — | — | — | — |
| | | | | VII. | Violence | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| October ... | 42 | 37 | 79 | | Total | 50 | 31 | 81 | 4 | — | 2 | 1 | — | — | — | — | 1 | — | 1 | — | — |
| | | | | I. | Zymotic diseases..... | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases..... | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases..... | 21 | 8 | 29 | — | — | 1 | 1 | — | — | — | — | 1 | — | 1 | — | — |
| | | | | V. | Developmental diseases | 4 | 7 | 11 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 22 | 14 | 36 | 4 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | | | | VII. | Violence | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes..... | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| November | 27 | 28 | 55 | | Total | 30 | 29 | 59 | 3 | 2 | — | — | — | — | 1 | — | — | — | — | — | — |
| | | | | I. | Zymotic diseases..... | 2 | 1 | 3 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases..... | 5 | 8 | 13 | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | | | | V. | Developmental diseases | 4 | 3 | 7 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 15 | 14 | 29 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VII. | Violence | 3 | 1 | 4 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes | — | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| December.. | 31 | 24 | 55 | | Total | 30 | 22 | 52 | 6 | 2 | 1 | 1 | — | — | — | — | — | — | — | — | — |
| | | | | I. | Zymotic diseases..... | 2 | 4 | 6 | 1 | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| | | | | II. | Parasitic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | III. | Dietic diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | IV. | Constitutional diseases | 8 | 8 | 16 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | V. | Developmental diseases | 3 | 2 | 5 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VI. | Local diseases | 13 | 7 | 20 | 3 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | | | | VII. | Violence | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | | | | VIII. | Ill-defined or not specified causes | 3 | 1 | 4 | 2 | 1 | — | — | — | — | — | — | — | — | — | — | — |

Public Institutions) Registered in the City of Adelaide in each Month of the Year 1906—*continued*.

Deaths.

Ages at Death.

No. 22.—RETURN of Births and Deaths (inclusive of all those in Public Institutions) Registered in the City of Adelaide in the Years 1901-1906.

| Years | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | | | | | | | | | | |
|---|--------|--------|--------|--------|--------|--------------------------------------|-----|-----|---------------|---------------|-----------------|------------------|------------------|------------------|----------------|-------------|
| Population, Mean | 39,275 | 39,415 | 39,555 | 39,695 | 39,835 | 39,975 | | | | | | | | | | |
| Births | 938 | 956 | 876 | 862 | 854 | Total, 826—Males, 425; females, 401. | | | | | | | | | | |
| Rate per 1,000 of mean population | 23·88 | 24·25 | 22·15 | 21·72 | 21·44 | 20·66 | | | | | | | | | | |
| <i>Deaths—</i> | | | | | | All Ages. | | | Under 1 Year. | 1 and under 5 | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards | Not stated. |
| | | | | | | Total. | M. | F. | | | | | | | | |
| All causes | 881 | 939 | 845 | 809 | 842 | 871 | 488 | 383 | 115 | 31 | 56 | 155 | 177 | 275 | 62 | — |
| Rate per 1,000 of mean population | 22·43 | 23·82 | 21·36 | 20·38 | 21·14 | 21·79 | — | — | — | — | — | — | — | — | — | — |
| <i>Diseases—</i> | | | | | | | | | | | | | | | | |
| I. Specific Febrile or Zymotic | 86 | 128 | 54 | 49 | 46 | 61 | 31 | 30 | 20 | 6 | 6 | 16 | 9 | 4 | — | — |
| II. Parasitic | 5 | 7 | 3 | 5 | 10 | 2 | 2 | — | — | — | — | 1 | 1 | — | — | — |
| III. Dietic | 9 | 12 | 6 | 6 | 3 | 3 | 1 | 2 | — | — | — | 1 | 2 | — | — | — |
| IV. Constitutional | 183 | 192 | 201 | 178 | 203 | 229 | 124 | 105 | — | 9 | 19 | 71 | 71 | 56 | 3 | — |
| V. Developmental | 81 | 117 | 87 | 110 | 110 | 101 | 63 | 38 | 14 | 1 | — | — | — | 45 | 41 | — |
| VI. Local | 433 | 405 | 427 | 388 | 394 | 396 | 215 | 181 | 43 | 14 | 28 | 54 | 79 | 163 | 15 | — |
| VII. Violence | 47 | 44 | 35 | 39 | 51 | 41 | 33 | 8 | 5 | — | 3 | 12 | 12 | 7 | 2 | — |
| VIII. Ill-defined and not specified causes .. | 37 | 34 | 32 | 34 | 25 | 38 | 19 | 19 | 33 | 1 | — | — | 3 | — | 1 | — |

Causes of Deaths Registered in the Year ended December 31st, 1906.

| | Under One Year. | One Year and Above. | | Under One Year. | One Year and Above. | | Under One Year. | One Year and Above. |
|---|-----------------|---------------------|--|-----------------|---------------------|--|-----------------|---------------------|
| I. | | | Scrofula, tuberculosis | — | 8 | Diseases of locomotive system | — | 4 |
| Measles | — | — | Other constitutional diseases. | — | 15 | Diseases of integumentary system | 3 | 1 |
| Scarlet fever | — | — | V. | | | VII. | | |
| Relapsing fever | — | — | Premature birth | 11 | — | (Accident.) | | |
| Influenza | — | 2 | Cyanosis | 1 | — | Fracture and contusion | — | 17 |
| Whooping-cough | 1 | 2 | Congenital defects | 2 | 1 | Gunshot wound | — | 3 |
| Diphtheria | — | 5 | Old age | — | 86 | Cut, stab | — | 1 |
| Simple and ill-defined fever.. | — | — | VI. | | | Burn and scald | — | 2 |
| Enteric fever | — | 17 | Apoplexy | — | 28 | Poison | — | — |
| Simple cholera | — | — | Epilepsy | — | 2 | Drowning | — | — |
| Diarrhoea, dysentery | 11 | 5 | Convulsions | 4 | — | Suffocation | 3 | 1 |
| Remittent fever | — | — | Other diseases of brain and nervous system | 6 | 29 | Otherwise | 2 | 1 |
| Venereal affections | 8 | 2 | Diseases of organs of special sense | — | 2 | (Homicide.) | | |
| Erysipelas | — | 1 | Diseases of circulatory system | 1 | 107 | Murder and manslaughter .. | — | 2 |
| Pyæmia, septicæmia | — | 2 | Croup | — | — | (Suicide.) | | |
| Puerperal fever | — | 4 | Bronchitis | 3 | 11 | Gunshot wound | — | 1 |
| Other zymotic diseases | — | 1 | Pneumonia | 6 | 18 | Cut, stab | — | 2 |
| II. | | | Pleurisy | — | 5 | Poison | — | 1 |
| Thrush | — | — | Other diseases of respiratory system | — | 8 | Drowning | — | 2 |
| Worms and other parasitical diseases | — | 2 | Dentition | 1 | — | Hanging | — | 2 |
| III. | | | Quinsy, sore throat | — | 1 | Otherwise | — | — |
| Privation, want of breast milk | — | — | Enteritis | 12 | 19 | (Execution.) | | |
| Alcoholism | — | 3 | Peritonitis | — | 3 | Hanging | — | 1 |
| IV. | | | Diseases of liver | 2 | 8 | VIII. | | |
| Rheumatic fever and rheumatism of heart | — | 1 | Other diseases of digestive system | 5 | 21 | Dropsy | — | — |
| Rheumatism | — | — | Diseases of lymphatic system and of ductless glands | — | 2 | Debility, atrophy, inanition . | 33 | 5 |
| Gout | — | — | Diseases of urinary system .. | — | 65 | Mortification | — | — |
| Cancer, malignant disease .. | — | 89 | Diseases of generative system | — | 9 | Tumor | — | — |
| Tabes mesenterica | — | 1 | Accidents of childbirth | — | 10 | Abscess | — | — |
| Tubercular meningitis | — | 14 | | | | Hæmorrhage | — | — |
| Phthisis | — | 101 | | | | Sudden, cause unascertained. | — | — |
| | | | | | | Other ill-defined and not specified causes | — | — |

No. 23.—RETURN of Births and Deaths Registered in each Ward of the City of Adelaide (exclusive of Deaths in Public Institutions* of persons not usually resident in the city) in the Year ended December 31st, 1906.

| | Total. | Hindmarsh. | Gawler. | Grey. | Young. | Robe. | MacDonnell. |
|--|--------|------------|---------|-------|--------|-------|-------------|
| Area in acres | 3,778 | 608 | 627 | 567 | 727 | 612 | 637 |
| Estimated mean population | 39,975 | 6,153 | 6,108 | 8,664 | 10,252 | 3,762 | 5,036 |
| Persons to an acre | 10·6 | 10·1 | 9·7 | 15·3 | 14·1 | 6·1 | 7·9 |
| Births | 826 | 122 | 128 | 180 | 253 | 56 | 87 |
| Male | 425 | 63 | 72 | 85 | 130 | 26 | 49 |
| Female | 401 | 59 | 56 | 95 | 123 | 30 | 38 |
| Deaths | 601 | 116 | 84 | 112 | 147 | 53 | 89 |
| Male | 316 | 82 | 48 | 53 | 68 | 26 | 39 |
| Female | 285 | 34 | 36 | 59 | 79 | 27 | 50 |
| CLASSES. | | | | | | | |
| I. Specific febrile or zymotic diseases | 42 | 11 | 3 | 4 | 11 | 3 | 10 |
| II. Parasitic diseases | 1 | 1 | — | — | — | — | — |
| III. Dietic diseases | 3 | — | 1 | — | 2 | — | — |
| IV. Constitutional diseases | 151 | 23 | 22 | 35 | 29 | 22 | 20 |
| V. Developmental diseases | 66 | 21 | 6 | 11 | 17 | 4 | 7 |
| VI. Local diseases | 277 | 52 | 37 | 49 | 71 | 21 | 47 |
| VII. Violence | 24 | 6 | 5 | 3 | 4 | 3 | 3 |
| VIII. Ill-defined and not specified causes | 37 | 2 | 10 | 10 | 13 | — | 2 |
| Rate per 1,000 of mean population of each ward | 15·03 | 18·85 | 13·75 | 12·92 | 14·34 | 14·09 | 17·67 |

* The Destitute Asylum (including the Lying-in Department), the Adelaide Hospital, and the Consumptive Home.

Causes of Deaths Registered in the Year ended December 31st, 1906.

| | Under One Year. | One Year and Above. | | Under One Year. | One Year and Above. | | Under One Year. | One Year and Above. |
|---|-----------------|---------------------|--|-----------------|---------------------|--|-----------------|---------------------|
| I. | | | Other constitutional diseases. | — | 11 | Diseases of locomotive system | — | 2 |
| Measles | — | — | V. | | | Diseases of integumentary system | 3 | — |
| Scarlet fever | — | — | Premature birth | 11 | — | | | |
| Relapsing fever | — | — | Cyanosis | 1 | — | VII. | | |
| Influenza | — | 2 | Congenital defects | 2 | 1 | (Accident.) | | |
| Whooping-cough | 1 | 2 | Old age | — | 51 | Fracture and contusion | — | 5 |
| Diphtheria | — | 5 | VI. | | | Gunshot wound | — | 1 |
| Simple and ill-defined fever.. | — | — | Apoplexy | — | 20 | Cut, stab | — | — |
| Enteric fever | — | 4 | Epilepsy | — | 1 | Burn and scald | — | 2 |
| Simple cholera | — | — | Convulsions | 4 | — | Poison | — | — |
| Diarrhoea, dysentery | 11 | 4 | Other diseases of brain and nervous system | 5 | 23 | Drowning | — | — |
| Remittent fever | — | — | Diseases of organs of special sense | — | 1 | Suffocation | 3 | 1 |
| Venereal affections | 8 | 1 | Diseases of circulatory system | 1 | 76 | Otherwise | 2 | 1 |
| Erysipelas | — | 1 | Croup | — | — | (Homicide.) | | |
| Pyæmia and septicæmia | — | 1 | Bronchitis | 3 | 8 | Murder and manslaughter .. | — | 2 |
| Puerperal fever | — | 1 | Pneumonia | 6 | 11 | (Suicide.) | | |
| Other zymotic diseases | — | 1 | Pleurisy | — | 2 | Gunshot wound | — | — |
| II. | | | Other diseases of respiratory system | — | 7 | Cut, Stab | — | 1 |
| Thrush | — | — | Dentition | 1 | — | Poison | — | 1 |
| Worms and other parasitical diseases | — | 1 | Quinsy, sore throat | — | 1 | Drowning | — | 2 |
| III. | | | Enteritis | 12 | 12 | Hanging | — | 2 |
| Privation—want of breast milk | — | — | Peritonitis | — | 2 | Otherwise | — | — |
| Alcoholism | — | 3 | Diseases of liver | 2 | 3 | (Execution.) | | |
| IV. | | | Other diseases of digestive system | 5 | 14 | Hanging | — | 1 |
| Rheumatic fever and rheumatism of heart | — | 1 | Diseases of lymphatic system and of ductless glands .. | — | 2 | VIII. | | |
| Rheumatism | — | — | Diseases of urinary system .. | — | 37 | Dropsy | — | — |
| Gout | — | — | Diseases of generative system | — | 7 | Debility, atrophy, inanition. | 33 | 4 |
| Cancer, malignant disease .. | — | 54 | Accidents of childbirth | — | 6 | Mortification | — | — |
| Tabes mesenterica | — | 1 | | | | Tumor | — | — |
| Tubercular meningitis | — | 9 | | | | Abscess | — | — |
| Phthisis | — | 69 | | | | Hæmorrhage | — | — |
| Scrofula, tuberculosis | — | 6 | | | | Sudden, cause unascertained. | — | — |
| | | | | | | Other ill-defined and not specified causes | — | — |

No. 24.—RETURN of Births and Deaths Registered in South Australia (exclusive of the Northern Territory) in the Years 1901-1906.

| Years | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. | | | | | | | | | | | |
|---|---------|---------|---------|---------|---------|--|-------|-------|--------------|----------------|-----------------|------------------|------------------|------------------|-----------------|-------------|--|
| *Population, Mean | 357,556 | 359,968 | 361,724 | 365,586 | 370,791 | 376,335 | | | | | | | | | | | |
| Births | 9,079 | 8,927 | 8,475 | 9,100 | 8,832 | Total, 8,921—Males, 4,605 ; females, 4,316 | | | | | | | | | | | |
| Rate per 1,000 of population | 25·39 | 24·80 | 23·43 | 24·89 | 23·82 | 23·70 | | | | | | | | | | | |
| Deaths— | | | | | | | | | | | | | | | | | |
| All causes..... | 3,974 | 4,236 | 3,873 | 3,719 | 3,761 | All Ages..... | | | Under 1 Year | 1 and under 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and up-wards | Not stated. | |
| | | | | | | Total. | M. | F. | | | | | | | | | |
| | | | | | | 3,872 | 2,053 | 1,819 | 676 | 173 | 236 | 539 | 697 | 1,141 | 410 | — | |
| Rate per 1,000 of population | 11·11 | 11·77 | 10·71 | 10·17 | 10·14 | 10·29 | — | — | — | — | — | — | — | — | — | — | |
| DISEASES. | | | | | | | | | | | | | | | | | |
| I. Specific Febrile or Zymotic | 446 | 643 | 401 | 296 | 238 | 292 | 144 | 148 | 103 | 38 | 28 | 60 | 29 | 25 | 9 | — | |
| II. Parasitic | 8 | 14 | 17 | 13 | 18 | 12 | 5 | 7 | 1 | 2 | 1 | 2 | 6 | — | — | — | |
| III. Dietic | 33 | 19 | 14 | 14 | 12 | 15 | 9 | 6 | 5 | 1 | — | 1 | 6 | 1 | 1 | — | |
| IV. Constitutional | 686 | 710 | 742 | 670 | 705 | 760 | 357 | 403 | 17 | 19 | 71 | 220 | 233 | 184 | 16 | — | |
| V. Developmental..... | 403 | 520 | 471 | 505 | 533 | 552 | 275 | 277 | 121 | 1 | 1 | 1 | — | 188 | 240 | — | |
| VI. Local..... | 1,949 | 1,914 | 1,847 | 1,810 | 1,854 | 1,810 | 976 | 834 | 251 | 88 | 101 | 196 | 351 | 692 | 131 | — | |
| VII. Violence | 240 | 222 | 216 | 233 | 264 | 259 | 194 | 65 | 31 | 17 | 33 | 57 | 64 | 45 | 12 | — | |
| VIII. Ill-defined and not specified causes .. | 209 | 194 | 165 | 178 | 137 | 172 | 93 | 79 | 147 | 7 | 1 | 2 | 8 | 6 | 1 | — | |

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese and also of the number of the full-blood aborigines.

No. 25.—RETURN showing the Births and Deaths Registered in the Corporate Towns specified in the Year 1906.

| Corporate Towns. | Estimated Mean Population. | Registered during Year. | | | The Deaths Registered in the Year include Deaths from— | | | | | | | | | | Birth and Death Rates per 1,000 living. | |
|----------------------------|----------------------------|-------------------------|---------|-----------------|--|----------------|-------------|-----------------|----------------|--------------------------|---------------------------------|-----------|---------------------------------|---------|---|--|
| | | Births. | Deaths. | | Measles | Scarlet Fever. | Diphtheria. | Whooping Cough. | Enteric Fever. | Diarrhoea and Dysentery. | Diseases of Respiratory System. | Phthisis. | Diseases of Circulatory System. | Births. | Deaths. | |
| | | | Total | Under One Year. | | | | | | | | | | | | |
| Adelaide | 39,975 | 826 | 871 | 115 | — | — | 5 | 3 | 17 | 16 | 51 | 101 | 108 | 20·66 | 21·79 | |
| Hindmarsh | 11,045 | 256 | 73 | 15 | — | 1 | — | — | — | — | 3 | 8 | 9 | 23·18 | 6·61 | |
| Thebarton | 6,081 | 175 | 52 | 14 | — | — | — | — | 1 | 2 | 2 | 2 | 10 | 28·78 | 8·55 | |
| Port Adelaide | 21,637 | 513 | 215 | 47 | — | 1 | — | — | 1 | 6 | 8 | 14 | 25 | 23·71 | 9·94 | |
| Glenelg | 4,107 | 72 | 30 | 3 | — | — | — | — | — | — | — | 2 | 9 | 17·53 | 7·30 | |
| Brighton | 1,190 | 18 | 10 | 1 | — | — | — | — | 1 | 1 | — | 1 | 2 | 15·13 | 8·40 | |
| Unley | 21,153 | 477 | 187 | 38 | — | — | — | 3 | — | 2 | 9 | 19 | 34 | 22·55 | 8·84 | |
| St. Peters | 8,592 | 152 | 65 | 16 | — | 1 | — | — | — | 1 | 5 | 5 | 8 | 17·69 | 7·57 | |
| Kensington and Norwood.... | 12,999 | 257 | 117 | 14 | — | — | — | 2 | — | 3 | 13 | 12 | 17 | 19·77 | 9·00 | |
| Gawler | 1,927 | 63 | 33 | 4 | — | — | — | — | 1 | — | 1 | 2 | 4 | 32·69 | 17·13 | |
| Kapunda | 1,732 | 53 | 17 | 2 | — | — | — | — | — | 2 | 2 | 1 | 2 | 30·60 | 9·82 | |
| Burra | 1,900 | 55 | 37 | 3 | — | — | — | — | 2 | — | 5 | — | 4 | 28·95 | 19·47 | |
| Clare | 709 | 40 | 14 | — | — | — | — | — | 1 | — | — | 1 | 4 | 56·42 | 19·75 | |
| Jamestown | 965 | 57 | 27 | 5 | — | — | — | — | 2 | 1 | — | — | 5 | 59·07 | 27·98 | |
| Port Augusta | 859 | 22 | 6 | 4 | — | — | — | — | — | — | — | 1 | — | 25·61 | 6·99 | |
| Port Pirie | 10,073 | 318 | 95 | 30 | — | — | 2 | 1 | 4 | 2 | 8 | 4 | 11 | 31·57 | 9·43 | |
| Kadina | 1,875 | 150 | 35 | 13 | — | 1 | — | — | — | — | 3 | — | 6 | 80·00 | 18·67 | |
| Moonta | 1,670 | 68 | 19 | 5 | — | — | — | — | 1 | 1 | 1 | 1 | 1 | 40·72 | 11·38 | |
| Wallaroo | 3,570 | 109 | 51 | 9 | — | — | — | — | 3 | 3 | 4 | 4 | 7 | 30·53 | 14·29 | |
| Goolwa | 560 | 18 | 7 | — | — | — | — | — | — | — | 1 | — | 2 | 32·14 | 12·50 | |
| Strathalbyn | 900 | 29 | 13 | 3 | — | — | — | — | — | — | 1 | — | 1 | 32·22 | 14·44 | |
| Mount Gambier | 3,429 | 123 | 56 | 8 | — | — | — | — | — | 6 | 4 | 7 | 10 | 35·87 | 16·33 | |
| Petersburg | 2,729 | 86 | 20 | 7 | — | — | — | 1 | 1 | 2 | 2 | 2 | 3 | 31·51 | 7·33 | |

No. 26.—COMPARATIVE RETURN showing Number of Deaths Registered in South Australia (exclusive of the Northern Territory) from each Cause in 1906, arranged in Order of Fatality, and each corresponding Number in 1905.

| Order of Fatality. | Causes of Death. | 1906. | | | 1905. | Order of Fatality. | Causes of Death. | 1906. | | | 1905. |
|--------------------|---|--------|----------------|--------------------|-------|--------------------|---|--------|----------------|--------------------|-------|
| | | Total. | Under 5 years. | 5 years and above. | | | | Total. | Under 5 years. | 5 years and above. | |
| 1 | Diseases of circulatory system not separately classed | 437 | 12 | 425 | 422 | 38 | Softening of brain | 8 | — | 8 | 9 |
| 2 | Old age | 428 | — | 428 | 390 | | Aneurism | 8 | — | 8 | 7 |
| 3 | Phthisis | 307 | 2 | 305 | 279 | | Dyspepsia | 8 | 4 | 4 | 3 |
| 4 | Cancer, malignant disease | 279 | 2 | 277 | 249 | | Constitutional diseases not separately classed | 7 | — | 7 | 15 |
| 5 | Enteritis | 166 | 104 | 62 | 151 | 39 | Hernia | 7 | — | 7 | 13 |
| 6 | Debility, atrophy, inanition | 153 | 148 | 5 | 120 | | Diseases of uterus and vagina | 7 | — | 7 | 10 |
| 7 | Apoplexy | 133 | 3 | 130 | 122 | | Cut, stab (suicidal) | 6 | — | 6 | 12 |
| 8 | Pneumonia | 116 | 32 | 84 | 180 | | Idiopathic tetanus | 6 | 5 | 1 | 9 |
| 9 | Bright's disease | 110 | 2 | 108 | 85 | | Starvation, want of breast milk | 6 | 4 | 2 | 7 |
| 10 | Premature birth | 103 | 103 | — | 118 | | Gunshot wounds (accidental) | 6 | — | 6 | 5 |
| 11 | Diarrhoea, dysentery | 102 | 83 | 19 | 107 | 40 | Eczema | 6 | 6 | — | 4 |
| 12 | Bronchitis | 98 | 32 | 66 | 134 | | Chronic alcoholism | 6 | — | 6 | 3 |
| 13 | Fracture and contusion (accidental) | 74 | 4 | 70 | 91 | | Phlegmon, cellulitis | 6 | — | 6 | 2 |
| 14 | Inflammation of the brain or its membranes | 52 | 28 | 24 | 56 | | Suicides, not separately classed | 6 | — | 6 | — |
| 15 | Sunstroke, heat-apoplexy, heat | 52 | 16 | 36 | 19 | 41 | Tabes mesenterica | 6 | 6 | — | — |
| 16 | Convulsions (except puerperal) | 49 | 44 | 5 | 48 | | Suffocation (accidental) | 5 | 5 | — | 7 |
| 17 | Forms of tuberculosis not separately classed | 49 | 4 | 45 | 40 | | Atelectasis | 5 | 5 | — | 6 |
| 18 | Enteric fever | 48 | — | 48 | 41 | | Croup | 4 | 4 | — | 7 |
| 19 | Endocarditis, valvular disease of heart | 47 | — | 47 | 41 | | Paralysis agitans | 4 | — | 4 | 5 |
| 20 | Influenza | 38 | 5 | 33 | 27 | 42 | Ulceration of intestine | 4 | — | 4 | 5 |
| 21 | Diabetes mellitus | 37 | 1 | 36 | 48 | | Intussusception of intestine | 4 | 4 | — | 3 |
| 22 | Tubercular meningitis (acute hydrocephalus) | 35 | 18 | 17 | 28 | | Caries, necrosis | 4 | — | 4 | 3 |
| 23 | Hemiplegia, brain paralysis | 32 | 1 | 31 | 19 | | Murder, manslaughter | 4 | — | 4 | 2 |
| 24 | Acute nephritis | 30 | 1 | 29 | 20 | | Cyanosis | 4 | 4 | — | 2 |
| 25 | Drowning (accidental) | 29 | 2 | 27 | 40 | | Carbuncle | 4 | — | 4 | — |
| 26 | Diseases of the nervous system not separately classed | 28 | 4 | 24 | 39 | | Drowning (suicidal) | 3 | — | 3 | 11 |
| 27 | Insanity, general paralysis of insane | 28 | — | 28 | 17 | | Diseases of organs of locomotion not separately classed | 3 | — | 3 | 7 |
| 28 | Diseases of bladder and prostate | 27 | — | 27 | 22 | 43 | Puerperal convulsions | 3 | — | 3 | 5 |
| 29 | Diseases of respiratory system not separately classed | 22 | 1 | 21 | 28 | | Sore throat, quinsy | 3 | — | 3 | 5 |
| 30 | Diseases of liver (except cirrhosis and gallstones) | 22 | 9 | 13 | 19 | | Laryngitis | 3 | 3 | — | 4 |
| 31 | Disease of stomach | 21 | 2 | 19 | 27 | | Otitis, otorrhoea, and disease of ear | 3 | 1 | 2 | 3 |
| 32 | Burn, scald (accidental) | 21 | 4 | 17 | 17 | | Rheumatism (except of heart and rheumatic fever) | 3 | — | 3 | 3 |
| 33 | Dentition | 21 | 21 | — | 13 | | Hypertrophy of heart | 3 | — | 3 | 1 |
| 34 | Anæmia, chlorosis, leucocythæmia | 21 | 1 | 20 | 20 | | Diseases of integumentary system not separately classed | 3 | 1 | 2 | 1 |
| 35 | Paralysis undefined or not separately classed | 19 | — | 19 | 21 | 44 | Pemphigus | 3 | 2 | 1 | 1 |
| 36 | Peritonitis (except tubercular and puerperal) | 17 | 1 | 16 | 14 | | Hæmatemesis | 3 | — | 3 | — |
| 37 | Syncope | 16 | 2 | 14 | 15 | | Urinary calculus | 2 | — | 2 | 5 |
| 38 | Diseases of digestive system not separately classed | 16 | 3 | 13 | 10 | | Gout | 2 | — | 2 | 3 |
| 39 | Whooping cough | 16 | 10 | — | 6 | | Pericarditis | 2 | — | 2 | 3 |
| 40 | Embolism, thrombosis | 15 | 1 | 14 | 19 | | Bronchocele | 2 | — | 2 | 3 |
| 41 | Uræmia | 15 | — | 15 | 18 | | Thrush | 2 | 2 | — | 2 |
| 42 | Accidents not separately classed | 15 | 14 | 1 | 13 | | Dropsy undefined or ill-defined | 2 | 1 | 1 | 2 |
| 43 | Puerperal fever | 15 | — | 15 | 9 | | Scurvy | 2 | 2 | — | 1 |
| 44 | Epilepsy | 14 | — | 14 | 17 | | Purpura, hæmorrhagic diathesis | 2 | 1 | 1 | 1 |
| 45 | Cirrhosis of liver | 14 | — | 14 | 15 | | Stomatitis | 2 | 2 | — | 1 |
| 46 | Gunshot wounds (suicidal) | 14 | — | 14 | 12 | | Cut, stab (accidental) | 2 | — | 2 | 1 |
| 47 | Simple cholera | 14 | 13 | 1 | 4 | | Abscess undefined or ill-defined | 2 | — | 2 | 1 |
| 48 | Paraplegia, disease of spinal cord | 13 | — | 13 | 17 | | Poisoning (suicidal) | 1 | — | 1 | 11 |
| 49 | Pyæmia, septicæmia | 13 | 1 | 12 | 11 | | Addison's disease | 1 | — | 1 | 4 |
| 50 | Empysema, asthma | 12 | — | 12 | 19 | | Spina bifida | 1 | 1 | — | 3 |
| 51 | Ileus, obstruction of intestine | 12 | 2 | 10 | 23 | | Senile gangrene | 1 | — | 1 | 2 |
| 52 | Ill-defined and unspecified causes | 12 | 5 | 7 | 12 | | Hæmorrhage undefined or ill-defined | 1 | — | 1 | 1 |
| 53 | Diphtheria | 12 | 7 | 5 | 7 | | Delirium tremens | 1 | — | 1 | 1 |
| 54 | Scarlet fever | 12 | 3 | 9 | 8 | | Chorea | 1 | — | 1 | 1 |
| 55 | Accidents of childbirth not separately classed | 12 | — | 12 | 7 | 45 | Cleft palate, harelip | 1 | 1 | — | 1 |
| 56 | Placenta prævia, flooding | 12 | — | 12 | 7 | | Stricture or strangulation of intestine | 1 | — | 1 | 1 |
| 57 | Pleurisy | 11 | — | 11 | 25 | | Hanging (execution) | 1 | — | 1 | 1 |
| 58 | Rheumatic fever, rheumatism of heart | 11 | — | 11 | 19 | | Gonorrhoea, stricture of urethra | 1 | — | 1 | 1 |
| 59 | Hydatid disease | 10 | 1 | 9 | 16 | | Cerebro-spinal fever | 1 | — | 1 | 1 |
| 60 | Congenital defects not separately classed | 10 | 8 | 2 | 12 | | Rickets | 1 | 1 | — | — |
| 61 | Syphilis | 10 | 8 | 2 | 6 | | Epistaxis and disease of nose | 1 | — | 1 | — |
| 62 | Abortion, miscarriage | 10 | — | 10 | 5 | | Phlebitis | 1 | — | 1 | — |
| 63 | Gallstones | 10 | — | 10 | 4 | | Ascites | 1 | — | 1 | — |
| 64 | Diseases of urinary system not separately classed | 9 | — | 9 | 17 | | Pelvic abscess | 1 | — | 1 | — |
| 65 | Poisoning (accidental) | 9 | 3 | 6 | 12 | | Diseases of testes, penis, scrotum, &c. | 1 | 1 | — | — |
| 66 | Hanging (suicidal) | 9 | — | 9 | 10 | | Arthritis, osteitis, periostitis | 1 | 1 | — | — |
| 67 | Angina pectoris | 9 | — | 9 | 10 | | Lupus | 1 | — | 1 | — |
| 68 | Erysipelas | 9 | 4 | 5 | 6 | | Lightning | 1 | — | 1 | — |
| 69 | Ovarian disease | 9 | — | 9 | 4 | | Mortification undefined or ill-defined | 1 | — | 1 | — |
| | | | | | | | Tumor, undefined or ill-defined | 1 | — | 1 | — |
| | | | | | | | Measles | 1 | 1 | — | — |
| | | | | | | | Bite of snake or insect | 1 | — | 1 | — |

№. 27.—Десятилет. Returns showing the Total Deaths in each Class and Order Registered in South Australia (exclusive of the Northern Territory).

| | 1897. | | 1898. | | 1899. | | 1900. | | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| ALL CAUSES | 2,192 | 1,781 | 2,324 | 2,091 | 2,362 | 2,044 | 1,994 | 1,786 | 2,206 | 1,768 | 2,316 | 1,929 | 2,171 | 2,002 | 2,019 | 1,751 | 1,758 | 2,053 | 1,819 | 1,819 |
| 1.—SCURVY FURTHER OR ZYMOTIC DISEASES | 246 | 227 | 289 | 283 | 319 | 308 | 219 | 213 | 238 | 206 | 329 | 314 | 197 | 204 | 145 | 151 | 118 | 149 | 144 | 148 |
| 11.—PARASITIC DISEASES | 11 | 6 | 4 | 3 | 6 | 6 | 6 | 3 | 5 | 3 | 9 | 9 | 9 | 6 | 10 | 3 | 10 | 8 | 5 | 7 |
| 111.—TUBERC DISEASES | 25 | 6 | 25 | 17 | 20 | 3 | 12 | 6 | 26 | 5 | 12 | 7 | 8 | 6 | 11 | 3 | 10 | 2 | 9 | 7 |
| IV.—CONSTITUTIONAL DISEASES | 297 | 298 | 348 | 315 | 326 | 335 | 334 | 328 | 339 | 339 | 355 | 355 | 368 | 373 | 319 | 309 | 385 | 385 | 357 | 403 |
| V.—DEVELOPMENTAL DISEASES | 185 | 185 | 205 | 205 | 204 | 204 | 212 | 204 | 206 | 192 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 | 212 |
| VI.—LOCAL DISEASES | 271 | 1,116 | 287 | 287 | 1,023 | 875 | 938 | 858 | 1,081 | 846 | 1,063 | 851 | 1,030 | 867 | 995 | 815 | 1,014 | 860 | 976 | 877 |
| VII.—LOCAL DISEASES | 179 | 74 | 220 | 68 | 202 | 88 | 177 | 63 | 189 | 51 | 166 | 56 | 171 | 65 | 172 | 61 | 200 | 58 | 194 | 65 |
| VIII.—UN-DEFINED AND NOT SPECIFIED CAUSES | 140 | 112 | 184 | 142 | 127 | 106 | 105 | 103 | 123 | 86 | 110 | 84 | 95 | 76 | 108 | 79 | 92 | 65 | 93 | 79 |
| I. | | | | | | | | | | | | | | | | | | | | |
| 1. Miasmatic Diseases | 89 | 85 | 204 | 203 | 259 | 264 | 82 | 92 | 113 | 93 | 226 | 216 | 97 | 97 | 67 | 68 | 53 | 41 | 68 | 60 |
| 2. Diarrhoeal Diseases | 131 | 112 | 163 | 139 | 99 | 95 | 112 | 100 | 113 | 88 | 76 | 76 | 86 | 86 | 69 | 42 | 58 | 53 | 60 | 56 |
| 3. Malarial Diseases | — | 1 | 2 | — | 1 | — | 1 | — | 1 | — | 1 | 1 | 1 | — | 2 | — | 1 | — | — | — |
| 4. Zoonotic Diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Venereal Diseases | 3 | 3 | 4 | 2 | 3 | 3 | 7 | 3 | 4 | 4 | 8 | 2 | 3 | 3 | 3 | 1 | 2 | 5 | 6 | 5 |
| 6. Septic Diseases | 13 | 26 | 16 | 39 | 17 | 36 | 8 | 18 | 7 | 23 | 8 | 20 | 16 | 27 | 12 | 40 | 5 | 10 | 10 | 27 |
| II. | | | | | | | | | | | | | | | | | | | | |
| Parasitic Diseases | 11 | 6 | 4 | 3 | 6 | 6 | 6 | 6 | 5 | 3 | 9 | 9 | 9 | 8 | 10 | 3 | 10 | 2 | 5 | 7 |
| III. | | | | | | | | | | | | | | | | | | | | |
| Dietic Diseases | 25 | 8 | 25 | 17 | 20 | 3 | 12 | 6 | 26 | 7 | 12 | 7 | 8 | 6 | 11 | 3 | 10 | 2 | 9 | 6 |
| IV. | | | | | | | | | | | | | | | | | | | | |
| Constitutional Diseases | 367 | 298 | 348 | 315 | 326 | 335 | 334 | 328 | 339 | 339 | 355 | 355 | 368 | 374 | 319 | 309 | 385 | 385 | 357 | 403 |
| V. | | | | | | | | | | | | | | | | | | | | |
| Developmental Diseases | 269 | 185 | 295 | 246 | 249 | 233 | 212 | 201 | 268 | 195 | 272 | 248 | 283 | 188 | 268 | 237 | 253 | 280 | 275 | 277 |
| VI. | | | | | | | | | | | | | | | | | | | | |
| 1. Diseases of Nervous System | 216 | 203 | 234 | 182 | 233 | 203 | 205 | 181 | 225 | 189 | 222 | 191 | 243 | 151 | 198 | 175 | 215 | 167 | 213 | 174 |
| 2. Organs of Special Senses | 2 | 7 | 3 | — | 1 | 1 | 1 | — | 4 | 2 | 2 | 2 | 1 | 1 | 5 | 1 | 3 | — | 2 | 2 |
| 3. Circulatory System | 217 | 189 | 235 | 192 | 216 | 187 | 221 | 212 | 268 | 216 | 265 | 217 | 246 | 206 | 260 | 217 | 274 | 247 | 285 | 254 |
| 4. Respiratory System | 225 | 167 | 269 | 189 | 262 | 204 | 224 | 177 | 248 | 174 | 239 | 156 | 246 | 163 | 260 | 155 | 227 | 171 | 195 | 147 |
| 5. Digestive System | 266 | 196 | 238 | 191 | 199 | 162 | 177 | 182 | 214 | 174 | 221 | 183 | 205 | 196 | 179 | 159 | 160 | 147 | 181 | 151 |
| 6. Lymphatic System and Ductless Glands | 2 | 4 | 6 | 16 | 4 | 7 | 4 | 3 | 7 | 6 | 5 | 5 | 1 | 5 | 4 | 2 | 2 | 1 | 1 | 2 |
| 7. Urinary System | 79 | 51 | 109 | 59 | 91 | 57 | 96 | 43 | 107 | 51 | 97 | 59 | 117 | 45 | 121 | 52 | 122 | 55 | 123 | 70 |
| 8. Reproductive System | 1 | 16 | 1 | 16 | — | 15 | 1 | 11 | 1 | 9 | — | 9 | — | 10 | — | 13 | — | 14 | 1 | 17 |
| (a) Diseases of Organs of Generation | — | 28 | — | 29 | — | 22 | — | 35 | — | 32 | — | 24 | — | 21 | — | 29 | — | 25 | — | 37 |
| (b) Diseases of Parturition | 16 | 7 | 16 | 11 | 6 | 10 | 4 | 13 | 12 | 10 | 12 | 7 | 9 | 6 | 13 | 7 | 6 | 2 | 7 | 1 |
| 9. Organs of Locomotion | 7 | 3 | 8 | 8 | 11 | 4 | 5 | 1 | 5 | 6 | 9 | 4 | 7 | 5 | 4 | 5 | 4 | 4 | 14 | 9 |
| 10. Integumentary System | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| VII. | | | | | | | | | | | | | | | | | | | | |
| 1. Accident or Negligence | 136 | 62 | 122 | 68 | 175 | 72 | 150 | 55 | 145 | 49 | 132 | 51 | 128 | 39 | 136 | 52 | 158 | 47 | 158 | 67 |
| 2. Homicide | 2 | 2 | 2 | 5 | 3 | 4 | — | 1 | 5 | — | 2 | 2 | 4 | 2 | 2 | 1 | 1 | 1 | 2 | 2 |
| 3. Suicide | 40 | 10 | 30 | 5 | 22 | 12 | 26 | 7 | 39 | 2 | 32 | 3 | 36 | 4 | 35 | 6 | 46 | 10 | 33 | 6 |
| 4. Execution | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| VIII. | | | | | | | | | | | | | | | | | | | | |
| Un-defined and not specified causes | 140 | 112 | 184 | 142 | 127 | 106 | 105 | 103 | 123 | 86 | 110 | 84 | 95 | 76 | 108 | 79 | 92 | 65 | 93 | 79 |

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—*continued.*

| CLASS. | Cause of Death. | 1897. | | 1898. | | 1899. | | 1900. | | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | |
|--------|---|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| I. | <i>Miasmatic Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Smallpox | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| | Chicken-pox | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — |
| | Measles | — | — | 25 | 29 | 8 | 19 | 1 | 1 | 2 | 3 | 130 | 105 | 1 | 4 | — | — | — | — | 1 | — |
| | Epidemic Rose Rash | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Scarlet Fever | 3 | 4 | 11 | 4 | 6 | 10 | 1 | 4 | — | 1 | — | — | 9 | 10 | 6 | 4 | 6 | 2 | 5 | 7 |
| | Influenza | 19 | 18 | 12 | 21 | 114 | 104 | 22 | 24 | 19 | 17 | 16 | 25 | 10 | 14 | 22 | 23 | 16 | 11 | 22 | 16 |
| | Whooping Cough | — | — | 57 | 55 | 52 | 54 | 11 | 18 | 24 | 27 | 13 | 23 | 27 | 33 | 9 | 16 | 4 | 2 | 6 | 10 |
| | Mumps | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | Diphtheria | 8 | 14 | 15 | 23 | 20 | 20 | 12 | 20 | 13 | 6 | 16 | 11 | 11 | 10 | 9 | 9 | 2 | 5 | 5 | 7 |
| | Cerebro-spinal Fever | — | — | — | — | — | — | — | — | 12 | 9 | 15 | 6 | 5 | 3 | 3 | 1 | 1 | 1 | 1 | — |
| | Simple and ill-defined Fever | — | 2 | 5 | 2 | 1 | 2 | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 | — | — |
| | Enteric Fever | 59 | 47 | 77 | 68 | 57 | 54 | 32 | 25 | 42 | 30 | 44 | 45 | 34 | 23 | 17 | 15 | 23 | 18 | 28 | 20 |
| | Other Miasmatic Diseases | — | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Diarrhæal Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Simple Cholera | 5 | 5 | 2 | 6 | 2 | — | 3 | 4 | 3 | 2 | — | 1 | 4 | 2 | 1 | 1 | 4 | — | 10 | 4 |
| | Diarrhœa, Dysentery | 126 | 107 | 161 | 133 | 97 | 95 | 109 | 96 | 110 | 86 | 76 | 74 | 82 | 78 | 59 | 41 | 54 | 53 | 50 | 52 |
| | <i>Malarial Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Remittent Fever | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | Ague, Intermittent Fever | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — |
| | Other Malarial Diseases | — | — | 1 | — | 1 | — | 1 | — | — | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — |
| | <i>Zoogenous Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Glanders | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Splenic Fever | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| | <i>Venereal Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Syphilis | 1 | 3 | 4 | 2 | 1 | 3 | 4 | 3 | — | 4 | 5 | 2 | 1 | — | 1 | 1 | 1 | 5 | 5 | 5 |
| | Gonorrhœa, Stricture of Urethra .. | 2 | — | — | — | 2 | — | 3 | — | 4 | — | 3 | — | 2 | — | 2 | — | 1 | — | 1 | — |
| | <i>Septic Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Phagedæna | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Erysipelas | 9 | 7 | 9 | 4 | 4 | 5 | 2 | 5 | 2 | 3 | 5 | 3 | 6 | 6 | 5 | 8 | 2 | 4 | 5 | 4 |
| | Pyæmia, Septicæmia | 4 | 8 | 7 | 4 | 13 | 12 | 6 | 3 | 5 | 9 | 3 | 6 | 4 | 3 | 7 | 3 | 8 | 5 | 5 | 8 |
| | Puerperal Fever | — | 11 | — | 31 | — | 18 | — | 10 | — | 11 | — | 11 | — | 18 | — | 25 | — | 9 | — | 15 |
| II. | <i>Parasitic Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Thrush | 2 | 3 | — | — | — | 3 | — | 3 | — | — | — | 1 | 1 | 2 | — | — | 1 | 1 | 1 | 1 |
| | Other Diseases from Vegetable Parasites | 1 | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| | Hydatid Disease | 8 | 3 | 4 | 3 | 5 | 3 | 6 | 4 | 5 | 3 | 9 | 4 | 8 | 6 | 9 | 3 | 9 | 7 | 4 | 6 |
| | Other Diseases from Animal Parasites .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| III. | <i>Dietic Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Starvation, Want of Breast Milk .. | 15 | 7 | 19 | 13 | 13 | 2 | 7 | 3 | 15 | 1 | 7 | 5 | 6 | 2 | 4 | 1 | 6 | 1 | 4 | 2 |
| | Scurvy | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | 1 | — | — | 1 | — | 2 |
| | Intemperance { Chronic Alcoholism .. | 5 | 1 | 4 | 4 | 7 | 1 | 4 | 3 | 8 | 6 | 4 | 2 | 2 | 3 | 6 | 2 | 3 | — | 5 | 1 |
| | Intemperance { Delirium Tremens .. | 5 | — | 2 | — | — | — | 1 | — | 2 | — | 1 | — | — | — | — | — | 1 | — | — | 1 |
| IV. | <i>Constitutional Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Rheumatic Fever, Rheumatism of Heart | 8 | 7 | 8 | 12 | 6 | 10 | 8 | 13 | 5 | 7 | 7 | 8 | 13 | 10 | 8 | 9 | 6 | 13 | 5 | 6 |
| | Rheumatism | 6 | 4 | 5 | 4 | 1 | 3 | 2 | 2 | 1 | 6 | 2 | 2 | 3 | 2 | 6 | 3 | 1 | 2 | 2 | 1 |
| | Gout | 6 | — | 3 | — | 1 | — | — | — | 1 | 2 | — | — | 2 | — | 1 | — | 3 | — | 2 | — |
| | Cancer, Malignant Disease | 107 | 78 | 95 | 89 | 104 | 99 | 103 | 107 | 105 | 111 | 126 | 141 | 133 | 128 | 112 | 114 | 118 | 131 | 130 | 140 |
| | Tabes Mesenterica | 9 | 5 | 4 | 7 | 9 | 8 | 5 | 2 | 1 | 3 | 3 | 4 | 1 | 1 | 5 | — | — | — | 3 | 3 |
| | Tubercular Meningitis (Acute Hydrocephalus) | 28 | 21 | 20 | 14 | 16 | 17 | 18 | 10 | 16 | 18 | 18 | 12 | 17 | 23 | 9 | 16 | 15 | 13 | 17 | 18 |
| | Phthisis | 165 | 143 | 179 | 138 | 169 | 143 | 147 | 152 | 55 | 147 | 147 | 145 | 146 | 150 | 132 | 157 | 130 | 149 | 142 | 165 |
| | Other forms of Tuberculosis, Scrophula .. | 21 | 18 | 15 | 24 | 22 | 28 | 26 | 23 | 121 | 20 | 23 | 24 | 27 | 24 | 19 | 27 | 18 | 22 | 22 | 27 |
| | Anæmia, Chlorosis, Leucocythæmia .. | 5 | 5 | 4 | 10 | 3 | 11 | 14 | 6 | 9 | 14 | 8 | 6 | 7 | 12 | 8 | 9 | 6 | 14 | 5 | 16 |
| | Diabetes Mellitus | 8 | 13 | 13 | 13 | 14 | 10 | 5 | 11 | 13 | 15 | 12 | 9 | 16 | 15 | 12 | 14 | 19 | 29 | 12 | 25 |
| | Other Constitutional Diseases | 4 | 4 | 2 | 4 | 3 | 6 | 3 | 2 | 9 | 7 | 8 | 6 | 3 | 9 | 3 | 6 | 4 | 12 | 8 | 2 |
| V. | <i>Developmental Diseases.</i> | | | | | | | | | | | | | | | | | | | | |
| | Premature Birth | 57 | 39 | 63 | 43 | 64 | 49 | 58 | 54 | 46 | 34 | 56 | 52 | 72 | 35 | 52 | 41 | 69 | 49 | 54 | 49 |
| | Atelectasis | 5 | 5 | 7 | 4 | 7 | 1 | 4 | 9 | 4 | 1 | 2 | 2 | 5 | 4 | 4 | 2 | 1 | 5 | 4 | 1 |
| | Cyanosis | 1 | — | 2 | 2 | 3 | 1 | 2 | — | — | 2 | 1 | — | — | — | 1 | — | 2 | — | 3 | 1 |
| | Spina Bifida | 2 | — | 3 | 2 | 1 | 3 | 2 | — | 1 | 3 | 2 | 1 | 3 | 1 | 2 | 1 | 2 | — | 1 | 1 |
| | Imperforate Anus | 2 | — | 3 | 1 | 2 | — | 3 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — |
| | Cleft Palate, Harelip | — | 2 | — | 2 | 3 | 1 | 2 | 1 | — | 2 | — | — | 2 | 1 | — | — | 1 | — | 1 | — |
| | Other Congenital Defects | 5 | 1 | 5 | 3 | 11 | 5 | 3 | 4 | 6 | 6 | 12 | 9 | 6 | 5 | 6 | 4 | 8 | 4 | 4 | 6 |
| | Old Age | 197 | 138 | 212 | 189 | 158 | 173 | 138 | 133 | 151 | 146 | 199 | 184 | 195 | 142 | 203 | 188 | 171 | 219 | 209 | 219 |
| VI. | <i>Diseases of Nervous System.</i> | | | | | | | | | | | | | | | | | | | | |
| | Inflammation of Brain or its Membranes | 38 | 35 | 40 | 31 | 38 | 37 | 29 | 34 | 35 | 24 | 33 | 33 | 31 | 17 | 20 | 21 | 29 | 27 | 30 | 22 |
| | Apoplexy | 41 | 54 | 45 | 42 | 45 | 47 | 50 | 60 | 66 | 57 | 56 | 69 | 66 | 59 | 57 | 67 | 69 | 53 | 73 | 60 |
| | Softening of Brain | 3 | 6 | 2 | 2 | 4 | 6 | 8 | 1 | 3 | 3 | 2 | 1 | 4 | 3 | 1 | 2 | 5 | 4 | 4 | 4 |

No. 27.—DECENNIAL RETURN showing the Causes of Death Registered in South Australia (exclusive of the Northern Territory)—continued.

| Class. | Cause of Death. | 1897. | | 1898. | | 1899. | | 1900. | | 1901. | | 1902. | | 1903. | | 1904. | | 1905. | | 1906. | |
|--------|---|-------|----|-------|-----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|-------|----|
| | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. |
| | <i>Diseases of Organs of Generation.</i> | | | | | | | | | | | | | | | | | | | | |
| | Ovarian Disease | — | 5 | — | 5 | — | 4 | — | 4 | — | 2 | — | 1 | — | 3 | — | 2 | — | 4 | — | 9 |
| | Diseases of Uterus and Vagina | — | 10 | — | 11 | — | 9 | — | 5 | — | 5 | — | 5 | — | 6 | — | 9 | — | 10 | — | 7 |
| | Disorders of Menstruation | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | Pelvic Abscess | 1 | — | — | — | — | 2 | — | 2 | 1 | 2 | — | 1 | — | 1 | — | 2 | — | — | — | 1 |
| | Perineal Abscess | — | — | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| | Diseases of testes, scrotum, &c. .. | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| | <i>Diseases of Parturition.</i> | | | | | | | | | | | | | | | | | | | | |
| | Abortion, Miscarriage | — | 1 | — | 2 | — | 2 | — | 6 | — | 5 | — | 3 | — | 1 | — | 5 | — | 5 | — | 10 |
| | Puerperal Mania | — | — | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | 1 | — | — | — | 1 | — | — |
| | Puerperal Convulsions | — | 6 | — | 3 | — | 3 | — | 1 | — | 8 | — | 4 | — | 4 | — | 12 | — | 5 | — | 3 |
| | Placenta Prævia, Flooding | — | 7 | — | 11 | — | 5 | — | 12 | — | 7 | — | 5 | — | 7 | — | 3 | — | 7 | — | 12 |
| | Phlegmasia Dolens | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| | Other Accidents of Childbirth | — | 14 | — | 12 | — | 11 | — | 15 | — | 10 | — | 11 | — | 8 | — | 9 | — | 7 | — | 12 |
| | <i>Diseases of Organs of Locomotion.</i> | | | | | | | | | | | | | | | | | | | | |
| | Caries, Necrosis | 7 | 2 | 6 | 5 | 1 | 5 | 3 | 3 | 7 | 1 | 8 | 3 | 4 | 3 | 6 | 5 | 2 | 1 | 3 | 1 |
| | Arthritis, Ostitis, Periostitis | 3 | — | 3 | 1 | 2 | 2 | — | 4 | 2 | 5 | 1 | 2 | 2 | 2 | 3 | 1 | — | — | 1 | — |
| | Other Diseases of Organs of Locomo- tion | 6 | 5 | 7 | 5 | 3 | 3 | 4 | 6 | 3 | 4 | 3 | 2 | 3 | 1 | 4 | 1 | 4 | 3 | 3 | — |
| | <i>Diseases of Integumentary System.</i> | | | | | | | | | | | | | | | | | | | | |
| | Carbuncle | 1 | 1 | 1 | 1 | 2 | — | — | — | 2 | 1 | 6 | — | 1 | 2 | 1 | — | — | — | 2 | 2 |
| | Phlegmon, Cellulitis | 4 | 2 | 3 | 2 | 5 | 1 | 1 | — | — | — | — | 2 | 1 | 2 | 1 | 1 | 2 | — | 4 | 2 |
| | Lupus | — | — | 1 | — | 2 | — | — | — | — | — | 1 | 1 | — | — | 1 | — | — | — | 1 | — |
| | Ulcer, Bedsore | — | — | — | 1 | — | — | 1 | — | — | 1 | — | — | — | — | 1 | — | — | 1 | — | — |
| | Eczema | 2 | — | 2 | 3 | — | — | 2 | 1 | 2 | — | 1 | 1 | 1 | 1 | 1 | — | 2 | 2 | 3 | 3 |
| | Pemphigus | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | 1 | — | 2 | 1 |
| | Other Diseases of Integumentary System | — | — | 1 | 1 | 2 | 3 | 1 | — | 1 | 3 | 1 | — | 3 | — | — | 3 | — | 1 | 2 | 1 |
| VII. | <i>Accident or Negligence.</i> | | | | | | | | | | | | | | | | | | | | |
| | Fracture and Contusion | 58 | 13 | 68 | 13 | 65 | 12 | 75 | 6 | 71 | 10 | 71 | 5 | 52 | 10 | 71 | 12 | 81 | 10 | 62 | 12 |
| | Gunshot Wounds | 5 | — | 3 | — | 2 | — | 1 | 2 | 7 | — | 2 | 1 | 6 | — | 5 | 2 | 5 | — | 6 | — |
| | Cut, Stab | — | — | — | 1 | 1 | 1 | — | 1 | 1 | — | — | 1 | — | — | 1 | 1 | — | — | 2 | — |
| | Burn, Scald | 11 | 17 | 12 | 27 | 8 | 23 | 8 | 18 | 9 | 15 | 13 | 23 | 7 | 9 | 13 | 15 | 5 | 12 | 10 | 11 |
| | Poison | 3 | 2 | 3 | — | 6 | 2 | 8 | 2 | 12 | 2 | 10 | 2 | 6 | 2 | 6 | 5 | 8 | 4 | 8 | 1 |
| | Drowning | 28 | 7 | 43 | 3 | 56 | 8 | 26 | 8 | 28 | 10 | 21 | 6 | 48 | 9 | 24 | 7 | 29 | 11 | 27 | 2 |
| | Suffocation | 2 | 3 | 4 | — | 2 | 4 | 11 | 2 | 4 | 3 | 5 | 4 | 1 | 2 | 6 | 1 | 3 | 4 | 3 | 2 |
| | Otherwise | 29 | 20 | 49 | 44 | 35 | 22 | 21 | 16 | 13 | 9 | 10 | 9 | 8 | 7 | 11 | 9 | 26 | 6 | 40 | 29 |
| | <i>Homicide.</i> | | | | | | | | | | | | | | | | | | | | |
| | Murder, Manslaughter | 2 | 2 | 2 | 5 | 3 | 4 | — | 1 | 5 | — | 2 | 2 | 4 | 2 | — | 3 | 1 | 1 | 2 | 2 |
| | Justifiable Homicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | <i>Suicide.</i> | | | | | | | | | | | | | | | | | | | | |
| | Gunshot Wounds | 9 | 1 | 10 | — | 4 | — | 7 | — | 9 | — | 10 | 1 | 18 | — | 6 | — | 12 | — | 14 | — |
| | Cut, Stab | 10 | — | 8 | 1 | 7 | — | 5 | 2 | 8 | — | 8 | — | 2 | — | 3 | 1 | 10 | 2 | 4 | 2 |
| | Poison | 6 | 5 | 4 | — | 3 | 4 | 6 | 2 | 6 | — | 8 | 1 | 4 | 3 | 8 | 3 | 8 | 3 | 1 | — |
| | Drowning | 4 | 3 | 1 | 1 | 1 | 6 | 3 | 2 | 6 | 1 | 1 | — | 3 | 1 | 2 | — | 6 | 5 | 3 | — |
| | Hanging | 11 | — | 12 | 2 | 7 | 1 | 4 | 1 | 8 | 1 | 4 | 1 | 10 | — | 14 | 1 | 10 | — | 6 | 3 |
| | Otherwise | — | 1 | 1 | 1 | 1 | 1 | 1 | — | 2 | — | 1 | — | 2 | — | 2 | 1 | — | — | 5 | 1 |
| | <i>Execution.</i> | | | | | | | | | | | | | | | | | | | | |
| | Hanging | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | 1 | — |
| VIII. | <i>Ill-defined and Not Specified Causes.</i> | | | | | | | | | | | | | | | | | | | | |
| | Dropsy | 3 | 3 | 2 | 3 | 2 | — | 1 | 4 | 4 | 2 | 2 | — | 3 | 1 | 2 | — | — | 2 | — | 2 |
| | Debility, Atrophy, Inanition | 120 | 97 | 174 | 133 | 123 | 98 | 88 | 85 | 112 | 80 | 95 | 80 | 77 | 60 | 93 | 58 | 61 | 59 | 81 | 72 |
| | Mortification | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Tumor | — | 1 | — | 1 | — | — | 1 | — | 1 | 2 | — | 1 | — | — | 2 | — | — | — | 1 | — |
| | Abscess | 1 | — | 2 | 1 | — | — | 2 | 2 | — | — | — | 1 | — | 1 | — | 1 | — | 2 | — | — |
| | Hæmorrhage | 3 | 2 | 1 | — | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | — | 2 | — | 2 | — | 1 | — |
| | Sudden Death (cause unascertained) | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| | Other Ill-defined and not Specified Causes | 13 | 9 | 5 | 4 | 11 | 7 | 11 | 11 | 5 | 1 | 12 | 1 | 13 | 7 | 9 | 11 | 8 | 4 | 8 | 4 |

No. 28.—RETURN showing the Total Number of Deaths in South Australia (exclusive of the Northern Territory) from each cause during Ten Years, 1897-1906.

| Class. | Causes of Death. | | | | | | | Total. | Males. | Females. |
|--------|---|--|--|--|--|--|--|--------|--------|----------|
| | ALL CAUSES | | | | | | | 40,263 | 21,900 | 18,363 |
| I. | SPECIFIC FEBRILE OR ZYMOTIC DISEASES | | | | | | | 4,751 | 2,385 | 2,366 |
| II. | PARASITIC DISEASES | | | | | | | 132 | 75 | 57 |
| III. | DIETIC DISEASES | | | | | | | 223 | 158 | 65 |
| IV. | CONSTITUTIONAL DISEASES | | | | | | | 6,946 | 3,443 | 3,503 |
| V. | DEVELOPMENTAL DISEASES | | | | | | | 4,874 | 2,584 | 2,290 |
| VI. | LOCAL DISEASES | | | | | | | 18,720 | 10,214 | 8,506 |
| VII. | VIOLENCE | | | | | | | 2,533 | 1,874 | 659 |
| VIII. | ILL-DEFINED AND NOT SPECIFIED CAUSES | | | | | | | 2,084 | 1,167 | 917 |
| | I. | | | | | | | | | |
| | 1. Miasmatic Diseases | | | | | | | 2,486 | 1,267 | 1,219 |
| | 2. Diarrhoeal Diseases | | | | | | | 1,798 | 958 | 840 |
| | 3. Malarial Diseases | | | | | | | 12 | 10 | 2 |
| | 4. Zoogenous Diseases | | | | | | | 1 | 1 | — |
| | 5. Venereal Diseases | | | | | | | 71 | 43 | 28 |
| | 6. Septic Diseases.. .. . | | | | | | | 383 | 106 | 277 |
| | II. | | | | | | | | | |
| | Parasitic Diseases | | | | | | | 132 | 75 | 57 |
| | III. | | | | | | | | | |
| | Dietic Diseases | | | | | | | 223 | 158 | 65 |
| | IV. | | | | | | | | | |
| | Constitutional Diseases | | | | | | | 6,946 | 3,443 | 3,503 |
| | V. | | | | | | | | | |
| | Developmental Diseases | | | | | | | 4,874 | 2,584 | 2,290 |
| | VI. | | | | | | | | | |
| | 1. Diseases of Nervous System | | | | | | | 4,020 | 2,204 | 1,816 |
| | 2. " Organs of Special Sense | | | | | | | 41 | 24 | 17 |
| | 3. " Circulatory System | | | | | | | 4,619 | 2,482 | 2,137 |
| | 4. " Respiratory System | | | | | | | 3,938 | 2,260 | 1,678 |
| | 5. " Digestive System | | | | | | | 3,706 | 1,965 | 1,741 |
| | 6. " Lymphatic System and Ductless Glands | | | | | | | 83 | 36 | 47 |
| | 7. " Urinary System | | | | | | | 1,595 | 1,062 | 533 |
| | 8. " Reproductive System— | | | | | | | | | |
| | (a) Diseases of Organs of Generation | | | | | | | 135 | 5 | 130 |
| | (b) Diseases of Parturition | | | | | | | 282 | — | 282 |
| | 9. " Organs of Locomotion | | | | | | | 177 | 101 | 76 |
| | 10. " Integumentary System | | | | | | | 124 | 75 | 49 |
| | VII. | | | | | | | | | |
| | 1. Accident or Negligence | | | | | | | 2,072 | 1,500 | 572 |
| | 2. Homicide | | | | | | | 43 | 21 | 22 |
| | 3. Suicide | | | | | | | 413 | 348 | 65 |
| | 4. Execution | | | | | | | 5 | 5 | — |
| | VIII. | | | | | | | | | |
| | Ill-defined and not Specified Causes | | | | | | | 2,084 | 1,167 | 917 |
| | Miasmatic Diseases. | | | | | | | | | |
| I. | Smallpox | | | | | | | 2 | 2 | — |
| | Chicken-pox | | | | | | | 3 | 1 | 2 |
| | Measles | | | | | | | 329 | 168 | 161 |
| | Epidemic Rose Rash | | | | | | | 2 | 1 | 1 |
| | Scarlet Fever | | | | | | | 93 | 47 | 46 |
| | Influenza | | | | | | | 545 | 272 | 273 |
| | Whooping Cough | | | | | | | 441 | 203 | 238 |
| | Mumps | | | | | | | 2 | 1 | 1 |
| | Diphtheria | | | | | | | 236 | 111 | 125 |
| | Cerebro-spinal Fever | | | | | | | 56 | 36 | 20 |
| | Simple and Ill-defined Fever | | | | | | | 16 | 9 | 7 |
| | Enteric Fever | | | | | | | 758 | 413 | 345 |
| | Other Miasmatic Diseases | | | | | | | 3 | 3 | — |
| | Diarrhoeal Diseases. | | | | | | | | | |
| | Simple Cholera | | | | | | | 59 | 34 | 25 |
| | Diarrhea, Dysentery | | | | | | | 1,739 | 924 | 815 |
| | Malarial Diseases. | | | | | | | | | |
| | Remittent Fever | | | | | | | 2 | — | 2 |
| | Ague, Intermittent Fever | | | | | | | 3 | 3 | — |
| | Other Malarial Diseases | | | | | | | 7 | 7 | — |
| | Zoogenous Diseases. | | | | | | | | | |
| | Glanders | | | | | | | — | — | — |
| | Splenic Fever | | | | | | | 1 | 1 | — |

No. 28.—RETURN of the Total Number of Deaths, &c.—continued.

| Class. | Cause of Death. | Total. | Males. | Females. |
|--|-----------------|--------|--------|----------|
| <i>Diseases of Respiratory System.</i> | | | | |
| Laryngitis | | 57 | 33 | 24 |
| Croup | | 71 | 48 | 23 |
| Other Diseases of Larynx and Trachea | | 6 | 3 | 3 |
| Emphysema, Asthma | | 156 | 100 | 56 |
| Bronchitis | | 1,310 | 691 | 619 |
| Pneumonia | | 1,936 | 1,142 | 794 |
| Pleurisy | | 184 | 115 | 69 |
| Other Diseases of Respiratory System | | 218 | 128 | 90 |
| <i>Diseases of Digestive System.</i> | | | | |
| Stomatitis | | 24 | 12 | 12 |
| Dentition | | 301 | 165 | 136 |
| Sore Throat, Quinsy | | 40 | 23 | 17 |
| Dyspepsia | | 57 | 29 | 28 |
| Hæmatemesis | | 20 | 14 | 6 |
| Melæna | | 3 | 2 | 1 |
| Disease of Stomach | | 241 | 120 | 121 |
| Enteritis | | 1,672 | 919 | 753 |
| Ulceration of Intestines | | 39 | 20 | 19 |
| Ileus, Obstruction of Intestines | | 208 | 104 | 104 |
| Stricture, or Strangulation of Intestines | | 6 | 5 | 1 |
| Intussusception of Intestines | | 34 | 20 | 14 |
| Hernia | | 106 | 55 | 51 |
| Fistula | | 6 | 4 | 2 |
| Peritonitis | | 269 | 103 | 166 |
| Ascites | | 15 | 7 | 8 |
| Gallstones | | 72 | 29 | 43 |
| Cirrhosis of Liver | | 180 | 110 | 70 |
| Other Diseases of Liver | | 292 | 164 | 128 |
| Other Diseases of Digestive System | | 121 | 60 | 61 |
| <i>Diseases of Lymphatic System and Ductless Glands.</i> | | | | |
| Diseases of Lymphatic System | | 30 | 21 | 9 |
| Diseases of Spleen | | 8 | 5 | 3 |
| Bronchocele | | 25 | 3 | 22 |
| Addison's Disease | | 20 | 7 | 13 |
| <i>Diseases of Urinary System.</i> | | | | |
| Acute Nephritis | | 262 | 154 | 108 |
| Bright's Disease | | 792 | 475 | 317 |
| Uræmia | | 111 | 68 | 43 |
| Suppression of Urine | | 9 | 9 | — |
| Calculus | | 40 | 31 | 9 |
| Hæmaturia | | 2 | 2 | — |
| Diseases of Bladder and Prostate | | 229 | 221 | 8 |
| Other Diseases of Urinary System | | 150 | 102 | 48 |
| <i>Diseases of Organs of Generation.</i> | | | | |
| Ovarian Disease | | 39 | — | 39 |
| Diseases of Uterus and Vagina | | 77 | — | 77 |
| Disorders of Menstruation | | 2 | — | 2 |
| Pelvic Abscess | | 13 | 2 | 11 |
| Perineal Abscess | | 2 | 1 | 1 |
| Diseases of Testes, Scrotum, &c. | | 2 | 2 | — |
| <i>Diseases of Parturition.</i> | | | | |
| Abortion, Miscarriage | | 40 | — | 40 |
| Puerperal Mania | | 7 | — | 7 |
| Puerperal Convulsions | | 49 | — | 49 |
| Placenta Prævia, Flooding | | 76 | — | 76 |
| Phlegmasia Dolens | | 1 | — | 1 |
| Other Accidents of Childbirth | | 109 | — | 109 |
| <i>Diseases of Organs of Locomotion.</i> | | | | |
| Caries, Necrosis | | 76 | 47 | 29 |
| Arthritis, Ostitis, Periostitis | | 34 | 17 | 17 |
| Other Diseases of Organs of Locomotion | | 67 | 37 | 30 |
| <i>Diseases of Integumentary System.</i> | | | | |
| Carbuncle | | 23 | 16 | 7 |
| Phlegmon, Cellulitis | | 33 | 21 | 12 |
| Lupus | | 7 | 5 | 2 |
| Ulcer, Bedsore | | 5 | 2 | 3 |
| Eczema | | 27 | 16 | 11 |
| Pemphigus | | 6 | 4 | 2 |
| Other Diseases of Integumentary System | | 23 | 11 | 12 |

No. 28.—RETURN of the Total Number of Deaths, &c.—*continued.*

| Class. | Cause of Death. | | | | | | | Total. | Males. | Females |
|--------|--|----|----|----|----|----|----|--------|--------|---------|
| VII. | <i>Accident or Negligence.</i> | | | | | | | | | |
| | Fracture and Contusion | .. | .. | .. | .. | .. | .. | 777 | 674 | 103 |
| | Gunshot Wounds | .. | .. | .. | .. | .. | .. | 47 | 42 | 5 |
| | Cut, Stab | .. | .. | .. | .. | .. | .. | 10 | 5 | 5 |
| | Burn, Scald | .. | .. | .. | .. | .. | .. | 266 | 96 | 170 |
| | Poison | .. | .. | .. | .. | .. | .. | 92 | 70 | 22 |
| | Drowning | .. | .. | .. | .. | .. | .. | 401 | 330 | 71 |
| | Suffocation | .. | .. | .. | .. | .. | .. | 66 | 41 | 25 |
| | Otherwise | .. | .. | .. | .. | .. | .. | 413 | 242 | 171 |
| | <i>Homicide.</i> | | | | | | | | | |
| | Murder, Manslaughter | .. | .. | .. | .. | .. | .. | 43 | 21 | 22 |
| | Justifiable Homicide | .. | .. | .. | .. | .. | .. | — | — | — |
| | <i>Suicide.</i> | | | | | | | | | |
| | Gunshot Wounds | .. | .. | .. | .. | .. | .. | 101 | 99 | 2 |
| | Cut, Stab | .. | .. | .. | .. | .. | .. | 73 | 65 | 8 |
| | Poison | .. | .. | .. | .. | .. | .. | 75 | 54 | 21 |
| | Drowning | .. | .. | .. | .. | .. | .. | 49 | 30 | 19 |
| | Hanging | .. | .. | .. | .. | .. | .. | 96 | 86 | 10 |
| | Otherwise | .. | .. | .. | .. | .. | .. | 19 | 14 | 5 |
| | <i>Execution.</i> | | | | | | | | | |
| | Hanging | .. | .. | .. | .. | .. | .. | 5 | 5 | — |
| VIII. | <i>Ill-defined and Not Specified Causes.</i> | | | | | | | | | |
| | Dropsy | .. | .. | .. | .. | .. | .. | 36 | 19 | 17 |
| | Debility, Atrophy, Inanition | .. | .. | .. | .. | .. | .. | 1,846 | 1,024 | 822 |
| | Mortification | .. | .. | .. | .. | .. | .. | 3 | 1 | 2 |
| | Tumor | .. | .. | .. | .. | .. | .. | 10 | 5 | 5 |
| | Abscess | .. | .. | .. | .. | .. | .. | 14 | 8 | 6 |
| | Hæmorrhage | .. | .. | .. | .. | .. | .. | 21 | 15 | 6 |
| | Sudden Death (cause unascertained) | .. | .. | .. | .. | .. | .. | — | — | — |
| | Other Ill-defined and not Specified Causes | .. | .. | .. | .. | .. | .. | 154 | 95 | 59 |

No. 29.—RETURN showing the Number of Deaths in South Australia (exclusive of the Northern Territory) from each Cause during the Ten Years, 1897-1906, arranged in the Order of Fatality.

| Order of Fatality. | Causes of Death. | Total. | Males. | Females. | Order of Fatality. | Causes of Death. | Total. | Males. | Females. |
|--------------------|---|--------|--------|----------|--------------------|--|--------|--------|----------|
| 1 | Diseases of circulatory system not separately classed | 3,594 | 1,946 | 1,648 | 73 | Rheumatism (except of heart and rheumatic fever) | 59 | 30 | 29 |
| 2 | Old age | 3,504 | 1,833 | 1,731 | 74 | Simple cholera | 59 | 34 | 25 |
| 3 | Phthisis | 3,002 | 1,512 | 1,489 | 75 | Laryngitis | 57 | 33 | 24 |
| 4 | Cancer, malignant disease | 2,280 | 1,142 | 1,138 | 76 | Dyspepsia | 57 | 29 | 28 |
| 5 | Pneumonia | 1,936 | 1,142 | 794 | 77 | Idiopathic tetanus | 57 | 45 | 12 |
| 6 | Debility, atrophy, inanition | 1,846 | 1,024 | 822 | 78 | Cerebro-spinal fever | 56 | 36 | 20 |
| 7 | Diarrhoea, dysentery | 1,739 | 924 | 815 | 79 | Syphilis | 51 | 23 | 28 |
| 8 | Enteritis | 1,672 | 919 | 753 | 80 | Drowning (suicidal) | 49 | 30 | 19 |
| 9 | Bronchitis | 1,310 | 661 | 649 | 81 | Puerperal convulsions | 49 | — | 40 |
| 10 | Apoplexy | 1,136 | 508 | 508 | 82 | Gunshot wounds (accidental) | 47 | 42 | 5 |
| 11 | Premature birth | 1,036 | 591 | 445 | 83 | Murder, manslaughter | 43 | 21 | 22 |
| 12 | Bright's disease | 792 | 475 | 317 | 84 | Sore throat, quinsy | 40 | 23 | 17 |
| 13 | Fracture and contusion (accidental) | 777 | 674 | 103 | 85 | Urinary calculus | 40 | 31 | 9 |
| 14 | Enteric fever | 758 | 413 | 345 | 86 | Abortion, miscarriage | 40 | — | 40 |
| 15 | Convulsions | 740 | 420 | 320 | 87 | Ulceration of intestine | 39 | 20 | 19 |
| 16 | Inflammation of brain or its membranes | 604 | 323 | 281 | 88 | Ovarian disease | 39 | — | 39 |
| 17 | Influenza | 545 | 272 | 273 | 89 | Dropsy undefined or ill-defined | 36 | 19 | 17 |
| 18 | Diseases of nervous system not separately classed | 538 | 318 | 220 | 90 | Arthritis, osteitis, periostitis | 34 | 17 | 17 |
| 19 | Endocarditis, valvular disease of the heart | 453 | 227 | 226 | 91 | Intussusception of intestine | 34 | 20 | 14 |
| 20 | Forms of tuberculosis not separately classed | 451 | 214 | 237 | 92 | Phlegmon, cellulitis | 33 | 21 | 12 |
| 21 | Whooping cough | 441 | 203 | 238 | 93 | Otitis, otorrhoea, and disease of ear | 32 | 20 | 12 |
| 22 | Accidents not separately classed | 413 | 242 | 171 | 94 | Sphma bifida | 32 | 17 | 15 |
| 23 | Drowning (accidental) | 401 | 330 | 71 | 95 | Diseases of lymphatic system | 30 | 21 | 9 |
| 24 | Insanity, general paralysis of insane | 351 | 208 | 143 | 96 | Pericarditis | 30 | 18 | 12 |
| 25 | Tubercular meningitis (acute hydrocephalus) | 336 | 174 | 162 | 97 | Eczema | 27 | 16 | 11 |
| 26 | Measles | 329 | 168 | 161 | 98 | Senile gangrene | 25 | 12 | 13 |
| 27 | Dentition | 301 | 165 | 136 | 99 | Bronchocele | 25 | 3 | 22 |
| 28 | Diseases of liver (except cirrhosis and gallstones) | 292 | 164 | 128 | 100 | Gout | 24 | 22 | 2 |
| 29 | Diabetes mellitus | 278 | 124 | 154 | 101 | Stomatitis | 24 | 12 | 12 |
| 30 | Peritonitis (except puerperal and tubercular) | 269 | 103 | 166 | 102 | Carbuncle | 23 | 16 | 7 |
| 31 | Burn, scald (accidental) | 266 | 96 | 170 | 103 | Diseases of integumentary system not separately classed | 23 | 11 | 12 |
| 32 | Acute nephritis | 262 | 154 | 108 | 104 | Hæmorrhage undefined or ill-defined | 21 | 15 | 6 |
| 33 | Disease of stomach | 241 | 120 | 121 | 105 | Cyanosis | 21 | 15 | 6 |
| 34 | Diphtheria | 236 | 111 | 125 | 106 | Hæmatemesis | 20 | 14 | 6 |
| 35 | Diseases of bladder and of prostate | 229 | 221 | 8 | 107 | Gonorrhoea, stricture of urethra | 20 | 20 | — |
| 36 | Diseases of respiratory system not separately classed | 218 | 125 | 90 | 108 | Addison's disease | 20 | 7 | 13 |
| 37 | Heus, obstruction of intestine | 208 | 104 | 104 | 109 | Thrush | 19 | 5 | 14 |
| 38 | Pleurisy | 184 | 115 | 69 | 110 | Suicides not separately classed | 19 | 14 | 5 |
| 39 | Cirrhosis of liver | 180 | 110 | 70 | 111 | Cleft palate, harlip | 18 | 9 | 9 |
| 40 | Hemiplegia, brain paralysis | 180 | 86 | 94 | 112 | Simple and ill-defined fever | 16 | 9 | 7 |
| 41 | Syncope | 177 | 79 | 98 | 113 | Ascites | 15 | 7 | 8 |
| 42 | Anæmia, chlorosis, leucocythæmia | 172 | 69 | 103 | 114 | Hypertrophy of heart | 15 | 7 | 8 |
| 43 | Rheumatic fever, rheumatism of heart | 169 | 74 | 95 | 115 | Abcess undefined or ill-defined | 14 | 8 | 6 |
| 44 | Paraplegia, disease of spinal cord | 166 | 103 | 63 | 116 | Imperforate anus | 13 | 10 | 3 |
| 45 | Epilepsy | 164 | 88 | 76 | 117 | Pelvic abscess | 13 | 2 | 11 |
| 46 | Puerperal fever | 159 | — | 159 | 118 | Delirium tremens | 13 | 12 | 1 |
| 47 | Emphysema, asthma | 156 | 100 | 56 | 119 | Tumor undefined or ill-defined | 10 | 5 | 5 |
| 48 | Embolism, thrombosis | 156 | 66 | 90 | 120 | Cut, stab (accidental) | 10 | 5 | 5 |
| 49 | Ill-defined and unspecified causes not separately classed | 154 | 95 | 59 | 121 | Suppression of urine | 9 | 9 | — |
| 50 | Diseases of urinary system not separately classed | 150 | 102 | 48 | 122 | Phlebitis | 9 | 1 | 8 |
| 51 | Starvation, want of breast milk | 133 | 96 | 37 | 123 | Diseases of spleen | 8 | 5 | 3 |
| 52 | Pyæmia, septicæmia | 125 | 57 | 68 | 124 | Puerperal mania | 7 | — | 7 |
| 53 | Diseases of digestive system not separately classed | 121 | 60 | 61 | 125 | Lupus | 7 | 5 | 2 |
| 54 | Congenital defects not separately classed | 113 | 66 | 47 | 126 | Malarial diseases not separately classed | 7 | 7 | — |
| 55 | Uræmia | 111 | 68 | 43 | 127 | Epistaxis and disease of nose | 7 | 4 | 3 |
| 56 | Accidents of childbirth not separately classed | 109 | — | 109 | 128 | Stricture or strangulation of intestine | 7 | 4 | 3 |
| 57 | Hydatid disease | 109 | 67 | 42 | 129 | Diseases of larynx and trachea (except croup and laryngitis) | 6 | 5 | 1 |
| 58 | Hernia | 106 | 55 | 51 | 130 | Fistula | 6 | 3 | 3 |
| 59 | Constitutional diseases not separately classed | 105 | 47 | 58 | 131 | Scurvy | 6 | 4 | 2 |
| 60 | Gunshot wounds (suicidal) | 101 | 99 | 2 | 132 | Pemphigus | 6 | 2 | 4 |
| 61 | Erysipelas | 98 | 49 | 49 | 133 | Ulcer, bed sore | 5 | 4 | 2 |
| 62 | Hanging (suicidal) | 96 | 86 | 10 | 134 | Chorea | 5 | 1 | 4 |
| 63 | Scarlet fever | 93 | 47 | 46 | 135 | Hanging (execution) | 5 | 5 | — |
| 64 | Poisoning (accidental) | 92 | 70 | 22 | 136 | Melæna | 3 | 2 | 1 |
| 65 | Aneurism | 85 | 76 | 9 | 137 | Diseases from vegetable parasites not separately classed | 3 | 2 | 1 |
| 66 | Atelectasis | 77 | 43 | 34 | 138 | Miasmatic diseases not separately classed | 3 | 3 | — |
| 67 | Diseases of uterus and vagina | 77 | — | 77 | 139 | Ague, intermittent fever | 3 | 3 | — |
| 68 | Caries, necrosis | 76 | 47 | 29 | 140 | Chicken-pox | 3 | 1 | 2 |
| 69 | Placenta prævia, flooding | 76 | — | 76 | 141 | Mortification undefined or ill-defined | 3 | 1 | 2 |
| 70 | Poisoning (suicidal) | 75 | 54 | 21 | 142 | Remittent fever | 2 | — | 2 |
| 71 | Angina pectoris | 74 | 50 | 24 | 143 | Diseases of testes, scrotum, &c. | 2 | 2 | — |
| 72 | Cut, stab (suicidal) | 73 | 65 | 8 | 144 | Disorders of menstruation | 2 | — | 2 |
| 73 | Gallstones | 72 | 29 | 43 | 145 | Ophthalmia and disease of eye | 2 | — | 2 |
| 74 | Chronic alcoholism | 71 | 48 | 23 | 146 | Hæmaturia | 2 | 2 | — |
| 75 | Tabes mesenterica | 71 | 35 | 36 | 147 | Perineal abscess | 2 | 1 | 1 |
| 76 | Croup | 71 | 48 | 23 | 148 | Mumps | 2 | 1 | 1 |
| 77 | Softening of brain | 68 | 36 | 32 | 149 | Epidemic rose rash | 2 | 1 | 1 |
| 78 | Diseases of organs of locomotion not separately classed | 67 | 37 | 30 | 150 | Smallpox | 2 | 2 | — |
| 79 | Suffocation (accidental) | 66 | 41 | 25 | 151 | Phlegmasia dolens | 1 | — | 1 |
| | | | | | 152 | Phagedæna | 1 | — | 1 |
| | | | | | 153 | Varicose veins | 1 | — | 1 |
| | | | | | 154 | Splenic fever | 1 | 1 | — |
| | | | | | 155 | Diseases from animal parasites not separately classed | 1 | 1 | — |

No. 30.—RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1906.

No. 19.

| | | Cause of Death. | | | | | | | | | | | | Total. | | |
|--------------------------|------------------------|-----------------|----------|----------------|----------|------------|----------|-----------|----------|----------|----------|------------|----------|--------|----------|--------|
| | | Wounds. | | | | Poisoning. | | Drowning. | | Hanging. | | Otherwise. | | | | |
| | | Gunshot. | | Cut, Stab, &c. | | | | | | | | | | | | |
| | | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Total. |
| Metropolitan | City of Adelaide | 1 | — | 2 | — | 1 | — | 1 | — | 1 | 2 | — | — | 6 | 2 | 8 |
| | Suburbs “ | 2 | — | 1 | 2 | — | — | — | — | — | 1 | — | 1 | 3 | 4 | 7 |
| Extra-Metropolitan | | 11 | — | 1 | — | — | — | 2 | — | 5 | — | 5 | — | 24 | — | 24 |
| Total | | 14 | — | 4 | 2 | 1 | — | 3 | — | 6 | 3 | 5 | 1 | 33 | 6 | 39 |

No. 31.—RETURN showing the Ages of Persons who committed Suicide in South Australia (exclusive of the Northern Territory) during the Year 1906.

| | | Ages. | | | | | | | | | | | | | | | | | | | | | | | | | | Totals. | | |
|--------------------------|------------------------|-----------------|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----|----|-----------------|----|-------------|----|---------|----|--------|
| | | Under 25 years. | | 25- | | 30- | | 35- | | 40- | | 45- | | 50- | | 55- | | 60- | | 65- | | 70- | | 75 and Upwards. | | Not Stated. | | | | |
| | | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | Total. |
| Metropolitan | City of Adelaide | — | 1 | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | 2 | — | — | — | 6 | 2 | 8 |
| | Suburbs “ | — | — | — | — | — | 1 | — | 1 | — | — | — | 1 | 1 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | — | 3 | 4 | 7 |
| Extra-Metropolitan | | 1 | — | 3 | — | 3 | — | 5 | — | 3 | — | — | — | 4 | — | 1 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | 24 | — | 24 |
| Total | | 1 | 1 | 3 | — | 3 | 1 | 7 | 1 | 3 | — | — | 1 | 5 | — | 1 | — | 4 | 1 | 2 | — | 1 | 1 | 3 | — | — | — | 33 | 6 | 39 |

No. 32.—DECENNIAL RETURN showing the Number of Persons who committed Suicide in South Australia (exclusive of the Northern Territory).

| Year. | Totals. | Males. | Females. |
|------------|---------|--------|----------|
| 1897 | 50 | 40 | 10 |
| 1898 | 41 | 36 | 5 |
| 1899 | 34 | 22 | 12 |
| 1900 | 33 | 26 | 7 |
| 1901 | 41 | 39 | 2 |
| 1902 | 35 | 32 | 3 |
| 1903 | 43 | 39 | 4 |
| 1904 | 41 | 35 | 6 |
| 1905 | 56 | 46 | 10 |
| 1906 | 39 | 33 | 6 |

VACCINATIONS.

No. 33.—RETURN showing the Number of Public Vaccinators, the Number of Children whose Births were Registered during the Year 1906; the total Number of successful Vaccinations of Persons of all Ages, during the same period; and the Amount Paid by Government.

| Number of Public Vaccinators. | Number of successful Vaccinations during the year. | Number of Births Registered during the year. | Proportion of Vaccinations to 100 Children Registered during the year. | Amount Paid by Government for the year's Vaccinations. |
|-------------------------------|--|--|--|--|
| 193 | 980 | 8,921 | 10.99 | £ s. d. 188 2 6 |

No. 34.—DECENNIAL RETURN showing the Number of successful Vaccinations, and the Proportion to Births registered in South Australia (exclusive of the Northern Territory).

| Year. | No. of Births Registered. | No. of successful Vaccinations. | No. of Vaccinations to 100 Births Registered. |
|------------|---------------------------|---------------------------------|---|
| 1897 | 9,535 | 6,331 | 66.40 |
| 1898 | 8,945 | 5,605 | 62.66 |
| 1899 | 9,397 | 4,854 | 51.65 |
| 1900 | 9,143 | 5,588 | 61.12 |
| 1901 | 9,079 | 4,350 | 47.91 |
| 1902 | 8,927 | 1,906 | 21.35 |
| 1903 | 8,475 | 1,857 | 21.91 |
| 1904 | 9,100 | 1,476 | 16.22 |
| 1905 | 8,832 | 1,142 | 12.93 |
| 1906 | 8,921 | 980 | 10.99 |

No. 35.—DECENNIAL RETURN showing the Number of Deaths in Public Institutions in South Australia (exclusive of the Northern Territory).

H—No. 19.

| Name of Institution. | 1897. | 1898. | 1899. | 1900. | 1901. | 1902. | 1903. | 1904. | 1905. | 1906. |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| HOSPITALS— | | | | | | | | | | |
| Adelaide Hospital | 225 | 246 | 257 | 243 | 282 | 264 | 291 | 263 | 264 | 253 |
| Consumptive Home | — | — | — | — | — | — | — | 2 | 21 | 51 |
| Mount Gambier Hospital | 18 | 15 | 14 | 17 | 12 | 16 | 8 | 10 | 21 | 14 |
| Port Adelaide Casualty Hospital | — | 1 | 2 | 3 | — | 4 | 3 | 3 | 2 | 4 |
| Port Augusta Hospital | 26 | 19 | 24 | 20 | 27 | 23 | 24 | 21 | 24 | 18 |
| Port Lincoln Hospital | 2 | 5 | 5 | 2 | 1 | 4 | 1 | 6 | 5 | 3 |
| Walleroo Hospital | 14 | 13 | 16 | 7 | 19 | 15 | 9 | 14 | 22 | 19 |
| Clare Casualty Hospital | 1 | 3 | 1 | 1 | 1 | 2 | — | — | 1 | 1 |
| † Waukaringa Hospital (formerly at Teetulpa) | — | — | — | — | — | — | — | — | — | — |
| Port Pirie Hospital | 14 | 20 | 21 | 17 | 31 | 31 | 21 | 24 | 22 | 18 |
| Tarcoola Hospital | — | — | — | — | 6 | — | 2 | — | — | — |
| LUNATIC ASYLUMS— | | | | | | | | | | |
| ‡ Adelaide | 16 | 19 | 14 | 9 | 12 | 3 | — | — | — | — |
| Parkside | 49 | 61 | 77 | 85 | 70 | 102 | 126 | 107 | 91 | 120 |
| DESTITUTE— | | | | | | | | | | |
| *Destitute Asylum | 77 | 84 | 70 | 54 | 79 | 86 | 84 | 92 | 75 | 86 |
| *Lying-in Department | 6 | 4 | 4 | 1 | 4 | 1 | 6 | — | 2 | 8 |
| State Children's Department { | 2 | 4 | — | — | 2 | 4 | 3 | 1 | 2 | — |
| | 7 | 12 | 8 | 6 | 5 | 9 | 11 | 8 | 2 | 6 |
| GAOLS AND PENAL ESTABLISHMENTS— | | | | | | | | | | |
| Adelaide Gaol | 1§ | 1 | — | 1§ | — | — | — | 1§ | 3 | 2 |
| Gladstone Gaol | — | 2 | 1 | — | — | 1 | — | — | — | — |
| Mount Gambier Gaol | — | — | — | — | — | — | — | — | — | — |
| Port Augusta Gaol | — | — | — | — | — | — | — | — | — | — |
| Port Lincoln Gaol | — | — | — | — | — | — | — | — | — | — |
| Redruth Gaol | — | — | — | — | — | — | — | — | — | — |
| Walleroo Gaol | — | — | — | — | — | — | — | — | — | — |
| Yatala Labor Prison | — | — | — | 1 | — | — | — | — | 1 | — |

* Including children. † Closed since September 4th, 1894. ‡ Closed since May 29th, 1902. § Executed || Including 1 executed.